

# ARA-DAC Weekly Analysis Result: 1905 (GFA)

## Technical Report

**GPS Week: 1905 (GFA)**

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: [geodesia@aranzadi.eus](mailto:geodesia@aranzadi.eus)


Report generated on 2016/07/24 at 13:19:47



# 1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

# 2 Map of Computed Sites



GM 2016 Jul 24 13:19:39

Fig.1: Computed Sites for GPS Week1905 (GFA)

### 3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Reprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase,  $L_1$  and  $L_2$ ; a priori sigma of single differences: 0.002 m.
  - sampling (for ambiguity resolution) : 30 s
  - sampling (for final processing) : 180 s
  - Systems: GPS+GLONASS observations are used
- Modelled observable: Double differences of carrier phase in QIF or  $L_3$  combinations (respectively for ambiguity resolution in baseline mode, and final network solution). In the final network solution the double differenced data are sampled at 180 sec. intervals.
- Ground antenna phase center calibrations: Group APCV used from the PCV\_COD.I08 file and individual calibrations from EPNC\_08.ATX. EPN\_A class sites (CRD + VEL) IGB08 used to define the reference frame. If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
  - 3 deg elev. cutoff; elevation dependent weighting
  - VMF1\_DRY mapping function. ZPD parameters are estimated using WET VMF1 mapping function.
  - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

### 4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria:  $3\sigma$  of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
  - Code-Based Widelane (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
  - Phase-Based Widelane ( $L_5$ ) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
  - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
  - Direct  $L_1/L_2$  AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

## 5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

### 5.1 IGB08

The Reference Frame considered in this section is IGB08, release C1890.

ARA LAC 1905 WEEK COMBINATION: PRECISE ORBITS 24-JUL-16 12:14

---

LOCAL GEODETIC DATUM: IGB08 EPOCH: 2016-07-13 12:00:00

| NUM | STATION NAME   | X (M)         | Y (M)         | Z (M)         | FLAG |
|-----|----------------|---------------|---------------|---------------|------|
| 1   | ACOR 13434M001 | 4594489.58683 | -678367.50862 | 4357066.26299 | W    |
| 22  | ALDA 19383M001 | 4687280.19195 | -190876.62055 | 4308106.92656 | A    |
| 28  | ALSA 19419M001 | 4677250.87291 | -176770.44953 | 4319079.84297 | A    |
| 40  | AULE 00000M000 | 4644762.15672 | -207777.70700 | 4351758.45175 | A    |
| 51  | BLAZ 10074M002 | 4634456.09657 | -124345.03376 | 4365785.43116 | A    |
| 54  | BRZR 19387M001 | 4662221.02027 | -220769.95394 | 4333309.40615 | A    |
| 7   | CACE 13447M001 | 4899866.53146 | -544567.09133 | 4033770.17228 | W    |
| 8   | CANT 13438M001 | 4625924.34479 | -307096.28907 | 4365771.52433 | W    |
| 69  | CHER 00000M000 | 4645880.35410 | -125721.98018 | 4353624.34254 | A    |
| 11  | CREU 13432M001 | 4715420.16869 | 273178.00372  | 4271946.81131 | A    |
| 12  | EBRE 13410M001 | 4833520.02031 | 41537.33569   | 4147461.68346 | W    |
| 77  | ELGE 19353S001 | 4657557.43494 | -202241.52872 | 4338991.83907 | A    |
| 87  | GERN 19389M001 | 4642811.34037 | -217222.98786 | 4353278.85253 | A    |
| 101 | IGEL 19352S001 | 4645951.46362 | -165574.55675 | 4352550.38969 | A    |
| 105 | ISPS 19484M001 | 4640596.51696 | -206963.83056 | 4356391.88252 | A    |
| 109 | LAZK 19354S001 | 4666098.37508 | -178186.24668 | 4330463.64408 | A    |
| 112 | LEIT 19428M001 | 4663520.96966 | -155859.77167 | 4334519.85187 | A    |
| 141 | ORON 19427M001 | 4659696.82202 | -130864.79087 | 4338948.85770 | A    |
| 146 | PAS2 19351S001 | 4644909.09202 | -156645.12256 | 4353623.04635 | A    |
| 147 | PASA 19351S001 | 4644909.09369 | -156645.12261 | 4353623.04738 | A    |
| 27  | RI01 13448M002 | 4708446.85624 | -199490.33862 | 4284089.70503 | W    |
| 28  | SALA 13469M001 | 4803054.50908 | -462131.12457 | 4158379.04347 | W    |
| 172 | SOPU 19386M001 | 4643997.94163 | -255913.96054 | 4350063.11192 | A    |
| 31  | TERU 13487M001 | 4867391.35109 | -95523.40998  | 4108341.65366 | W    |
| 204 | VITO 19385M001 | 4679397.73203 | -218436.56020 | 4314898.33254 | A    |
| 35  | YEBE 13420M001 | 4848724.59396 | -261631.98508 | 4123094.29472 | W    |
| 36  | ZARA 13462M001 | 4773803.19769 | -73506.03838  | 4215454.06554 | W    |

### 5.2 ETRS89 Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011).

ETRF2000 COORD. wk 1905 24-JUL-16 12:14

---

LOCAL GEODETIC DATUM: ETRF2000 EPOCH: 2016-07-13 12:00:00

| NUM | STATION NAME   | X (M)         | Y (M)         | Z (M)         | FLAG |
|-----|----------------|---------------|---------------|---------------|------|
| 1   | ACOR 13434M001 | 4594489.86599 | -678367.99271 | 4357065.86848 | W    |
| 22  | ALDA 19383M001 | 4687280.51969 | -190877.11262 | 4308106.54112 | A    |
| 28  | ALSA 19419M001 | 4677251.20283 | -176770.94062 | 4319079.45837 | A    |
| 40  | AULE 00000M000 | 4644762.48541 | -207778.19510 | 4351758.06902 | A    |
| 51  | BLAZ 10074M002 | 4634456.43497 | -124345.52070 | 4365785.05005 | A    |
| 54  | BRZR 19387M001 | 4662221.34643 | -220770.44372 | 4333309.02109 | A    |
| 7   | CACE 13447M001 | 4899866.80443 | -544567.60385 | 4033779.76838 | W    |
| 8   | CANT 13438M001 | 4625924.66385 | -307096.77559 | 4365771.14180 | W    |
| 69  | CHER 00000M000 | 4645880.69159 | -125722.46820 | 4353623.96063 | A    |
| 11  | CREU 13432M001 | 4715420.54320 | 273177.51030  | 4271946.42895 | A    |
| 12  | EBRE 13410M001 | 4833520.36250 | 41536.83051   | 4147461.29054 | W    |
| 77  | ELGE 19353S001 | 4657557.76342 | -202242.01802 | 4338991.45553 | A    |
| 87  | GERN 19389M001 | 4642811.66816 | -217223.47579 | 4353278.46983 | A    |
| 101 | IGEL 19352S001 | 4645951.79683 | -165575.04487 | 4352550.00734 | A    |
| 105 | ISPS 19484M001 | 4640596.84603 | -206964.31826 | 4356391.50009 | A    |
| 109 | LAZK 19354S001 | 4666098.70557 | -178186.73672 | 4330463.26022 | A    |
| 112 | LEIT 19428M001 | 4663521.30276 | -155859.26142 | 4334519.46843 | A    |
| 141 | ORON 19427M001 | 4659696.15805 | -130865.28020 | 4338948.47479 | A    |
| 146 | PAS2 19351S001 | 4644909.42624 | -156645.61056 | 4353622.66417 | A    |
| 147 | PASA 19351S001 | 4644909.42791 | -156645.61061 | 4353622.66520 | A    |
| 27  | RI01 13448M002 | 4708447.18155 | -199490.83270 | 4284089.31805 | W    |
| 28  | SALA 13469M001 | 4803054.79866 | -462131.62799 | 4158378.64712 | W    |
| 172 | SOPU 19386M001 | 4643998.26512 | -255914.44867 | 4350062.72872 | A    |
| 31  | TERU 13487M001 | 4867391.67632 | -95523.91868  | 4108341.25694 | W    |
| 204 | VITO 19385M001 | 4679398.05728 | -218437.05159 | 4314897.94733 | A    |
| 35  | YEBE 13420M001 | 4848724.90255 | -261632.49241 | 4123093.89746 | W    |
| 36  | ZARA 13462M001 | 4773803.53201 | -73506.53829  | 4215453.67546 | W    |

### 5.3 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGB08 solution and are given with respect the Local fram (North-East-Up).

ARA LAC 1905 WEEK COMBINATION: PRECISE ORBITS 24-JUL-16 12:14

---

| Station | #Days   | Weekday | Repeatability (mm) |   |   |
|---------|---------|---------|--------------------|---|---|
|         |         |         | N                  | E | U |
|         | 0123456 |         |                    |   |   |

|                |   |         |      |      |      |
|----------------|---|---------|------|------|------|
| ACDR 13434M001 | 7 | XXXXXXX | 0.66 | 1.14 | 5.44 |
| ALDA 19383M001 | 7 | XXXXXXX | 1.28 | 0.64 | 4.33 |
| ALSA 19419M001 | 7 | XXXXXXX | 0.88 | 0.48 | 5.02 |
| AULE 00000M000 | 7 | XXXXXXX | 1.37 | 0.93 | 5.10 |
| BIAZ 10074M002 | 7 | XXXXXXX | 0.46 | 0.46 | 3.42 |
| BRZR 19387M001 | 7 | XXXXXXX | 1.41 | 0.77 | 2.96 |
| CACE 13447M001 | 7 | XXXXXXX | 0.88 | 0.82 | 1.83 |
| CANT 13438M001 | 7 | XXXXXXX | 0.44 | 0.99 | 4.43 |
| CHER 00000M000 | 7 | XXXXXXX | 0.90 | 2.01 | 4.97 |
| CREU 13432M001 | 7 | XXXXXXX | 1.37 | 1.41 | 3.49 |
| EBRE 13410M001 | 7 | XXXXXXX | 1.42 | 1.45 | 4.16 |
| ELGE 19353S001 | 7 | XXXXXXX | 0.55 | 0.57 | 3.36 |
| GERN 19389M001 | 7 | XXXXXXX | 0.85 | 0.75 | 4.02 |
| IGEL 19352S001 | 7 | XXXXXXX | 0.45 | 0.95 | 3.46 |
| ISPS 19484M001 | 7 | XXXXXXX | 0.88 | 0.76 | 3.51 |
| LAZK 19354S001 | 7 | XXXXXXX | 0.75 | 0.95 | 5.09 |
| LEIT 19428M001 | 7 | XXXXXXX | 0.90 | 0.80 | 5.03 |
| ORDN 19427M001 | 7 | XXXXXXX | 1.34 | 0.75 | 4.56 |
| PAS2 19351S001 | 7 | XXXXXXX | 0.55 | 0.40 | 4.48 |
| PASA 19351S001 | 7 | XXXXXXX | 0.53 | 0.44 | 3.09 |
| RID1 13448M002 | 7 | XXXXXXX | 0.34 | 0.65 | 5.29 |
| SALA 13469M001 | 7 | XXXXXXX | 0.54 | 0.56 | 2.03 |
| SOPU 19386M001 | 7 | XXXXXXX | 0.72 | 0.91 | 5.01 |
| TERU 13487M001 | 7 | XXXXXXX | 1.03 | 0.79 | 2.84 |
| VITO 19385M001 | 7 | XXXXXXX | 0.85 | 0.61 | 3.34 |
| YEBE 13420M001 | 7 | XXXXXXX | 0.92 | 1.06 | 4.66 |
| ZARA 13462M001 | 7 | XXXXXXX | 1.03 | 0.81 | 2.74 |

Comparison of individual solutions:

|                |   |      |       |       |       |       |       |       |       |
|----------------|---|------|-------|-------|-------|-------|-------|-------|-------|
| ACDR 13434M001 | N | 0.66 | -0.32 | 0.28  | -0.22 | 0.43  | -1.48 | 0.17  | 0.16  |
| ACDR 13434M001 | E | 1.14 | -1.27 | -0.01 | -1.01 | 1.49  | -0.66 | 1.07  | -1.16 |
| ACDR 13434M001 | U | 5.44 | -6.15 | -2.94 | 1.22  | 7.27  | 7.79  | -3.03 | -2.60 |
| ALDA 19383M001 | N | 1.28 | -0.61 | -1.14 | 0.97  | 1.06  | 1.82  | -1.50 | -0.69 |
| ALDA 19383M001 | E | 0.64 | 0.15  | 1.10  | -0.81 | -0.57 | -0.35 | 0.07  | -0.31 |
| ALDA 19383M001 | U | 4.33 | 3.18  | 2.63  | -8.17 | -0.68 | -3.29 | -3.60 | 2.18  |
| ALSA 19419M001 | N | 0.88 | 0.06  | 0.05  | -0.54 | 1.60  | 0.13  | -0.17 | -1.35 |
| ALSA 19419M001 | E | 0.48 | 0.53  | 0.29  | 0.19  | -0.12 | -0.40 | -0.47 | -0.77 |
| ALSA 19419M001 | U | 5.02 | -2.74 | 8.67  | -1.93 | -4.51 | -6.28 | 1.20  | -1.93 |
| AULE 00000M000 | N | 1.37 | -2.40 | -0.65 | -0.16 | -0.20 | 0.28  | 1.59  | 1.53  |
| AULE 00000M000 | E | 0.93 | 1.10  | 0.18  | -0.70 | -0.46 | 0.10  | -1.69 | 0.63  |
| AULE 00000M000 | U | 5.10 | 6.17  | -3.09 | -1.31 | 2.80  | -9.11 | -3.88 | 0.94  |
| BIAZ 10074M002 | N | 0.46 | -0.83 | 0.15  | 0.34  | 0.03  | -0.41 | 0.51  | 0.18  |
| BIAZ 10074M002 | E | 0.46 | 0.33  | -0.68 | -0.02 | -0.22 | -0.20 | 0.50  | -0.57 |
| BIAZ 10074M002 | U | 3.42 | -0.34 | -0.10 | 0.53  | 2.03  | -7.62 | -2.78 | 0.10  |
| BRZR 19387M001 | N | 1.41 | 0.85  | -1.36 | -1.56 | -1.54 | 0.74  | 1.81  | 0.82  |
| BRZR 19387M001 | E | 0.77 | -0.13 | -1.55 | -0.09 | -0.43 | 0.50  | 0.85  | 0.08  |
| BRZR 19387M001 | U | 2.96 | 1.64  | 0.67  | -1.91 | -3.50 | -5.57 | 1.49  | 0.35  |
| CACE 13447M001 | N | 0.88 | 0.75  | -0.01 | -1.69 | 0.16  | -0.83 | 0.25  | 0.71  |
| CACE 13447M001 | E | 0.82 | 1.06  | -0.03 | -1.34 | -0.19 | -0.17 | 0.18  | 1.03  |
| CACE 13447M001 | U | 1.83 | -0.43 | -2.59 | -1.94 | -1.04 | -1.83 | 1.91  | 1.17  |
| CANT 13438M001 | N | 0.44 | -0.47 | 0.54  | 0.06  | -0.34 | 0.44  | -0.41 | 0.42  |
| CANT 13438M001 | E | 0.99 | -0.40 | 0.14  | -0.15 | 0.50  | 0.46  | -0.14 | -2.28 |
| CANT 13438M001 | U | 4.43 | -7.43 | 1.25  | -1.26 | 2.77  | -4.44 | 2.88  | 4.86  |
| CHER 00000M000 | N | 0.90 | 0.03  | -1.19 | -0.85 | 0.14  | -0.23 | 1.44  | 0.79  |
| CHER 00000M000 | E | 2.01 | 0.74  | -1.96 | -1.02 | -2.20 | -0.57 | 0.70  | 3.64  |
| CHER 00000M000 | U | 4.97 | 2.02  | 4.48  | -3.11 | -3.72 | -8.39 | -3.75 | 3.98  |
| CREU 13432M001 | N | 1.37 | 1.03  | -1.31 | 1.18  | 1.43  | -1.61 | -1.55 | 0.00  |
| CREU 13432M001 | E | 1.41 | 0.70  | 0.53  | 2.39  | -1.37 | -1.51 | 0.07  | 1.12  |
| CREU 13432M001 | U | 3.49 | 1.26  | 2.73  | -3.07 | 2.97  | 5.83  | -2.65 | -2.16 |
| EBRE 13410M001 | N | 1.42 | 1.11  | -3.16 | 0.53  | 0.72  | -0.25 | -0.21 | 0.09  |
| EBRE 13410M001 | E | 1.45 | -0.41 | 1.50  | 0.84  | -2.28 | 1.07  | 0.93  | 1.51  |
| EBRE 13410M001 | U | 4.16 | 0.09  | 1.15  | 3.48  | -4.81 | 8.15  | 0.65  | 0.77  |
| ELGE 19353S001 | N | 0.55 | 0.47  | 0.14  | 0.70  | -0.66 | 0.11  | -0.23 | -0.76 |
| ELGE 19353S001 | E | 0.57 | -0.08 | 0.50  | 0.17  | -0.21 | 0.17  | -0.06 | -1.27 |
| ELGE 19353S001 | U | 3.36 | 2.99  | -2.63 | 1.93  | -0.38 | -6.67 | -0.97 | -1.64 |
| GERN 19389M001 | N | 0.85 | -0.46 | 1.18  | 0.82  | -0.46 | 0.13  | 0.16  | -1.36 |
| GERN 19389M001 | E | 0.75 | 1.09  | 0.05  | -0.64 | 0.05  | -0.99 | 0.42  | -0.80 |
| GERN 19389M001 | U | 4.02 | -1.08 | 2.88  | 0.43  | 3.60  | -7.20 | -4.45 | -1.66 |
| IGEL 19352S001 | N | 0.45 | -0.79 | 0.03  | 0.32  | -0.50 | 0.07  | 0.28  | 0.41  |
| IGEL 19352S001 | E | 0.95 | 0.92  | 0.34  | -1.33 | -1.18 | 0.28  | 0.84  | -0.67 |
| IGEL 19352S001 | U | 3.46 | 0.23  | -6.27 | 3.45  | 1.01  | -4.20 | -1.18 | -0.57 |
| ISPS 19484M001 | N | 0.88 | 0.09  | 1.35  | 0.88  | 0.12  | -0.75 | -0.59 | -1.05 |
| ISPS 19484M001 | E | 0.76 | 0.42  | -1.21 | -1.12 | -0.07 | 0.70  | 0.23  | 0.17  |
| ISPS 19484M001 | U | 3.51 | -2.86 | -4.88 | 0.50  | 1.67  | -5.77 | 1.15  | 2.09  |
| LAZK 19354S001 | N | 0.75 | -1.14 | -0.41 | 0.25  | 0.79  | 0.97  | -0.44 | -0.18 |
| LAZK 19354S001 | E | 0.95 | 1.35  | 0.12  | -1.02 | -1.56 | -0.09 | 0.38  | 0.01  |
| LAZK 19354S001 | U | 5.09 | 6.94  | 0.92  | 2.03  | -3.20 | -7.36 | -1.01 | -6.09 |
| LEIT 19428M001 | N | 0.90 | -0.87 | -0.66 | -0.47 | -0.89 | 1.19  | 1.07  | 0.32  |
| LEIT 19428M001 | E | 0.80 | -0.68 | -1.34 | 0.12  | 0.97  | -0.66 | 0.15  | 0.44  |
| LEIT 19428M001 | U | 5.03 | 0.46  | 2.20  | 1.37  | 6.02  | -5.17 | -7.80 | -4.62 |
| ORON 19427M001 | N | 1.34 | -0.41 | -0.92 | -1.34 | 0.43  | 2.31  | 0.91  | -1.25 |
| ORON 19427M001 | E | 0.75 | -0.06 | 0.08  | -0.90 | -0.35 | -1.01 | 1.19  | 0.18  |
| ORON 19427M001 | U | 4.56 | 6.71  | 2.53  | -4.21 | -2.64 | -5.23 | -1.91 | -4.20 |
| PAS2 19351S001 | N | 0.55 | 0.48  | -0.28 | -0.19 | -0.38 | -0.62 | -0.11 | 0.96  |
| PAS2 19351S001 | E | 0.40 | -0.62 | 0.45  | -0.15 | -0.14 | -0.08 | 0.23  | -0.52 |
| PAS2 19351S001 | U | 4.48 | 2.14  | -1.27 | 3.91  | 2.94  | -4.85 | -2.89 | -7.64 |
| PASA 19351S001 | N | 0.53 | 0.78  | 0.18  | 0.14  | -0.62 | -0.66 | -0.32 | 0.29  |
| PASA 19351S001 | E | 0.44 | -0.46 | 0.24  | -0.28 | 0.15  | 0.00  | 0.37  | -0.81 |
| PASA 19351S001 | U | 3.09 | 1.16  | -3.33 | 1.46  | 2.94  | -3.20 | -2.64 | -4.12 |
| RID1 13448M002 | N | 0.34 | 0.29  | 0.17  | 0.04  | -0.19 | 0.22  | 0.07  | -0.70 |
| RID1 13448M002 | E | 0.65 | 0.50  | 0.27  | -1.02 | -0.44 | 0.64  | 0.57  | -0.51 |
| RID1 13448M002 | U | 5.29 | -3.23 | 5.23  | -2.75 | 5.11  | -9.30 | -3.09 | -0.65 |
| SALA 13469M001 | N | 0.54 | 0.01  | 0.72  | 0.72  | -0.15 | -0.42 | -0.69 | -0.23 |
| SALA 13469M001 | E | 0.56 | -0.80 | -0.09 | -0.98 | 0.05  | 0.17  | 0.16  | -0.45 |
| SALA 13469M001 | U | 2.03 | -0.58 | 3.77  | -1.07 | 0.32  | 1.50  | -2.45 | -0.84 |
| SOPU 19386M001 | N | 0.72 | -0.19 | -1.03 | 1.15  | -0.14 | -0.09 | 0.73  | -0.34 |
| SOPU 19386M001 | E | 0.91 | -0.34 | -0.37 | 0.66  | -1.78 | -0.23 | 0.55  | -0.90 |
| SOPU 19386M001 | U | 5.01 | -3.23 | 5.64  | -6.12 | -3.04 | -4.97 | 2.79  | 5.39  |
| TERU 13487M001 | N | 1.03 | -0.36 | -1.80 | 0.55  | 0.40  | 1.37  | 0.16  | -0.75 |
| TERU 13487M001 | E | 0.79 | 0.72  | 0.72  | 0.30  | -0.09 | 1.00  | 0.14  | 1.25  |
| TERU 13487M001 | U | 2.84 | -0.68 | -1.37 | 4.70  | -0.75 | 4.77  | 0.79  | 0.31  |
| VITO 19385M001 | N | 0.85 | -0.66 | 1.40  | -1.05 | -0.52 | 0.71  | 0.03  | 0.14  |
| VITO 19385M001 | E | 0.61 | -0.12 | -0.91 | -0.36 | -0.08 | 0.81  | 0.25  | -0.71 |
| VITO 19385M001 | U | 3.34 | 3.27  | -1.24 | -2.47 | 2.96  | -5.75 | -1.63 | -2.02 |
| YEBE 13420M001 | N | 0.92 | -0.37 | 0.91  | -0.31 | -1.20 | 1.50  | -0.02 | -0.52 |
| YEBE 13420M001 | E | 1.06 | -1.59 | -0.04 | 0.49  | 1.74  | -0.10 | -0.97 | 0.21  |
| YEBE 13420M001 | U | 4.66 | 1.47  | -6.80 | 7.54  | -3.88 | -0.59 | 2.54  | 1.78  |
| ZARA 13462M001 | N | 1.03 | -0.08 | 0.27  | 0.86  | -2.33 | 0.27  | 0.20  | -0.25 |
| ZARA 13462M001 | E | 0.81 | 0.93  | -0.26 | -0.48 | 0.31  | 0.50  | 0.42  | 1.50  |
| ZARA 13462M001 | U | 2.74 | 3.06  | 2.86  | 1.04  | 4.25  | 1.33  | -1.66 | -1.92 |

## 5.4 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

LOCAL GEODETIC DATUM: Igb08  
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

| NUM | NAME            | FLG | RESIDUALS IN MILLIMETERS |       |       |
|-----|-----------------|-----|--------------------------|-------|-------|
| 1   | ACDR 13434M001  | I W | -1.28                    | -0.63 | 4.19  |
| 2   | ALAC 13433M001  | I W | 0.44                     | 0.89  | -0.48 |
| 3   | ALBA 13452M001  | I W | 0.01                     | 1.69  | -1.92 |
| 4   | ALME 13437M001  | I W | -0.41                    | -0.09 | -1.08 |
| 6   | BRST 10004M004  | I W | 1.24                     | -1.65 | 2.61  |
| 7   | CACE 13447M001  | I W | 0.53                     | 0.45  | -0.70 |
| 8   | CANT 13436M001  | I W | -0.08                    | -0.25 | -0.16 |
| 9   | CEU1 13449M002  | I W | 0.59                     | 2.19  | 10.59 |
| 10  | COBA 13453M001  | I W | 1.82                     | -0.87 | -5.70 |
| 12  | EBRE 13410M001  | I W | 0.88                     | -0.49 | 2.24  |
| 14  | FUNC 13911S001  | I W | 0.35                     | 1.02  | -3.03 |
| 16  | HUEL 13451M001  | I W | -0.44                    | 0.72  | -1.41 |
| 17  | IZAN 31309M002  | I W | -1.67                    | 1.51  | -0.88 |
| 18  | LLIV 13436M001  | I W | -3.18                    | -1.60 | -2.45 |
| 19  | LPAL 81701M001  | I W | -1.07                    | 0.76  | -1.76 |
| 20  | LROC 10023M001  | I W | 1.76                     | -2.87 | 0.65  |
| 21  | MALA 13443M001  | I W | -3.79                    | 2.04  | -2.01 |
| 22  | MALL 13444M001  | I W | 0.08                     | -1.00 | -1.26 |
| 24  | MELI 13379M001  | I W | -1.01                    | -0.34 | -0.07 |
| 25  | FDEL 31906M004  | I W | -1.58                    | -2.21 | 2.09  |
| 26  | RABT 35001M002  | I W | 0.26                     | 0.65  | -2.96 |
| 27  | RID1 13448M002  | I W | 0.09                     | 0.58  | -1.11 |
| 28  | SALA 13469M001  | I W | -0.68                    | -0.53 | 3.09  |
| 29  | SCDA 10088M002  | I W | -0.06                    | -1.17 | -3.40 |
| 30  | SDNS 13446M001  | I W | -1.90                    | -0.91 | -2.49 |
| 31  | TERU 13487M001  | I W | 2.12                     | 1.55  | -0.98 |
| 32  | VALE 13439M001  | I W | -0.50                    | 1.06  | -2.32 |
| 33  | VIGO 13450M001  | I W | 0.13                     | -0.95 | 3.31  |
| 34  | VILL 13406M001  | I W | -0.36                    | 1.17  | -3.01 |
| 35  | YEBE 13420M001  | I W | 1.76                     | 0.24  | 6.05  |
| 36  | ZARA 13462M001  | I W | -0.65                    | -0.78 | 2.46  |
| 37  | ZIMM 14001M004  | I W | 0.24                     | -0.18 | 1.93  |
|     | RMS / COMPONENT |     | 1.35                     | 1.24  | 3.22  |
|     | MEAN            |     | -0.00                    | 0.00  | -0.00 |
|     | MIN             |     | -3.79                    | -2.87 | -5.70 |
|     | MAX             |     | 3.18                     | 2.19  | 10.59 |

NUMBER OF PARAMETERS : 3  
NUMBER OF COORDINATES : 96  
RMS OF TRANSFORMATION : 2.14 MM

## 5.5 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          8997253
NUMBER OF UNKNOWN               137961
NUMBER OF DEGREES OF FREEDOM    8859292
PHASE MEASUREMENTS SIGMA       0.00100
SAMPLING INTERVAL (SECONDS)     180
VARIANCE FACTOR                 2.176248996732391

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")      Scale (ppm)
      X          Y          Z          X          Y          Z
-----
 1  0.00223    0.0113 -0.0075 -0.0157  0.0002  0.0006 -0.0002  0.00007
 2  0.00213    0.0172 -0.0027 -0.0148  0.0001  0.0007 -0.0000  -0.00068
 3  0.00221    -0.0058 -0.0260  0.0105  0.0006 -0.0004 -0.0006  -0.00057
 4  0.00220    -0.0070  0.0081  0.0103  -0.0002 -0.0004  0.0002  0.00004
 5  0.00270    -0.0298 -0.0547  0.0364  0.0009 -0.0015 -0.0016  -0.00041
 6  0.00183    -0.0150 -0.0150  0.0196  0.0002 -0.0008 -0.0005  -0.00011
 7  0.00194    0.0094  0.0129 -0.0113  -0.0002  0.0005  0.0004  0.00008
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
 1  0.00150    1259065    2.24          1278749      3          585    19102    0
 2  0.00154    1258432    2.38          1278782      3          585    19768    0
 3  0.00151    1260079    2.27          1280029      3          585    19368    0
 4  0.00148    1254727    2.20          1275443      3          585    20134    0
 5  0.00144    1275892    2.09          1296636      3          591    20156    0
 6  0.00140    1279077    1.95          1298734      3          588    19072    0
 7  0.00143    1268537    2.04          1288880      3          579    19767    0
```

## 6 Equipment

### 6.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ FIRMWARE___
ACOR A 1 P 16:192:00000 16:198:86370 LEICA GRX1200PRO -----
ALDA A 1 P 16:192:00000 16:198:86370 LEICA GR10 -----
ALSA A 1 P 16:192:00000 16:198:86370 LEICA GRX1200GGPRO -----
AULE A 1 P 16:192:00000 16:198:86370 LEICA GRX1200+GNSS -----
BIAZ A 1 P 16:192:00000 16:198:86370 LEICA GRX1200GGPRO -----
BRZR A 1 P 16:192:00000 16:198:86370 LEICA GR10 -----
CACE A 1 P 16:192:00000 16:198:86370 TRIMBLE NETR9 -----
CANT A 1 P 16:192:00000 16:198:86370 LEICA GR10 -----
CHER A 1 P 16:192:00000 16:198:86370 LEICA GRX1200+GNSS -----
CREU A 1 P 16:192:00000 16:198:86370 LEICA GR25 -----
EBRE A 1 P 16:192:00000 16:198:86370 TRIMBLE NETR9 -----
ELGE A 1 P 16:192:00000 16:198:86370 LEICA GR10 -----
GERN A 1 P 16:192:00000 16:198:86370 LEICA GR10 -----
IGEL A 1 P 16:192:00000 16:198:86370 LEICA GR10 -----
ISPS A 1 P 16:192:00000 16:198:86370 TRIMBLE NETR9 -----
LAZK A 1 P 16:192:00000 16:198:86370 LEICA GR10 -----
LEIT A 1 P 16:192:00000 16:198:86370 LEICA GRX1200+GNSS -----
ORON A 1 P 16:192:00000 16:198:86370 LEICA GRX1200GGPRO -----
PAS2 A 1 P 16:192:00000 16:198:86370 TPS NET-G3A -----
PASA A 1 P 16:192:00000 16:198:86370 LEICA GR10 -----
RIO1 A 1 P 16:192:00000 16:198:86370 LEICA GR25 -----
SALA A 1 P 16:192:00000 16:198:86370 LEICA GRX1200+GNSS -----
SOPU A 1 P 16:192:00000 16:198:86370 LEICA GR10 -----
TERU A 1 P 16:192:00000 16:198:86370 LEICA GRX1200GGPRO -----
VITO A 1 P 16:192:00000 16:198:86370 LEICA GR10 -----
YEBE A 1 P 16:192:00000 16:198:86370 TRIMBLE NETR9 -----
ZARA A 1 P 16:192:00000 16:198:86370 TRIMBLE NETR9 -----
```

### 6.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__
ACOR A 1 P 16:192:00000 16:198:86370 LEIAT504 LEIS -----
ALDA A 1 P 16:192:00000 16:198:86370 LEIAS10 NONE -----
ALSA A 1 P 16:192:00000 16:198:86370 LEIAX1202GG NONE -----
AULE A 1 P 16:192:00000 16:198:86370 LEIAS10 NONE -----
BIAZ A 1 P 16:192:00000 16:198:86370 LEIAR25 LEIT -----
BRZR A 1 P 16:192:00000 16:198:86370 LEIAS10 NONE -----
CACE A 1 P 16:192:00000 16:198:86370 TRM29659.00 NONE -----
CANT A 1 P 16:192:00000 16:198:86370 LEIAR25.R4 LEIT 25066
CHER A 1 P 16:192:00000 16:198:86370 LEIAX1203+GNSS NONE -----
```




|      |   |   |   |              |              |                |      |       |
|------|---|---|---|--------------|--------------|----------------|------|-------|
| CREU | A | 1 | P | 16:192:00000 | 16:198:86370 | LEIAR25.R4     | NONE | 26357 |
| EBRE | A | 1 | P | 16:192:00000 | 16:198:86370 | TRM57971.00    | NONE | 25503 |
| ELGE | A | 1 | P | 16:192:00000 | 16:198:86370 | LEIAR25.R4     | LEIT | ----- |
| GERN | A | 1 | P | 16:192:00000 | 16:198:86370 | LEIAS10        | NONE | ----- |
| IGEL | A | 1 | P | 16:192:00000 | 16:198:86370 | LEIAR20        | LEIM | ----- |
| ISPS | A | 1 | P | 16:192:00000 | 16:198:86370 | TRM59900.00    | SCIS | ----- |
| LAZK | A | 1 | P | 16:192:00000 | 16:198:86370 | LEIAR25.R4     | LEIT | ----- |
| LEIT | A | 1 | P | 16:192:00000 | 16:198:86370 | LEIAX1203+GNSS | NONE | ----- |
| ORON | A | 1 | P | 16:192:00000 | 16:198:86370 | LEIAX1202GG    | NONE | ----- |
| PAS2 | A | 1 | P | 16:192:00000 | 16:198:86370 | LEIAR20        | LEIM | 73034 |
| PASA | A | 1 | P | 16:192:00000 | 16:198:86370 | LEIAR20        | LEIM | 73034 |
| RI01 | A | 1 | P | 16:192:00000 | 16:198:86370 | LEIAR25.R4     | LEIT | 25138 |
| SALA | A | 1 | P | 16:192:00000 | 16:198:86370 | LEIAR25        | NONE | ----- |
| SOPU | A | 1 | P | 16:192:00000 | 16:198:86370 | LEIAS10        | NONE | ----- |
| TERU | A | 1 | P | 16:192:00000 | 16:198:86370 | LEIAT504GG     | LEIS | ----- |
| VITO | A | 1 | P | 16:192:00000 | 16:198:86370 | LEIAS10        | NONE | ----- |
| YEBE | A | 1 | P | 16:192:00000 | 16:198:86370 | TRM29659.00    | NONE | ----- |
| ZARA | A | 1 | P | 16:192:00000 | 16:198:86370 | TRM29659.00    | NONE | ----- |

### 6.3 Eccentricities


| *SITE | PT | SOLN | T | DATA_START_  | DATA_END_    | AXE | UP                | NORTH  | EAST   |
|-------|----|------|---|--------------|--------------|-----|-------------------|--------|--------|
|       |    |      |   |              |              |     | ARP->BENCHMARK(M) |        |        |
| ACOR  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 3.0460            | 0.0000 | 0.0000 |
| ALDA  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| ALSA  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| AULE  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| BIAZ  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| BRZR  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| CACE  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0600            | 0.0000 | 0.0000 |
| CANT  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 3.0490            | 0.0000 | 0.0000 |
| CHER  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| CREU  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0770            | 0.0000 | 0.0000 |
| EBRE  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0770            | 0.0000 | 0.0000 |
| ELGE  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| GERN  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| IGEL  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| ISPS  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0350            | 0.0000 | 0.0000 |
| LAZK  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| LEIT  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| ORON  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| PAS2  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| PASA  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| RI01  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0606            | 0.0000 | 0.0000 |
| SALA  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0600            | 0.0000 | 0.0000 |
| SOPU  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| TERU  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0600            | 0.0000 | 0.0000 |
| VITO  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| YEBE  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 0.0000            | 0.0000 | 0.0000 |
| ZARA  | A  | 1    | P | 16:192:00000 | 16:198:86370 | UNE | 3.2590            | 0.0000 | 0.0000 |

## 7 Cumulative Time Series


Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.



1 ) ACOR




2 ) ALDA




GMW 2016 Jul 24 12:31:45

3 ) ALSA




GMW 2016 Jul 24 12:32:48

4 ) AULE




GMW 2016 Jul 24 12:33:51

5 ) BIAZ




GMW 2016 Jul 24 12:33:57

6 ) BIDA




GMW 2016 Jul 24 12:34:15

7 ) BRZR




GMW 2016 Jul 18 03:58:15

8 ) CACE




GMW 2016 Jul 24 12:34:50

9 ) CANT




GMW 2016 Jul 24 12:35:47

10 ) CHER




GMW 2016 Jul 24 12:36:16


11 ) CREU




12 ) EBRE




13 ) ELGE




14 ) GERN




15 ) IGEL




16 ) ISPS




17 ) LAZK



18 ) LEIT




19 ) ORON




20 ) PAS2







21 ) PASA



22 ) RIO1




23 ) SALA




GMW 2016 Jul 24 12:47:31

24 ) SOPU




GMW 2016 Jul 24 12:48:45

25 ) TERU




GMW 2016 Jul 24 12:50:46

26 ) VITO



27 ) YEBE



28 ) ZARA