

ARA-DAC Weekly Analysis Result: 1906 (GFA)

Technical Report

GPS Week: 1906 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus


Report generated on 2016/07/31 at 12:54:25



1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites



GM 2016 Jul 31 12:54:17

Fig.1: Computed Sites for GPS Week1906 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Reprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences: 0.002 m.
 - sampling (for ambiguity resolution) : 30 s
 - sampling (for final processing) : 180 s
 - Systems: GPS+GLONASS observations are used
- Modelled observable: Double differences of carrier phase in QIF or L_3 combinations (respectively for ambiguity resolution in baseline mode, and final network solution). In the final network solution the double differenced data are sampled at 180 sec. intervals.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I08 file and individual calibrations from EPNC_08.ATX. EPN_A class sites (CRD + VEL) IGB08 used to define the reference frame. If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
 - 3 deg elev. cutoff; elevation dependent weighting
 - VMF1_DRY mapping function. ZPD parameters are estimated using WET VMF1 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3σ of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Wideline (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Wideline (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

5.1 IGB08

The Reference Frame considered in this section is IGB08, release C1890.

```

ARA LAC 1906 WEEK COMBINATION: PRECISE ORBITS                               31-JUL-16 11:50
-----
LOCAL GEODETIC DATUM: IGB08                EPOCH: 2016-07-20 12:00:00
-----
NUM  STATION NAME      X (M)      Y (M)      Z (M)      FLAG
-----
  1  ACDR 13434M001    4594489.58903  -678367.50889  4357066.25523  W
  22  ALDA 19383M001    4687280.18876  -190876.62049  4308106.92285  A
  28  ALSA 19419M001    4677250.87310  -176770.44872  4319079.84288  A
  40  AULE 00000M000    4644762.15525  -207777.70772  4351758.45077  A
  51  BIAZ 10074M002    4634456.09399  -124345.03440  4365785.42964  A
  54  BRZR 19387M001    4662221.01803  -220769.95513  4333309.40406  A
   7  CACE 13447M001    4899866.53036  -544567.09165  4033770.17215  W
   8  CANT 13438M001    4625924.34488  -307096.28836  4365771.52490  W
  69  CHER 00000M000    4645880.35238  -125721.98074  4353624.34225  A
  11  CREU 13432M001    4715420.17019  273178.00498  4271946.81331  A
  12  EBRE 13410M001    4833520.02161  41537.33616  4147461.68442  W
  77  ELGE 19353S001    4657557.43496  -202241.52902  4338991.83996  A
  87  GERN 19389M001    4642811.33943  -217222.98895  4353278.85468  A
  101  IGEL 19352S001    4645951.46110  -165574.55763  4352550.38956  A
  105  ISPS 19484M001    4640596.51398  -206963.83172  4356391.88113  A
  109  LAZK 19354S001    4666098.37468  -178186.24640  4330463.64391  A
  112  LEIT 19428M001    4663520.96825  -155859.77215  4334519.85124  A
  141  ORDN 19427M001    4659695.81894  -130864.79106  4338948.85545  A
  146  PAS2 19351S001    4644909.09025  -156645.12349  4353623.04636  A
  147  PASA 19351S001    4644909.09041  -156645.12366  4353623.04667  A
  27  RID1 13448M002    4708446.85790  -199490.33897  4284089.70771  W
  28  SALA 13469M001    4803054.50882  -462131.12349  4158379.04322  W
  172  SOPU 19386M001    4643997.93920  -255913.96143  4350063.11138  A
  31  TERU 13487M001    4867391.35193  -95523.40917  4108341.65422  W
  204  VITO 19385M001    4679397.73069  -218436.56106  4314898.33149  A
  35  YEBE 13420M001    4848724.59832  -261631.98470  4123094.29857  W
  36  ZARA 13462M001    4773803.19984  -73506.03749  4215454.06637  W
    
```

5.2 ETRS89 Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011).

```

ETRF2000 COORD. wk 1906                                                    31-JUL-16 11:50
-----
LOCAL GEODETIC DATUM: ETRF2000                EPOCH: 2016-07-20 12:00:00
-----
NUM  STATION NAME      X (M)      Y (M)      Z (M)      FLAG
-----
   1  ACDR 13434M001    4594489.86834  -678367.99335  4357065.87047  W
  22  ALDA 19383M001    4687280.51669  -190877.11294  4308106.53717  A
  28  ALSA 19419M001    4677251.20321  -176770.94019  4319079.45803  A
  40  AULE 00000M000    4644762.48414  -207778.19619  4351758.06780  A
  51  BIAZ 10074M002    4634456.43259  -124345.52171  4365785.04829  A
  54  BRZR 19387M001    4662221.34438  -220770.44528  4333309.01976  A
   7  CACE 13447M001    4899866.80348  -544567.60456  4033769.76799  W
   8  CANT 13438M001    4625924.66412  -307096.77525  4365771.14213  W
  69  CHER 00000M000    4645880.69007  -125722.46913  4353623.96010  A
  11  CREU 13432M001    4715420.54492  273177.51118  4271946.43071  A
  12  EBRE 13410M001    4833520.36400  41536.83060  4147461.29125  W
  77  ELGE 19353S001    4657557.76363  -202242.01869  4338991.45618  A
  87  GERN 19389M001    4642811.66741  -217223.47725  4353278.47174  A
  101  IGEL 19352S001    4645951.79450  -165575.04612  4352550.00697  A
  105  ISPS 19484M001    4640596.84324  -206964.31980  4356391.49846  A
  109  LAZK 19354S001    4666098.70536  -178186.73682  4330463.25981  A
  112  LEIT 19428M001    4663521.30155  -155859.26228  4334519.46756  A
  141  ORDN 19427M001    4659696.15516  -130865.28077  4338948.47230  A
  146  PAS2 19351S001    4644909.42467  -156645.61186  4353622.66394  A
  147  PASA 19351S001    4644909.42483  -156645.61203  4353622.66425  A
  27  RID1 13448M002    4708447.18340  -199490.83342  4284089.32048  W
  28  SALA 13469M001    4803054.79856  -462131.62729  4158378.64662  W
  172  SOPU 19386M001    4643998.26288  -255914.44993  4350062.72794  A
  31  TERU 13487M001    4867391.67735  -95523.91826  4108341.25725  W
  204  VITO 19385M001    4679398.05613  -218437.05282  4314897.94604  A
  35  YEBE 13420M001    4848724.90708  -261632.49242  4123093.90106  W
  36  ZARA 13462M001    4773803.53435  -73506.53778  4215453.67605  W
    
```

5.3 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGB08 solution and are given with respect the Local fram (North-East-Up).

```

ARA LAC 1906 WEEK COMBINATION: PRECISE ORBITS                               31-JUL-16 11:50
-----
Station      #Days  Weekday  Repeatability (mm)
              0123456      N     E     U
    
```


5.4 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

LOCAL GEODETIC DATUM: Igb08
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
1	ACDR 13434M001	I W	-1.30	-0.14	1.01
2	ALAC 13433M001	I W	0.03	0.94	2.75
3	ALBA 13452M001	I W	-0.32	2.13	-1.63
4	ALME 13437M001	I W	0.46	-0.22	-0.54
6	BRST 10004M004	I W	-0.03	-0.84	3.17
7	CACE 13447M001	I W	0.27	1.23	0.20
8	CANT 13436M001	I W	-0.18	-0.62	-0.56
9	CEU1 13449M002	I W	1.80	2.50	7.78
10	COBA 13453M001	I W	1.19	-0.72	-3.08
12	EBRE 13410M001	I W	1.27	-0.71	0.63
14	FUNC 13911S001	I W	0.05	0.71	0.07
16	HUEL 13451M001	I W	0.43	0.49	-0.83
17	IZAN 31309M002	I W	-2.63	1.57	1.70
18	LLIV 13436M001	I W	-3.13	-1.95	-5.18
19	LPAL 81701M001	I W	-1.92	0.82	-0.49
20	LRDC 10023M001	I W	1.20	-1.99	1.93
21	MALA 13443M001	I W	-2.96	1.47	-3.14
22	MALL 13444M001	I W	-0.32	-1.14	-1.48
24	MELI 13379M001	I W	-1.07	-0.54	-3.10
25	FDEL 31906M004	I W	-1.86	-2.63	4.49
26	RABT 35001M002	I W	0.06	0.81	-0.16
27	RID1 13448M002	I W	-0.58	1.13	-4.16
28	SALA 13469M001	I W	-0.40	-1.23	3.49
29	SCDA 10088M002	I W	0.22	-0.83	-1.41
30	SDNS 13446M001	I W	-1.69	-0.97	-1.07
31	TERU 13487M001	I W	2.50	1.04	-1.96
32	VALE 13439M001	I W	-0.25	0.90	-1.31
33	VIGO 13450M001	I W	-0.12	0.03	2.86
34	VILL 13406M001	I W	-0.45	0.89	-2.60
35	YEBE 13420M001	I W	1.86	-0.17	0.26
36	ZARA 13462M001	I W	0.35	-1.51	0.30
37	ZIMM 14001M004	I W	1.24	-0.46	2.09
	RMS / COMPONENT		1.38	1.24	2.70
	MEAN		-0.00	0.00	-0.00
	MIN		-2.96	-2.63	-5.18
	MAX		3.13	2.50	7.78

NUMBER OF PARAMETERS : 3
NUMBER OF COORDINATES : 96
RMS OF TRANSFORMATION : 1.89 MM

5.5 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          8774822
NUMBER OF UNKNOWN              136543
NUMBER OF DEGREES OF FREEDOM   8638279
PHASE MEASUREMENTS SIGMA       0.00100
SAMPLING INTERVAL (SECONDS)     180
VARIANCE FACTOR                 2.265357141392756

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")      Scale (ppm)
      X          Y          Z          X          Y          Z
-----
 1  0.00203      0.0060  0.0205 -0.0086 -0.0003  0.0003  0.0006  0.00026
 2  0.00202      0.0016  0.0266 -0.0145 -0.0004  0.0004  0.0008  0.00142
 3  0.00219      0.0121  0.0228 -0.0096 -0.0003  0.0005  0.0007 -0.00033
 4  0.00223     -0.0123 -0.0270  0.0112  0.0005 -0.0005 -0.0007  0.00018
 5  0.00225     -0.0002 -0.0182  0.0121  0.0004 -0.0003 -0.0004 -0.00108
 6  0.00316      0.0148  0.0232 -0.0215 -0.0004  0.0008  0.0006  0.00033
 7  0.00220     -0.0080 -0.0045  0.0119 -0.0000 -0.0004 -0.0002 -0.00024
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
 1  0.00142      1270313      2.02          1289957      3          576      19071      0
 2  0.00148      1254845      2.19          1275117      3          576      19699      0
 3  0.00152      1168257      2.30          1186867      3          516      18097      0
 4  0.00161      1218689      2.58          1239570      3          573      20311      0
 5  0.00151      1239537      2.28          1259332      3          576      19222      0
 6  0.00153      1226682      2.35          1247352      3          579      20094      0
 7  0.00145      1266590      2.10          1276627      3          579      19461      0
```

6 Equipment

6.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__ FIRMWARE___
ACOR A 1 P 16:199:00000 16:205:86370 LEICA GRX1200PRO -----
ALDA A 1 P 16:199:00000 16:205:86370 LEICA GR10 -----
ALSA A 1 P 16:199:00000 16:205:86370 LEICA GRX1200GGPRO -----
AULE A 1 P 16:199:00000 16:205:86370 LEICA GRX1200+GNSS -----
BIAZ A 1 P 16:199:00000 16:205:86370 LEICA GRX1200GGPRO -----
BRZR A 1 P 16:199:00000 16:205:86370 LEICA GR10 -----
CACE A 1 P 16:199:00000 16:205:86370 TRIMBLE NETR9 -----
CANT A 1 P 16:199:00000 16:205:86370 LEICA GR10 -----
CHER A 1 P 16:199:00000 16:205:86370 LEICA GRX1200+GNSS -----
CREU A 1 P 16:199:00000 16:205:86370 LEICA GR25 -----
EBRE A 1 P 16:199:00000 16:205:86370 TRIMBLE NETR9 -----
ELGE A 1 P 16:199:00000 16:205:86370 LEICA GR10 -----
GERN A 1 P 16:199:00000 16:205:86370 LEICA GR10 -----
IGEL A 1 P 16:199:00000 16:205:86370 LEICA GR10 -----
ISPS A 1 P 16:199:00000 16:205:86370 TRIMBLE NETR9 -----
LAZK A 1 P 16:199:00000 16:205:86370 LEICA GR10 -----
LEIT A 1 P 16:199:00000 16:205:86370 LEICA GRX1200+GNSS -----
ORON A 1 P 16:199:00000 16:205:86370 LEICA GRX1200GGPRO -----
PAS2 A 1 P 16:199:00000 16:205:86370 TPS NET-G3A -----
PASA A 1 P 16:199:00000 16:205:86370 LEICA GR10 -----
RIO1 A 1 P 16:199:00000 16:205:86370 LEICA GR25 -----
SALA A 1 P 16:199:00000 16:205:86370 LEICA GRX1200+GNSS -----
SOPU A 1 P 16:199:00000 16:205:86370 LEICA GR10 -----
TERU A 1 P 16:199:00000 16:205:86370 LEICA GRX1200GGPRO -----
VITO A 1 P 16:199:00000 16:205:86370 LEICA GR10 -----
YEBE A 1 P 16:199:00000 16:205:86370 TRIMBLE NETR9 -----
ZARA A 1 P 16:199:00000 16:205:86370 TRIMBLE NETR9 -----
```

6.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__
ACOR A 1 P 16:199:00000 16:205:86370 LEIAT504 LEIS -----
ALDA A 1 P 16:199:00000 16:205:86370 LEIAS10 NONE -----
ALSA A 1 P 16:199:00000 16:205:86370 LEIAX1202GG NONE -----
AULE A 1 P 16:199:00000 16:205:86370 LEIAS10 NONE -----
BIAZ A 1 P 16:199:00000 16:205:86370 LEIAR25 LEIT -----
BRZR A 1 P 16:199:00000 16:205:86370 LEIAS10 NONE -----
CACE A 1 P 16:199:00000 16:205:86370 TRM29659.00 NONE -----
CANT A 1 P 16:199:00000 16:205:86370 LEIAR25.R4 LEIT 25066
CHER A 1 P 16:199:00000 16:205:86370 LEIAX1203+GNSS NONE -----
```




CREU	A	1	P	16:199:00000	16:205:86370	LEIAR25.R4	NONE	26357
EBRE	A	1	P	16:199:00000	16:205:86370	TRM57971.00	NONE	25503
ELGE	A	1	P	16:199:00000	16:205:86370	LEIAR25.R4	LEIT	-----
GERN	A	1	P	16:199:00000	16:205:86370	LEIAS10	NONE	-----
IGEL	A	1	P	16:199:00000	16:205:86370	LEIAR20	LEIM	-----
ISPS	A	1	P	16:199:00000	16:205:86370	TRM59900.00	SCIS	-----
LAZK	A	1	P	16:199:00000	16:205:86370	LEIAR25.R4	LEIT	-----
LEIT	A	1	P	16:199:00000	16:205:86370	LEIAX1203+GNSS	NONE	-----
ORON	A	1	P	16:199:00000	16:205:86370	LEIAX1202GG	NONE	-----
PAS2	A	1	P	16:199:00000	16:205:86370	LEIAR20	LEIM	73034
PASA	A	1	P	16:199:00000	16:205:86370	LEIAR20	LEIM	73034
RI01	A	1	P	16:199:00000	16:205:86370	LEIAR25.R4	LEIT	25138
SALA	A	1	P	16:199:00000	16:205:86370	LEIAR25	NONE	-----
SOPU	A	1	P	16:199:00000	16:205:86370	LEIAS10	NONE	-----
TERU	A	1	P	16:199:00000	16:205:86370	LEIAT504GG	LEIS	-----
VITO	A	1	P	16:199:00000	16:205:86370	LEIAS10	NONE	-----
YEBE	A	1	P	16:199:00000	16:205:86370	TRM29659.00	NONE	-----
ZARA	A	1	P	16:199:00000	16:205:86370	TRM29659.00	NONE	-----


6.3 Eccentricities

*SITE	PT	SOLN	T	DATA_START_	DATA_END_	AXE	UP	NORTH	EAST
							ARB->BENCHMARK(M)		
ACOR	A	1	P	16:199:00000	16:205:86370	UNE	3.0460	0.0000	0.0000
ALDA	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
ALSA	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
AULE	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
BIAZ	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
BRZR	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
CACE	A	1	P	16:199:00000	16:205:86370	UNE	0.0600	0.0000	0.0000
CANT	A	1	P	16:199:00000	16:205:86370	UNE	3.0490	0.0000	0.0000
CHER	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
CREU	A	1	P	16:199:00000	16:205:86370	UNE	0.0770	0.0000	0.0000
EBRE	A	1	P	16:199:00000	16:205:86370	UNE	0.0770	0.0000	0.0000
ELGE	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
GERN	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
IGEL	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
ISPS	A	1	P	16:199:00000	16:205:86370	UNE	0.0350	0.0000	0.0000
LAZK	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
LEIT	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
ORON	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
PAS2	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
PASA	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
RI01	A	1	P	16:199:00000	16:205:86370	UNE	0.0606	0.0000	0.0000
SALA	A	1	P	16:199:00000	16:205:86370	UNE	0.0600	0.0000	0.0000
SOPU	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
TERU	A	1	P	16:199:00000	16:205:86370	UNE	0.0600	0.0000	0.0000
VITO	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
YEBE	A	1	P	16:199:00000	16:205:86370	UNE	0.0000	0.0000	0.0000
ZARA	A	1	P	16:199:00000	16:205:86370	UNE	3.2590	0.0000	0.0000

7 Cumulative Time Series


Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.






GMW 2016 Jul 31 12:05:50

3) ALSA




GMW 2016 Jul 31 12:06:53

4) AULE




GMW 2016 Jul 31 12:07:55

5) BIAZ




GMW 2016 Jul 31 12:08:01

6) BIDA




GMW 2016 Jul 31 12:08:19

7) BRZR




GMW 2016 Jul 18 03:58:15


8) CACE




9) CANT



10) CHER




11) CREU




GMW 2016 Jul 31 12:10:42

12) EBRE




GMW 2016 Jul 31 12:10:53

13) ELGE




GMW 2016 Jul 31 12:11:56


14) GERN




15) IGEL




16) ISPS




17) LAZK




18) LEIT




19) ORON




20) PAS2




21) PASA




22) RIO1




23) SALA




24) SOPU




25) TERU



26) VITO



27) YEBE



28) ZARA