

# ARA-DAC Weekly Analysis Result: 1909 (GFA)

## Technical Report

**GPS Week: 1909 (GFA)**

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: [geodesia@aranzadi.eus](mailto:geodesia@aranzadi.eus)

Report generated on 2016/08/21 at 13:18:52



## 1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

## 2 Map of Computed Sites




Fig.1: Computed Sites for GPS Week1909 (GFA)

### 3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Reprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase,  $L_1$  and  $L_2$ ; a priori sigma of single differences:0.002 m.
  - sampling (for ambiguity resolution) : 30 s
  - sampling (for final processing) : 180 s
  - Systems: GPS+GLONASS observations are used
- Modelled observable: Double differences of carrier phase in QIF or  $L_3$  combinations (respectively for ambiguity resolution in baseline mode, and final network solution). In the final network solution the double differenced data are sampled at 180 sec. intervals.
- Ground antenna phase center calibrations: Group APCV used from the PCV\_COD.I08 file and individual calibrations from EPNC\_08.ATX. EPN\_A class sites (CRD + VEL) IGB08 used to define the reference frame. If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
  - 3 deg elev. cutoff; elevation dependent weighting
  - VMF1\_DRY mapping function. ZPD parameters are estimated using WET VMF1 mapping function.
  - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

### 4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria:  $3\sigma$  of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
  - Code-Based Wideline (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
  - Phase-Based Wideline ( $L_5$ ) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
  - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
  - Direct  $L_1/L_2$  AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

## 5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

### 5.1 IGB08

The Reference Frame considered in this section is IGB08, release C1890.

```

ARA LAC 1909 WEEK COMBINATION: PRECISE ORBITS                21-AUG-16 12:09
-----
LOCAL GEODETIC DATUM: IGB08                                EPOCH: 2016-08-10 12:00:00
-----
NUM STATION NAME      X (M)      Y (M)      Z (M)      FLAG
-----
 1 ACDR 13434M001      4594489.59018 -678367.50793 4357066.25743 W
 22 ALDA 19383M001      4687280.19028 -190876.61964 4308106.92413 A
 28 ALSA 19419M001      4677250.87390 -176770.44931 4319079.84551 A
 51 BIAZ 10074M002      4634456.09727 -124345.03275 4365785.43152 A
 54 BRZR 19387M001      4662221.02106 -220769.95297 4333309.40781 A
 7 CACE 13447M001      4899866.53074 -544567.09008 4033770.17337 W
 8 CANT 13438M001      4625924.34483 -307096.28716 4365771.52645 W
 69 CHER 00000M000      4645880.35311 -125721.97864 4353624.34309 A
 11 CREU 13432M001      4715420.17102 273178.00609 4271946.81367 A
 12 EBRE 13410M001      4833520.02135 41537.33752 4147461.68460 W
 77 ELGE 19353S001      4657557.43629 -202241.52706 4338991.84192 A
 87 GERN 19389M001      4642811.34009 -217222.98643 4353278.85465 A
 101 IGEL 19352S001      4645951.46342 -165574.55547 4352550.39114 A
 105 ISPS 19484M001      4640596.51739 -206963.82953 4356391.88536 A
 109 LAZK 19354S001      4666098.37518 -178186.24506 4330463.64589 A
 112 LEIT 19428M001      4663520.96751 -155858.77029 4334519.85200 A
 141 ORDN 19427M001      4659695.82305 -130864.78900 4338948.85865 A
 146 PAS2 19351S001      4644909.09302 -156645.12173 4353623.04873 A
 147 PASA 19351S001      4644909.09425 -156645.12143 4353623.04947 A
 27 RID1 13448M002      4708446.85817 -199490.33755 4284089.70837 W
 28 SALA 13469M001      4803054.50866 -462131.12245 4158379.04369 W
 172 SOPU 19386M001      4643997.94035 -255913.95941 4350063.11198 A
 31 TERU 13487M001      4867391.35143 -95523.40826 4108341.65483 W
 204 VITO 19385M001      4679397.73154 -218436.55944 4314898.33345 A
 35 YEBE 13420M001      4848724.59524 -261631.98402 4123094.29703 W
 36 ZARA 13462M001      4773803.19947 -73506.03673 4215454.06649 W
    
```

### 5.2 ETRS89 Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011).

```

ETRF2000 COORD. wk 1909                21-AUG-16 12:09
-----
LOCAL GEODETIC DATUM: ETRF2000        EPOCH: 2016-08-10 12:00:00
-----
NUM STATION NAME      X (M)      Y (M)      Z (M)      FLAG
-----
 1 ACDR 13434M001      4594489.86997 -678367.99350 4357065.87195 W
 22 ALDA 19383M001      4687280.51878 -190877.11322 4308106.53772 A
 28 ALSA 19419M001      4677251.20459 -176770.94191 4319079.45994 A
 51 BIAZ 10074M002      4634456.43647 -124345.52117 4365785.04945 A
 54 BRZR 19387M001      4662221.34798 -220770.44424 4333309.02278 A
 7 CACE 13447M001      4899866.80432 -544567.60416 4033769.76845 W
 8 CANT 13438M001      4625924.66463 -307096.77517 4365771.14296 W
 69 CHER 00000M000      4645880.69140 -125722.46815 4353623.96022 A
 11 CREU 13432M001      4715420.54642 273177.51116 4271946.43035 A
 12 EBRE 13410M001      4833520.36435 41536.83080 4147461.29069 W
 77 ELGE 19353S001      4657557.76553 -202242.01785 4338991.45742 A
 87 GERN 19389M001      4642811.66864 -217223.47585 4353278.47099 A
 101 IGEL 19352S001      4645951.79741 -165575.04508 4352550.00783 A
 105 ISPS 19484M001      4640596.84723 -206964.31872 4356391.50196 A
 109 LAZK 19354S001      4666098.70644 -178186.73660 4330463.26106 A
 112 LEIT 19428M001      4663521.30139 -155859.26154 4334519.46760 A
 141 ORDN 19427M001      4659696.15986 -130865.27983 4338948.47478 A
 146 PAS2 19351S001      4644909.42802 -156645.61122 4353622.66559 A
 147 PASA 19351S001      4644909.42925 -156645.61092 4353622.66633 A
 27 RID1 13448M002      4708447.18424 -199490.83313 4284089.32041 W
 28 SALA 13469M001      4803054.79889 -462131.62740 4158378.64634 W
 172 SOPU 19386M001      4643998.26459 -255914.44903 4350062.72781 A
 31 TERU 13487M001      4867391.67742 -95523.91851 4108341.25710 W
 204 VITO 19385M001      4679398.05755 -218437.05233 4314897.94727 A
 35 YEBE 13420M001      4848724.90454 -261632.49290 4123093.89877 W
 36 ZARA 13462M001      4773803.53457 -73506.53816 4215453.67543 W
    
```

### 5.3 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGB08 solution and are given with respect the Local fram (North-East-Up).

```

ARA LAC 1909 WEEK COMBINATION: PRECISE ORBITS                21-AUG-16 12:09
-----
Station      #Days      Weekday      Repeatability (mm)
-----
ACDR 13434M001      7      XXXXXXX      0.69      0.78      4.35
    
```



LOCAL GEODETIC DATUM: Igb08  
 RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
1	ACOR 13434M001	I W	-1.42	0.06	-1.35
2	ALAC 13433M001	I W	1.11	1.32	-1.06
3	ALBA 13452M001	I W	-0.34	1.93	-1.89
4	ALME 13437M001	I W	-0.16	0.01	1.44
6	BRST 10004M004	I W	0.44	-1.67	-1.73
7	CACE 13447M001	I W	0.44	0.72	-0.75
8	CANT 13438M001	I W	-0.50	-0.75	-1.51
9	CEU1 13449M002	I W	-0.52	4.29	11.29
10	COBA 13453M001	I W	1.01	-0.25	-4.75
12	EBRE 13410M001	I W	1.90	-0.95	0.69
14	FUNC 13911S001	I W	-4.61	-3.54	6.61
16	HUEL 13451M001	I W	-0.40	0.68	-0.80
17	IZAN 131309M002	I W	-3.71	0.96	7.75
18	LLIV 13436M001	I W	4.41	-1.86	-5.61
19	LPAL 81701M001	I W	-2.88	0.31	4.68
20	LRDC 10023M001	I W	1.99	-2.47	-0.59
21	MALA 13443M001	I W	-3.87	2.14	-0.52
22	MALL 13444M001	I W	0.51	-0.75	-3.87
24	MELI 19379M001	I W	-0.93	-0.93	-4.49
26	RABT 35001M002	I W	0.07	1.60	-1.90
27	RIO1 13448M002	I W	-0.06	0.79	-4.82
28	SALA 13469M001	I W	0.06	-1.20	3.28
29	SCOA 10088M002	I W	0.56	-1.37	-5.23
30	SONS 13446M001	I W	-1.01	-1.11	-1.60
31	TERU 13487M001	I W	2.64	1.30	-1.98
32	VALE 13439M001	I W	-0.76	0.57	-1.79
33	VIGO 13450M001	I W	0.22	-0.30	6.25
34	VILL 13406M001	I W	0.23	1.18	-0.21
35	YEBE 13420M001	I W	2.02	0.48	3.61
36	ZARA 13462M001	I W	0.97	-1.18	0.42
37	ZIMM 14001M004	I W	2.61	0.01	0.41
	RMS / COMPONENT		1.94	1.54	4.02
	MEAN		-0.00	-0.00	-0.00
	MIN		-4.61	-3.54	-5.61
	MAX		4.41	4.29	11.29

NUMBER OF PARAMETERS : 3  
 NUMBER OF COORDINATES : 93  
 RMS OF TRANSFORMATION : 2.73 NM

## 5.5 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          8815739
NUMBER OF UNKNOWN              134204
NUMBER OF DEGREES OF FREEDOM    8681535
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)     180
VARIANCE FACTOR                 2.087269259693808

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")      Scale (ppm)
      X          Y          Z          X          Y          Z
-----
 1  0.00210     -0.0344 -0.0395  0.0428  0.0007 -0.0018 -0.0011  -0.00023
 2  0.00220     -0.0076 -0.0126  0.0056  0.0001 -0.0003 -0.0005   0.00022
 3  0.00228     0.0174 -0.0374 -0.0297  0.0007  0.0011 -0.0010   0.00041
 4  0.00280     -0.0125 -0.0267  0.0037  0.0005 -0.0004 -0.0007   0.00106
 5  0.00203     -0.0170 -0.0075  0.0213  0.0002 -0.0009 -0.0002  -0.00002
 6  0.00201     0.0152  0.0309 -0.0110  -0.0005  0.0006  0.0009  -0.00048
 7  0.00194     -0.0030  0.0279  0.0104  -0.0004 -0.0003  0.0008  -0.00042
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
 1  0.00143      1241469    2.04          1260966      3          570  18930    0
 2  0.00142      1247299    2.02          1266339      3          573  18470    0
 3  0.00153      1206961    2.35          1226311      3          564  18789    0
 4  0.00147      1229667    2.17          1249673      3          576  19433    0
 5  0.00143      1254446    2.03          1274601      3          576  19582    0
 6  0.00140      1252997    1.96          1273425      3          576  19855    0
 7  0.00140      1245288    1.97          1264424      3          573  18566    0
```

## 6 Equipment

### 6.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ FIRMWARE___
ACOR  A  1 P 16:220:00000 16:226:86370 LEICA GRX1200PRO -----
ALDA  A  1 P 16:220:00000 16:226:86370 LEICA GR10 -----
ALSA  A  1 P 16:220:00000 16:226:86370 LEICA GRX1200GGPRO -----
BIAZ  A  1 P 16:220:00000 16:226:86370 LEICA GRX1200GGPRO -----
BRZR  A  1 P 16:220:00000 16:226:86370 LEICA GR10 -----
CACE  A  1 P 16:220:00000 16:226:86370 TRIMBLE NETR9 -----
CANT  A  1 P 16:220:00000 16:226:86370 LEICA GR10 -----
CHER  A  1 P 16:220:00000 16:226:86370 LEICA GRX1200+GNSS -----
CREU  A  1 P 16:220:00030 16:226:86370 LEICA GR25 -----
EBRE  A  1 P 16:220:00000 16:226:86370 TRIMBLE NETR9 -----
ELGE  A  1 P 16:220:00000 16:226:86370 LEICA GR10 -----
GERN  A  1 P 16:220:00000 16:226:86370 LEICA GR10 -----
IGEL  A  1 P 16:220:00000 16:226:86370 LEICA GR10 -----
ISPS  A  1 P 16:220:00000 16:225:86370 TRIMBLE NETR9 -----
LAZK  A  1 P 16:220:00000 16:226:86370 LEICA GR10 -----
LEIT  A  1 P 16:220:00000 16:226:86370 LEICA GRX1200+GNSS -----
ORON  A  1 P 16:220:00000 16:226:86370 LEICA GRX1200GGPRO -----
PAS2  A  1 P 16:220:00000 16:226:86370 TPS NET-G3A -----
PASA  A  1 P 16:220:00000 16:226:86370 LEICA GR10 -----
RIO1  A  1 P 16:220:00000 16:226:86370 LEICA GR25 -----
SALA  A  1 P 16:220:00000 16:226:86370 LEICA GRX1200+GNSS -----
SOPU  A  1 P 16:220:00000 16:226:86370 LEICA GR10 -----
TERU  A  1 P 16:220:00000 16:226:86370 LEICA GRX1200GGPRO -----
VITO  A  1 P 16:220:00000 16:226:86370 LEICA GR10 -----
YEBE  A  1 P 16:220:00000 16:226:86370 TRIMBLE NETR9 -----
ZARA  A  1 P 16:220:00000 16:226:86370 TRIMBLE NETR9 -----
```

### 6.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__
ACOR  A  1 P 16:220:00000 16:226:86370 LEIAT504      LEIS -----
ALDA  A  1 P 16:220:00000 16:226:86370 LEIAS10       NONE -----
ALSA  A  1 P 16:220:00000 16:226:86370 LEIAX1202GG   NONE -----
BIAZ  A  1 P 16:220:00000 16:226:86370 LEIAR25       LEIT -----
BRZR  A  1 P 16:220:00000 16:226:86370 LEIAS10       NONE -----
CACE  A  1 P 16:220:00000 16:226:86370 TRM29659.00  NONE -----
CANT  A  1 P 16:220:00000 16:226:86370 LEIAR25.R4    LEIT 25066
CHER  A  1 P 16:220:00000 16:226:86370 LEIAX1203+GNSS NONE -----
CREU  A  1 P 16:220:00030 16:226:86370 LEIAR25.R4    NONE 26357
EBRE  A  1 P 16:220:00000 16:226:86370 TRM57971.00  NONE 25503
```



```

ELGE A 1 P 16:220:00000 16:226:86370 LEIAR25_R4 LEIT -----
GERN A 1 P 16:220:00000 16:226:86370 LEIAS10 NONE -----
IGEL A 1 P 16:220:00000 16:226:86370 LEIAR20 LEIM -----
ISPS A 1 P 16:220:00000 16:225:86370 TRM59900.00 SCIS -----
LAZK A 1 P 16:220:00000 16:226:86370 LEIAR25_R4 LEIT -----
LEIT A 1 P 16:220:00000 16:226:86370 LEIAX1203+GNSS NONE -----
ORON A 1 P 16:220:00000 16:226:86370 LEIAX1202GG NONE -----
PAS2 A 1 P 16:220:00000 16:226:86370 LEIAR20 LEIM 73034
PASA A 1 P 16:220:00000 16:226:86370 LEIAR20 LEIM 73034
RIO1 A 1 P 16:220:00000 16:226:86370 LEIAR25_R4 LEIT 25138
SALA A 1 P 16:220:00000 16:226:86370 LEIAR25 NONE -----
SOPU A 1 P 16:220:00000 16:226:86370 LEIAS10 NONE -----
TERU A 1 P 16:220:00000 16:226:86370 LEIAT504GG LEIS -----
VITO A 1 P 16:220:00000 16:226:86370 LEIAS10 NONE -----
YEBE A 1 P 16:220:00000 16:226:86370 TRM29659.00 NONE -----
ZARA A 1 P 16:220:00000 16:226:86370 TRM29659.00 NONE -----

```

### 6.3 Eccentricities

```

*
*SITE PT SOLN T DATA_START_ DATA_END_ AXE ARP->BENCHMARK(M) UP_ NORTH_ EAST_
ACOR A 1 P 16:220:00000 16:226:86370 UNE 3.0460 0.0000 0.0000
ALDA A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
ALSA A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
BIAZ A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
BRZR A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
CACE A 1 P 16:220:00000 16:226:86370 UNE 0.0600 0.0000 0.0000
CANT A 1 P 16:220:00000 16:226:86370 UNE 3.0490 0.0000 0.0000
CHER A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
CREU A 1 P 16:220:00030 16:226:86370 UNE 0.0770 0.0000 0.0000
EBRE A 1 P 16:220:00000 16:226:86370 UNE 0.0770 0.0000 0.0000
ELGE A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
GERN A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
IGEL A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
ISPS A 1 P 16:220:00000 16:225:86370 UNE 0.0350 0.0000 0.0000
LAZK A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
LEIT A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
ORON A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
PAS2 A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
PASA A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
RIO1 A 1 P 16:220:00000 16:226:86370 UNE 0.0606 0.0000 0.0000
SALA A 1 P 16:220:00000 16:226:86370 UNE 0.0600 0.0000 0.0000
SOPU A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
TERU A 1 P 16:220:00000 16:226:86370 UNE 0.0600 0.0000 0.0000
VITO A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
YEBE A 1 P 16:220:00000 16:226:86370 UNE 0.0000 0.0000 0.0000
ZARA A 1 P 16:220:00000 16:226:86370 UNE 3.2590 0.0000 0.0000


```

## 7 Inconsistencies (logsheet-RINEX metadata)


The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

## 8 Cumulative Time Series


Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.



1 ) ACOR




2 ) ALDA




GMW 2016 Aug 21 12:29:35

3 ) ALSA




GMW 2016 Aug 21 12:30:41

4 ) AULE




GMW 2016 Aug 21 12:30:41


5 ) AULE




6 ) BIAZ



7 ) BIDA




8 ) BIDA




GMW 2016 Aug 21 12:32:10

9 ) BRZR




GMW 2016 Jul 18 03:58:15

10 ) CACE




GMW 2016 Aug 21 12:32:45

11 ) CANT




GMW 2016 Aug 21 12:33:44

12 ) CHER




GMW 2016 Aug 21 12:34:13

13 ) CREU




GMW 2016 Aug 21 12:34:37


14 ) EBRE




15 ) ELGE




16 ) GERN




17 ) IGEL



18 ) ISPS




19 ) LAZK




20 ) LEIT






GMW 2016 Aug 21 12:42:19

21 ) ORON




GMW 2016 Aug 21 12:42:50

22 ) PAS2




GMW 2016 Aug 21 12:42:56


23 ) PASA




24 ) RIO1




25 ) SALA




26 ) SOPU



27 ) TERU



28 ) VITO



29 ) YEBE

