

ARA-DAC Weekly Analysis Result: 1911 (GFA)

Technical Report

GPS Week: 1911 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus


Report generated on 2016/09/04 at 13:14:04



1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites



GM 2016 Sep 04 13:13:55

Fig.1: Computed Sites for GPS Week1911 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Reprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences: 0.002 m.
 - sampling (for ambiguity resolution) : 30 s
 - sampling (for final processing) : 180 s
 - Systems: GPS+GLONASS observations are used
- Modelled observable: Double differences of carrier phase in QIF or L_3 combinations (respectively for ambiguity resolution in baseline mode, and final network solution). In the final network solution the double differenced data are sampled at 180 sec. intervals.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I08 file and individual calibrations from EPNC_08.ATX. EPN_A class sites (CRD + VEL) IGB08 used to define the reference frame. If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
 - 3 deg elev. cutoff; elevation dependent weighting
 - VMF1_DRY mapping function. ZPD parameters are estimated using WET VMF1 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3σ of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Wideline (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Wideline (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

5.1 IGB08

The Reference Frame considered in this section is IGB08, release C1890.

```

ARA LAC 1911 WEEK COMBINATION: PRECISE ORBITS                                04-SEP-16 12:05
-----
LOCAL GEODETIC DATUM: IGB08                EPOCH: 2016-08-24 12:00:00
-----
NUM  STATION NAME      X (M)      Y (M)      Z (M)      FLAG
-----
  1  ACRD 13434M001    4594489.59118  -678367.50858  4357066.26093  W
  22  ALDA 19383M001    4687280.19251  -190876.61801  4308106.92227  A
  28  ALSA 19419M001    4677250.87384  -176770.44724  4319079.84344  A
  51  BIAZ 10074M002    4634456.09610  -124345.03163  4365785.43233  A
  55  BIDA 00000M000    4644177.85726  -145778.37602  4354832.45451  A
  54  BRZR 19387M001    4662221.02099  -220769.95220  4333309.40736  A
   7  CACE 13447M001    4899866.53129  -544567.08930  4033770.17439  W
   8  CANT 13438M001    4625924.34440  -307096.28668  4365771.52799  W
  69  CHER 00000M000    4645880.35300  -125721.97848  4353624.34410  A
  11  CREU 13432M001    4715420.16611  273178.00623  4271946.81167  A
  12  EBRE 13410M001    4833520.01792  41537.33824  4147461.68289  W
  77  ELGE 19353S001    4657557.43590  -202241.52640  4338991.84246  A
  87  GERN 19389M001    4642811.33786  -217222.98620  4353278.85515  A
  101  IGEL 19352S001    4645951.46282  -165574.55499  4352550.39204  A
  105  ISPS 19484M001    4640596.51629  -206963.82837  4356391.88462  A
  109  LAZK 19354S001    4666098.37592  -178186.24424  4330463.64661  A
  112  LEIT 19428M001    4663520.96582  -155859.76902  4334519.84992  A
  141  ORDN 19427M001    4659695.82322  -130864.78824  4338948.85942  A
  146  PAS2 19351S001    4644909.08939  -156645.12032  4353623.04701  A
  147  PASA 19351S001    4644909.09110  -156645.12043  4353623.04816  A
  27  RID1 13448M002    4708446.85597  -199490.33663  4284089.70778  W
  28  SALA 13469M001    4803054.51171  -462131.12192  4158379.40736  W
  172  S0PU 19386M001    4643997.94118  -255913.95852  4350063.11407  A
  31  TERU 13487M001    4867391.34900  -95523.40697  4108341.65318  W
  204  VITO 19385M001    4679397.73148  -218436.55923  4314898.33400  A
  35  YEBE 13420M001    4848724.59645  -261631.98359  4123094.29835  W
  36  ZARA 13462M001    4773803.19782  -73506.03593  4215454.06725  W
    
```

5.2 ETRS89 Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011).

```

ETRF2000 COORD. wk 1911                                                    04-SEP-16 12:05
-----
LOCAL GEODETIC DATUM: ETRF2000                EPOCH: 2016-08-24 12:00:00
-----
NUM  STATION NAME      X (M)      Y (M)      Z (M)      FLAG
-----
   1  ACRD 13434M001    4594489.87128  -678367.99489  4357065.87496  W
  22  ALDA 19383M001    4687280.52140  -190877.11234  4308106.53537  A
  28  ALSA 19419M001    4677251.20492  -176770.94059  4319079.45738  A
  51  BIAZ 10074M002    4634456.43570  -124345.52080  4365785.04978  A
  55  BIDA 00000M000    4644178.19389  -145778.86616  4354832.07106  A
  54  BRZR 19387M001    4662221.34829  -220770.44422  4333309.02185  A
   7  CACE 13447M001    4899866.80518  -544567.60416  4033769.76896  W
   8  CANT 13438M001    4625924.66457  -307096.77543  4365771.14401  W
  69  CHER 00000M000    4645880.69168  -125722.46873  4353623.96075  A
  11  CREU 13432M001    4715420.54196  273177.51055  4271946.42787  A
  12  EBRE 13410M001    4833520.36132  41536.83075  4147461.28848  W
  77  ELGE 19353S001    4657557.76553  -202242.01794  4338991.45747  A
  87  GERN 19389M001    4642811.66680  -217223.47637  4353278.47101  A
  101  IGEL 19352S001    4645951.79720  -165575.04535  4352550.00825  A
  105  ISPS 19484M001    4640596.84651  -206964.31831  4356391.50074  A
  109  LAZK 19354S001    4666098.70756  -178186.73653  4330463.26130  A
  112  LEIT 19428M001    4663521.30009  -155859.26102  4334519.46503  A
  141  ORDN 19427M001    4659696.16043  -130865.27981  4338948.47507  A
  146  PAS2 19351S001    4644909.42479  -156645.61055  4353622.66339  A
  147  PASA 19351S001    4644909.42650  -156645.61066  4353622.66454  A
  27  RID1 13448M002    4708447.18242  -199490.83297  4284089.31933  W
  28  SALA 13469M001    4803054.80227  -462131.62764  4158378.64951  W
  172  S0PU 19386M001    4643998.26580  -255914.44888  4350062.72942  A
  31  TERU 13487M001    4867391.67537  -95523.91800  4108341.25495  W
  204  VITO 19385M001    4679398.05786  -218437.05287  4314897.94734  A
  35  YEBE 13420M001    4848724.90510  -261632.49324  4123093.89959  W
  36  ZARA 13462M001    4773803.53331  -73506.53812  4215453.67570  W
    
```

5.3 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGB08 solution and are given with respect the Local fram (North-East-Up).

```

ARA LAC 1911 WEEK COMBINATION: PRECISE ORBITS                                04-SEP-16 12:05
-----
Station      #Days  Weekday  Repeatability (mm)
              0123456      N     E     U
    
```

ACDR 13434M001	7	XXXXXXX	1.19	1.17	4.14
ALDA 19383M001	7	XXXXXXX	2.38	1.08	3.17
ALSA 19419M001	7	XXXXXXX	3.48	0.83	3.57
BIAZ 10074M002	7	XXXXXXX	0.53	0.78	1.82
BIDA 00000M000	7	XXXXXXX	0.99	0.73	2.71
BRZR 19387M001	7	XXXXXXX	1.17	0.69	2.73
CACE 13447M001	7	XXXXXXX	0.65	0.51	2.12
CANT 13438M001	7	XXXXXXX	0.63	0.57	2.24
CHER 00000M000	7	XXXXXXX	0.83	0.98	4.15
CREU 13432M001	7	XXXXXXX	0.63	1.25	2.68
EBRE 13410M001	7	XXXXXXX	0.83	0.79	3.62
ELGE 19353S001	7	XXXXXXX	0.93	0.70	2.89
GERN 19389M001	7	XXXXXXX	1.67	0.54	2.75
IGEL 19352S001	7	XXXXXXX	0.87	0.55	3.39
ISPS 19484M001	6	XXXXXXX	0.71	0.80	2.25
LAZK 19354S001	7	XXXXXXX	0.88	0.40	1.91
LEIT 19428M001	7	XXXXXXX	0.85	0.73	5.08
ORDN 19427M001	7	XXXXXXX	1.07	1.04	4.98
PAS2 19351S001	7	XXXXXXX	1.53	0.63	2.78
PASA 19351S001	7	XXXXXXX	1.26	0.54	4.46
RID1 13448M002	7	XXXXXXX	0.74	0.59	2.93
SALA 13469M001	7	XXXXXXX	0.32	0.96	3.16
SOPU 19386M001	7	XXXXXXX	0.84	0.54	3.38
TERU 13487M001	7	XXXXXXX	1.27	1.02	4.11
VITO 19385M001	7	XXXXXXX	0.83	0.59	4.13
YEBE 13420M001	7	XXXXXXX	1.24	0.31	3.76
ZARA 13462M001	7	XXXXXXX	0.96	0.59	3.66

Comparison of individual solutions:

ACDR 13434M001	N	1.19	-1.09	-0.56	1.33	2.10	-0.85	0.35	0.19
ACDR 13434M001	E	1.17	0.90	0.46	2.06	1.31	0.14	-1.00	0.53
ACDR 13434M001	U	4.14	-0.66	-1.09	-4.51	-2.71	3.92	3.15	-6.94
ALDA 19383M001	N	2.38	2.97	1.07	-1.27	-2.60	-3.30	-0.78	2.01
ALDA 19383M001	E	1.08	-0.88	0.37	-1.21	1.53	1.37	-0.60	-0.20
ALDA 19383M001	U	3.17	-2.31	0.17	2.49	-2.94	-0.85	0.72	6.24
ALSA 19419M001	N	3.48	1.77	0.37	-5.36	-4.50	-0.47	2.21	3.92
ALSA 19419M001	E	0.83	-0.63	-0.79	-0.51	1.23	0.95	-0.40	0.52
ALSA 19419M001	U	3.57	-2.50	-1.71	0.07	0.39	8.00	-1.52	0.99
BIAZ 10074M002	N	0.53	-0.48	-0.43	-0.85	-0.50	-0.32	0.46	0.00
BIAZ 10074M002	E	0.78	-1.01	-0.70	-0.39	0.81	0.37	1.08	-0.09
BIAZ 10074M002	U	1.82	-1.17	0.43	1.07	0.91	-1.73	0.54	3.61
BIDA 00000M000	N	0.99	-1.11	-1.62	-0.66	-0.13	-0.60	1.01	0.43
BIDA 00000M000	E	0.73	-0.94	0.26	0.19	1.09	-0.82	0.50	-0.37
BIDA 00000M000	U	2.71	3.04	-1.44	2.57	-1.97	4.30	-1.69	0.99
BRZR 19387M001	N	1.17	0.57	0.62	-0.05	-0.06	-0.95	0.28	-2.55
BRZR 19387M001	E	0.69	0.09	-0.21	0.26	-0.20	1.28	0.25	-0.98
BRZR 19387M001	U	2.73	1.74	-1.50	2.07	-3.81	-0.45	2.31	3.89
CACE 13447M001	N	0.65	-0.30	0.64	-0.72	-0.56	-0.30	0.02	-1.05
CACE 13447M001	E	0.51	0.32	0.13	0.10	0.19	-1.17	-0.05	-0.04
CACE 13447M001	U	2.12	1.56	-1.99	2.77	0.44	3.08	1.44	-1.03
CANT 13438M001	N	0.63	-0.80	0.01	-0.04	0.59	-0.10	1.05	-0.52
CANT 13438M001	E	0.57	-0.34	-0.60	-0.45	0.50	0.93	0.33	0.27
CANT 13438M001	U	2.24	1.75	3.86	-1.12	-0.41	-2.63	1.94	-0.10
CHER 00000M000	N	0.83	-0.59	0.09	-1.02	-0.65	0.65	-0.01	-1.39
CHER 00000M000	E	0.98	-1.63	0.54	-0.54	0.57	-0.38	0.98	1.07
CHER 00000M000	U	4.15	1.67	-1.87	-1.15	-0.29	-1.95	0.84	9.55
CREU 13432M001	N	0.63	0.39	0.74	0.24	0.27	0.71	-0.74	0.69
CREU 13432M001	E	1.25	2.56	0.22	0.71	-0.15	0.20	-1.07	-1.00
CREU 13432M001	U	2.68	-1.24	3.81	-0.16	4.45	-2.37	-0.36	-1.25
EBRE 13410M001	N	0.83	1.09	0.41	0.35	0.88	1.18	0.10	-0.67
EBRE 13410M001	E	0.79	-0.62	1.52	0.00	-0.63	0.72	-0.26	0.32
EBRE 13410M001	U	3.62	2.18	-0.84	2.75	1.61	-0.58	-6.64	4.31
ELGE 19353S001	N	0.93	-0.47	-0.81	-0.17	-0.41	-1.66	0.76	0.86
ELGE 19353S001	E	0.70	-0.83	-0.58	-0.11	1.30	0.36	0.06	0.31
ELGE 19353S001	U	2.89	-1.62	-2.55	1.80	-2.59	2.00	1.97	4.82
GERN 19389M001	N	1.67	-2.05	-1.16	-1.42	0.25	-1.10	1.82	2.12
GERN 19389M001	E	0.54	-0.49	0.58	-0.10	0.77	-0.66	-0.32	0.13
GERN 19389M001	U	2.75	0.09	0.04	-1.10	5.84	1.06	2.97	-0.45
IGEL 19352S001	N	0.87	-1.63	-0.14	-0.29	-0.20	-0.86	0.45	0.86
IGEL 19352S001	E	0.55	0.49	0.10	-0.71	0.26	-0.57	0.79	-0.21
IGEL 19352S001	U	3.39	-1.58	0.64	-1.09	-3.77	3.89	-0.04	5.96
ISPS 19484M001	N	0.71	0.61	-0.56	-0.21	-1.13	0.61	-0.39	
ISPS 19484M001	E	0.80	-0.47	0.73	0.84	-0.07	0.46	-1.22	
ISPS 19484M001	U	2.25	-0.62	0.88	1.71	-0.66	3.01	3.42	
LAZK 19354S001	N	0.88	-1.03	-0.47	-1.56	-0.36	0.57	0.34	0.62
LAZK 19354S001	E	0.40	-0.24	0.05	-0.42	0.42	0.73	-0.14	-0.02
LAZK 19354S001	U	1.91	2.46	-0.81	1.37	-0.45	-0.33	-1.91	3.05
LEIT 19428M001	N	0.85	-1.07	0.08	-1.05	-0.63	-0.59	0.48	1.07
LEIT 19428M001	E	0.73	-1.05	-0.42	0.65	1.07	0.41	-0.28	-0.29
LEIT 19428M001	U	5.08	-0.13	0.37	-4.61	-3.78	-2.32	5.05	9.39
ORON 19427M001	N	1.07	-0.37	-0.57	-0.06	0.72	-2.06	-0.48	1.16
ORON 19427M001	E	1.04	-1.07	0.50	0.71	-0.05	-1.62	1.37	0.23
ORON 19427M001	U	4.98	-2.63	-5.80	-0.17	2.09	9.73	1.82	-2.44
PAS2 19351S001	N	1.53	-1.91	-0.08	-0.55	-1.58	-1.03	0.90	2.40
PAS2 19351S001	E	0.63	-0.57	-0.02	-1.00	0.56	0.79	0.37	-0.03
PAS2 19351S001	U	2.78	3.44	0.99	2.27	-0.60	-3.30	-2.41	3.40
PASA 19351S001	N	1.26	-2.07	0.44	-0.17	-1.41	-1.01	0.70	1.24
PASA 19351S001	E	0.54	-0.77	-0.03	-0.58	0.53	0.33	0.66	-0.12
PASA 19351S001	U	4.46	3.99	-0.27	1.48	-4.18	-2.08	-2.40	8.57
RID1 13448M002	N	0.74	-1.15	-0.62	0.24	0.07	-0.79	0.54	-0.75
RID1 13448M002	E	0.59	-0.12	0.74	0.02	1.08	-0.08	-0.55	-0.16
RID1 13448M002	U	2.93	3.45	-0.79	-2.79	3.16	2.49	-2.51	-2.96
SALA 13469M001	N	0.32	-0.02	-0.17	0.06	0.55	0.12	-0.01	-0.53
SALA 13469M001	E	0.96	-0.75	-0.75	0.37	1.73	-0.27	-1.10	0.16
SALA 13469M001	U	3.16	-1.44	-2.01	-3.51	-4.12	3.27	2.88	2.38
SOPU 19386M001	N	0.84	-0.96	-0.75	-0.25	-0.47	-0.67	0.88	1.11
SOPU 19386M001	E	0.54	1.06	0.48	-0.16	0.38	-0.13	-0.43	-0.10
SOPU 19386M001	U	3.38	-0.09	2.60	-4.21	0.15	3.03	0.15	5.91
TERU 13487M001	N	1.27	-0.67	0.27	-1.57	0.64	1.12	0.56	2.16
TERU 13487M001	E	1.02	-0.59	1.53	-1.08	0.12	1.39	-0.66	-0.08
TERU 13487M001	U	4.11	-1.89	-2.95	-2.13	1.54	-1.53	-0.19	8.93
VITO 19385M001	N	0.83	-1.24	-0.97	-0.32	-0.29	-0.33	1.05	0.47
VITO 19385M001	E	0.59	0.24	0.86	-0.06	-0.72	0.73	-0.11	-0.47
VITO 19385M001	U	4.13	-0.15	-4.66	-0.46	-1.54	4.97	-1.30	7.18
YEBE 13420M001	N	1.24	1.59	-2.43	0.10	0.58	-0.49	-0.37	-0.30
YEBE 13420M001	E	0.31	-0.46	0.13	-0.23	-0.01	0.39	0.09	-0.38
YEBE 13420M001	U	3.76	-3.55	-3.82	-0.59	-2.62	4.99	-3.67	3.47
ZARA 13462M001	N	0.96	0.39	0.41	-1.09	0.71	1.57	1.01	-0.27
ZARA 13462M001	E	0.59	-0.34	0.67	0.72	0.58	0.52	-0.19	-0.59
ZARA 13462M001	U	3.66	2.12	0.91	-3.52	1.65	-5.07	0.82	5.79

5.4 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

LOCAL GEODETIC DATUM: IGb08
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
1	ACDR 13434M001	I W	-2.85	1.46	-4.48
2	ALAC 13433M001	I W	1.18	1.25	1.29
3	ALBA 13452M001	I W	0.09	1.90	-0.10
4	ALME 13437M001	I W	-0.61	-0.32	-0.64
6	BRST 10004M004	I W	-0.13	-0.80	-0.91
7	CACE 13447M001	I W	0.61	0.60	-1.78
8	CANT 13436M001	I W	-1.35	-0.50	-2.17
9	CEU1 13449M002	I W	1.04	3.21	9.06
10	COBA 13453M001	I W	1.30	-0.36	-4.85
12	EBRE 13410M001	I W	1.65	-0.66	4.41
14	FUNC 13911S001	I W	-0.05	0.76	-0.27
16	HUEL 13451M001	I W	0.13	0.35	-2.09
17	IZAN 31309M002	I W	-2.11	0.13	3.82
18	LLIV 13436M001	I W	4.29	-1.03	-1.96
19	LPAL 81701M001	I W	-2.29	-0.78	2.66
20	LRDC 10023M001	I W	1.91	-1.59	0.99
21	MALA 13443M001	I W	-3.34	1.71	0.22
22	MALL 13444M001	I W	0.42	-0.34	3.24
24	MELI 13379M001	I W	-0.81	-1.11	-1.04
25	PDEL 31906M004	I W	-2.33	-3.97	6.31
26	RABT 35001M002	I W	0.22	1.19	-0.95
27	RID1 13448M002	I W	-0.41	0.72	-2.78
28	SALA 13469M001	I W	-0.23	-1.25	-1.42
29	SCDA 10088M002	I W	-0.37	-0.98	-4.84
30	SDNS 13446M001	I W	-0.96	-1.93	-3.94
31	TERU 13487M001	I W	2.97	0.91	0.95
32	VALE 13439M001	I W	-0.71	0.54	-1.34
33	VIGO 13450M001	I W	-0.78	0.47	1.49
34	VILL 13406M001	I W	0.00	0.92	-4.30
35	YEBE 13420M001	I W	1.76	0.76	2.61
36	ZARA 13462M001	I W	-0.07	-1.13	1.18
37	ZIMM 14001M004	I W	1.84	-0.10	1.62
	RMS / COMPONENT		1.65	1.35	3.22
	MEAN		0.00	-0.00	0.00
	MIN		-3.34	-3.97	-4.85
	MAX		4.29	3.21	9.06

NUMBER OF PARAMETERS : 3
NUMBER OF COORDINATES : 96
RMS OF TRANSFORMATION : 2.23 MM

5.5 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect the daily solutions are shown.

```
* STATISTICAL PARAMETER----- VALUE(S)-----
NUMBER OF OBSERVATIONS          8814034
NUMBER OF UNKNOWN              137674
NUMBER OF DEGREES OF FREEDOM    8676360
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)      180
VARIANCE FACTOR                  2.259046738179182

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")      Scale (ppm)
      X          Y          Z          X          Y          Z
-----
  1  0.00210     -0.0035 -0.0206  0.0034  0.0004 -0.0002 -0.0006  -0.00016
  2  0.00197     -0.0129 -0.0183  0.0185  0.0002 -0.0007 -0.0006  -0.00031
  3  0.00184     -0.0064 -0.0187  0.0000  0.0004 -0.0001 -0.0005  0.00046
  4  0.00235     -0.0187 -0.0170  0.0297  0.0003 -0.0011 -0.0004  -0.00072
  5  0.00239      0.0109  0.0442 -0.0050 -0.0008  0.0003  0.0012  -0.00044
  6  0.00201      0.0164  0.0239 -0.0156 -0.0004  0.0007  0.0007  -0.00023
  7  0.00243      0.0026 -0.0014 -0.0050  0.0002  0.0002  0.0001  0.00018
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
  1  0.00144      1243375  2.06  1262650  3  576  18702  0
  2  0.00141      1262033  1.99  1281426  3  582  18814  0
  3  0.00143      1245193  2.06  1267049  3  582  21277  0
  4  0.00149      1245420  2.22  1265986  3  579  19990  0
  5  0.00152      1233013  2.30  1252924  3  582  19332  0
  6  0.00159      1196147  2.54  1215601  3  579  18878  0
  7  0.00162      1247732  2.61  1268398  3  576  20093  0
```

6 Equipment

6.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ FIRMWARE___
ACOR A 1 P 16:234:00000 16:240:86370 LEICA GRX1200PRO -----
ALDA A 1 P 16:234:00000 16:240:86370 LEICA GR10 -----
ALSA A 1 P 16:234:00000 16:240:86370 LEICA GRX1200GGPRO -----
BIAZ A 1 P 16:234:00000 16:240:86370 LEICA GRX1200GGPRO -----
BIDA A 1 P 16:234:00060 16:240:86370 LEICA GR10 -----
BIDA A 1 P 16:234:00060 16:240:86370 LEICA GR10 -----
BRZR A 1 P 16:234:00000 16:240:86370 LEICA GR10 -----
CACE A 1 P 16:234:00000 16:240:86370 TRIMBLE NETR9 -----
CANT A 1 P 16:234:00000 16:240:86370 LEICA GR10 -----
CHER A 1 P 16:234:00000 16:240:86370 LEICA GRX1200+GNSS -----
CREU A 1 P 16:234:00030 16:240:86370 LEICA GR25 -----
EBRE A 1 P 16:234:00000 16:240:86370 TRIMBLE NETR9 -----
ELGE A 1 P 16:234:00000 16:240:86370 LEICA GR10 -----
GERN A 1 P 16:234:00000 16:240:86370 LEICA GR10 -----
IGEL A 1 P 16:234:00000 16:240:86370 LEICA GR10 -----
ISPS A 1 P 16:235:00000 16:240:86370 TRIMBLE NETR9 -----
LAZK A 1 P 16:234:00000 16:240:86370 LEICA GR10 -----
LEIT A 1 P 16:234:00000 16:240:86370 LEICA GRX1200+GNSS -----
ORON A 1 P 16:234:00000 16:240:86370 LEICA GRX1200GGPRO -----
PAS2 A 1 P 16:234:00000 16:240:86370 TPS NET-G3A -----
PASA A 1 P 16:234:00000 16:240:86370 LEICA GR10 -----
RIO1 A 1 P 16:234:00000 16:240:86370 LEICA GR25 -----
SALA A 1 P 16:234:00000 16:240:86370 LEICA GRX1200+GNSS -----
SOPU A 1 P 16:234:00000 16:240:86370 LEICA GR10 -----
TERU A 1 P 16:234:00000 16:240:86370 LEICA GRX1200GGPRO -----
VITO A 1 P 16:234:00000 16:240:86370 LEICA GR10 -----
YEBE A 1 P 16:234:00000 16:240:86370 TRIMBLE NETR9 -----
ZARA A 1 P 16:234:00000 16:240:86370 TRIMBLE NETR9 -----
```

6.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__
ACOR A 1 P 16:234:00000 16:240:86370 LEIAT504 LEIS -----
ALDA A 1 P 16:234:00000 16:240:86370 LEIAS10 NONE -----
ALSA A 1 P 16:234:00000 16:240:86370 LEIAX1202GG NONE -----
BIAZ A 1 P 16:234:00000 16:240:86370 LEIAR25 LEIT -----
BIDA A 1 P 16:234:00060 16:240:86370 LEIAS10 NONE -----
BIDA A 1 P 16:234:00060 16:240:86370 LEIAS10 NONE -----
BRZR A 1 P 16:234:00000 16:240:86370 LEIAS10 NONE -----
CACE A 1 P 16:234:00000 16:240:86370 TRM29659.00 NONE -----
```



```

CANT A 1 P 16:234:00000 16:240:86370 LELAR25_R4 LEIT 25066
CHER A 1 P 16:234:00000 16:240:86370 LELAX1203+GNSS NONE -----
CREU A 1 P 16:234:00030 16:240:86370 LELAR25_R4 NONE 26357
EBRE A 1 P 16:234:00000 16:240:86370 TRM57971.00 NONE 25503
ELGE A 1 P 16:234:00000 16:240:86370 LELAR25_R4 LEIT -----
GERN A 1 P 16:234:00000 16:240:86370 LELAS10 NONE -----
IGEL A 1 P 16:234:00000 16:240:86370 LELAR20 LEIM -----
ISPS A 1 P 16:235:00000 16:240:86370 TRM59900.00 SCIS -----
LAZK A 1 P 16:234:00000 16:240:86370 LELAR25_R4 LEIT -----
LEIT A 1 P 16:234:00000 16:240:86370 LELAX1203+GNSS NONE -----
ORON A 1 P 16:234:00000 16:240:86370 LELAX1202GG NONE -----
PAS2 A 1 P 16:234:00000 16:240:86370 LELAR20 LEIM 73034
PASA A 1 P 16:234:00000 16:240:86370 LELAR20 LEIM 73034
RID1 A 1 P 16:234:00000 16:240:86370 LELAR25_R4 LEIT 25138
SALA A 1 P 16:234:00000 16:240:86370 LELAR25 NONE -----
SOPU A 1 P 16:234:00000 16:240:86370 LELAS10 NONE -----
TERU A 1 P 16:234:00000 16:240:86370 LELAT504GG LEIS -----
VITO A 1 P 16:234:00000 16:240:86370 LELAS10 NONE -----
YEBE A 1 P 16:234:00000 16:240:86370 TRM29659.00 NONE -----
ZARA A 1 P 16:234:00000 16:240:86370 TRM29659.00 NONE -----

```

6.3 Eccentricities

```

*
*SITE PT SOLN T DATA_START_ DATA_END_ AXE ARP->BENCHMARK(M) -----
ACOR A 1 P 16:234:00000 16:240:86370 UNE 3.0460 0.0000 0.0000
ALDA A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
ALSA A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
BIAZ A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
BIDA A 1 P 16:234:00060 16:240:86370 UNE 0.0000 0.0000 0.0000
BIDA A 1 P 16:234:00060 16:240:86370 UNE 0.0000 0.0000 0.0000
BRZR A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
CACE A 1 P 16:234:00000 16:240:86370 UNE 0.0600 0.0000 0.0000
CANT A 1 P 16:234:00000 16:240:86370 UNE 3.0490 0.0000 0.0000
CHER A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
CREU A 1 P 16:234:00030 16:240:86370 UNE 0.0770 0.0000 0.0000
EBRE A 1 P 16:234:00000 16:240:86370 UNE 0.0770 0.0000 0.0000
ELGE A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
GERN A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
IGEL A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
ISPS A 1 P 16:235:00000 16:240:86370 UNE 0.0350 0.0000 0.0000
LAZK A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
LEIT A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
ORON A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
PAS2 A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
PASA A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
RID1 A 1 P 16:234:00000 16:240:86370 UNE 0.0606 0.0000 0.0000
SALA A 1 P 16:234:00000 16:240:86370 UNE 0.0600 0.0000 0.0000
SOPU A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
TERU A 1 P 16:234:00000 16:240:86370 UNE 0.0600 0.0000 0.0000
VITO A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
YEBE A 1 P 16:234:00000 16:240:86370 UNE 0.0000 0.0000 0.0000
ZARA A 1 P 16:234:00000 16:240:86370 UNE 3.2590 0.0000 0.0000

```

7 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:


```

2016-09-04 09:38 UTC | ISP2380.160 | RECEIVER FIRM. VERS. | 5.14 -> NP 5.10 / SP 5.10
2016-09-04 10:50 UTC | ISP2390.160 | RECEIVER FIRM. VERS. | 5.14 -> NP 5.10 / SP 5.10
2016-09-04 12:05 UTC | ISP2400.160 | RECEIVER FIRM. VERS. | 5.14 -> NP 5.10 / SP 5.10


```

8 Cumulative Time Series


Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.




1) ACOR




2) ALDA




3) ALSA




4) AULE




5) AULE




6) BIAZ




7) BIDA




8) BIDA




9) BRZR



10) CACE




11) CANT




GMW 2016 Sep 04 12:29:47

12) CHER




GMW 2016 Sep 04 12:30:15

13) CREU




GMW 2016 Sep 04 12:30:38


14) EBRE




15) ELGE




16) GERN




17) IGEL




18) ISPS




19) LAZK




20) LEIT




21) ORON




22) PAS2




23) PASA




24) RIO1




25) SALA




26) SOPU



27) TERU



28) VITO



29) YEBE

