

# ARA-DAC Weekly Analysis Result: 1926 (GFA)

## Technical Report

**GPS Week: 1926 (GFA)**

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: [geodesia@aranzadi.eus](mailto:geodesia@aranzadi.eus)


Report generated on 2016/12/23 at 07:42:15



## 1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

## 2 Map of Computed Sites



GM 2016 Dec 23 07:42:05

Fig.1: Computed Sites for GPS Week1926 (GFA)

### 3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Reprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase,  $L_1$  and  $L_2$ ; a priori sigma of single differences: 0.002 m.
  - sampling (for ambiguity resolution) : 30 s
  - sampling (for final processing) : 180 s
  - Systems: GPS+GLONASS observations are used
- Modelled observable: Double differences of carrier phase in QIF or  $L_3$  combinations (respectively for ambiguity resolution in baseline mode, and final network solution). In the final network solution the double differenced data are sampled at 180 sec. intervals.
- Ground antenna phase center calibrations: Group APCV used from the PCV\_COD.I08 file and individual calibrations from EPNC\_08.ATX. EPN\_A class sites (CRD + VEL) IGB08 used to define the reference frame. If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
  - 3 deg elev. cutoff; elevation dependent weighting
  - VMF1\_DRY mapping function. ZPD parameters are estimated using WET VMF1 mapping function.
  - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

### 4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria:  $3\sigma$  of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
  - Code-Based Wideline (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
  - Phase-Based Wideline ( $L_5$ ) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
  - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
  - Direct  $L_1/L_2$  AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

## 5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

### 5.1 IGB08

The Reference Frame considered in this section is IGB08, release C1890.

```

ARA LAC 1926 WEEK COMBINATION: PRECISE ORBITS                23-DEC-16 06:24
-----
LOCAL GEODETIC DATUM: IGB08                                EPOCH: 2016-12-07 12:00:00
-----
NUM  STATION NAME      X (M)      Y (M)      Z (M)      FLAG
-----
  1  ACDR 13434M001    4594489.58957  -678367.49934  4357066.26114  W
  22  ALDA 19383M001    4687280.18916  -190876.61223  4308106.92285  A
  28  ALSA 19419M001    4677250.86635  -176770.44232  4319079.84308  A
  51  BIAZ 10074M002    4634456.09059  -124345.02629  4365785.43721  A
  54  BRZR 19387M001    4662221.01593  -220769.94865  4333309.40859  A
  7   CACE 13447M001    4899866.52716  -544567.08133  4033770.17621  W
  8   CANT 13438M001    4625924.34392  -307096.27988  4365771.53111  W
  11  CREU 13432M001    4715420.16065  273178.01171  4271946.81337  A
  12  EBRE 13410M001    4833520.01693  41537.34223  4147461.68836  W
  77  ELGE 19353S001    4657557.43194  -202241.52334  4338991.84354  A
  87  GERN 19389M001    4642811.33728  -217222.97889  4353278.85417  A
  101  IGEL 19352S001    4645951.45750  -165574.54997  4352550.39317  A
  105  ISPS 19484M001    4640596.50987  -206963.82431  4356391.88460  A
  109  LAZK 19354S001    4666098.37484  -178186.23941  4330463.64718  A
  112  LEIT 19428M001    4663520.95987  -155858.76170  4334519.85120  A
  141  ORDN 19427M001    4659695.62012  -130864.78489  4338948.86181  A
  146  PASZ 19351S001    4644909.09255  -156645.11532  4353623.05297  A
  147  PASA 19351S001    4644909.08997  -156645.11581  4353623.05258  A
  27  RI01 13448M002    4708446.85300  -199490.32983  4284089.70888  W
  28  SALA 13469M001    4803054.50383  -462131.11691  4158379.04597  W
  172  SOPU 19386M001    4643997.93975  -255913.95355  4350063.11741  A
  31  TERU 13487M001    4867391.34525  -95523.40191  4108341.65593  W
  204  VITO 19385M001    4679397.72855  -218436.55133  4314898.33540  A
  35  YEBE 13420M001    4848724.59141  -261631.97733  4123094.30165  W
  36  ZARA 13462M001    4773803.19605  -73506.03207  4215454.07146  W
    
```

### 5.2 ETRS89 Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011).

```

ETRF2000 COORD. wk 1926                                    23-DEC-16 06:24
-----
LOCAL GEODETIC DATUM: ETRF2000                            EPOCH: 2016-12-07 12:00:00
-----
NUM  STATION NAME      X (M)      Y (M)      Z (M)      FLAG
-----
  1  ACDR 13434M001    4594489.87203  -678367.99120  4357065.87154  W
  22  ALDA 19383M001    4687280.52091  -190877.11219  4308106.53231  A
  28  ALSA 19419M001    4677251.20032  -176770.94129  4319079.45339  A
  51  BIAZ 10074M002    4634456.43317  -124345.52104  4365785.05106  A
  54  BRZR 19387M001    4662221.34608  -220770.44628  4333309.01945  A
  7   CACE 13447M001    4899866.80334  -544567.60204  4033769.76694  W
  8   CANT 13438M001    4625924.66687  -307096.77421  4365771.14352  W
  11  CREU 13432M001    4715420.53986  273177.51037  4271946.42596  A
  12  EBRE 13410M001    4833520.36335  41536.82897  4147461.29023  W
  77  ELGE 19353S001    4657557.76444  -202242.02049  4338991.45493  A
  87  GERN 19389M001    4642811.66909  -217223.47465  4353278.46641  A
  101  IGEL 19352S001    4645951.79481  -165575.04592  4352550.00577  A
  105  ISPS 19484M001    4640596.84298  -206964.31984  4356391.49711  A
  109  LAZK 19354S001    4666098.70938  -178186.73731  4330463.25825  A
  112  LEIT 19428M001    4663521.29707  -155859.25931  4334519.46269  A
  141  ORDN 19427M001    4659696.16028  -130865.28207  4338948.47384  A
  146  PASZ 19351S001    4644909.43089  -156645.61115  4353622.66574  A
  147  PASA 19351S001    4644909.42830  -156645.61164  4353622.66535  A
  27  RI01 13448M002    4708447.18229  -199490.83182  4284089.31678  W
  28  SALA 13469M001    4803054.79686  -462131.62838  4158378.64437  W
  172  SOPU 19386M001    4643998.26719  -255914.44951  4350062.72914  A
  31  TERU 13487M001    4867391.67446  -95523.91875  4108341.25395  W
  204  VITO 19385M001    4679398.05778  -218437.05060  4314897.94510  A
  35  YEBE 13420M001    4848724.90373  -261632.49277  4123093.89912  W
  36  ZARA 13462M001    4773803.53448  -73506.53998  4215453.67622  W
    
```

### 5.3 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGB08 solution and are given with respect the Local fram (North-East-Up).

```

ARA LAC 1926 WEEK COMBINATION: PRECISE ORBITS                23-DEC-16 06:24
-----
Station      #Days  Weekday  Repeatability (mm)
              0123456      N     E     U
-----
ACDR 13434M001  7  XXXXXXX  1.15  0.99  4.58
ALDA 19383M001  7  XXXXXXX  1.04  1.00  1.73
ALSA 19419M001  7  XXXXXXX  5.21  0.78  3.53
    
```

BIAZ 10074M002	4	XXXX	1.31	0.83	2.18
BRZR 19387M001	7	XXXXXXXX	1.50	1.48	2.53
CACE 13447M001	7	XXXXXXXX	0.73	0.44	1.96
CANT 13438M001	7	XXXXXXXX	0.52	0.35	2.64
CREU 13432M001	7	XXXXXXXX	0.60	0.72	2.02
EBRE 13410M001	7	XXXXXXXX	0.83	0.37	3.46
ELGE 19353S001	7	XXXXXXXX	0.99	1.35	2.75
GERN 19389M001	7	XXXXXXXX	1.25	0.61	2.28
IGEL 19352S001	7	XXXXXXXX	0.81	0.58	2.01
ISPS 19484M001	7	XXXXXXXX	2.28	1.10	3.03
LAZK 19354S001	7	XXXXXXXX	2.90	1.74	4.19
LEIT 19428M001	7	XXXXXXXX	2.38	2.68	8.38
ORDN 19427M001	7	XXXXXXXX	1.40	0.86	1.94
PAS2 19351S001	7	XXXXXXXX	1.34	0.58	3.12
PASA 19351S001	7	XXXXXXXX	1.65	0.90	2.06
RID1 13448M002	7	XXXXXXXX	0.53	0.53	2.44
SALA 13469M001	7	XXXXXXXX	0.34	0.51	1.56
SOPU 19386M001	7	XXXXXXXX	0.93	0.87	4.28
TERU 13487M001	7	XXXXXXXX	0.30	0.37	1.73
VITO 19385M001	7	XXXXXXXX	1.02	0.75	2.36
YEBE 13420M001	7	XXXXXXXX	0.85	0.43	2.50
ZARA 13462M001	7	XXXXXXXX	0.47	0.57	2.18

Comparison of individual solutions:

ACDR 13434M001	N	1.15	-0.29	0.18	-0.85	-0.28	0.86	2.20	-1.18
ACDR 13434M001	E	0.99	-0.88	0.48	-1.19	-0.63	-0.48	-0.99	1.38
ACDR 13434M001	U	4.58	-6.56	-5.21	1.59	2.19	3.38	0.92	6.01
ALDA 19383M001	N	1.04	-0.72	-1.29	1.51	0.95	0.01	0.94	0.42
ALDA 19383M001	E	1.00	1.59	0.48	-1.25	-0.99	-0.39	-0.70	-0.25
ALDA 19383M001	U	1.73	2.16	1.36	-0.01	2.18	1.51	-2.08	-0.15
ALSA 19419M001	N	5.21	3.63	1.63	4.88	2.86	-8.86	-5.37	2.78
ALSA 19419M001	E	0.78	-1.37	-0.56	-0.65	-0.34	0.87	0.40	0.08
ALSA 19419M001	U	3.53	1.69	-1.66	1.30	4.21	-4.78	4.92	-1.60
BIAZ 10074M002	N	1.31					-2.25	-0.26	-0.23
BIAZ 10074M002	E	0.83					-0.93	-0.11	-0.38
BIAZ 10074M002	U	2.18					-2.15	2.81	0.90
BRZR 19387M001	N	1.50	0.40	1.40	2.17	1.08	-0.35	-0.81	-2.19
BRZR 19387M001	E	1.48	-2.86	-0.67	1.67	0.38	0.10	0.76	-0.96
BRZR 19387M001	U	2.53	-1.12	1.76	-0.71	4.50	3.10	-0.62	-1.80
CACE 13447M001	N	0.73	-0.70	-0.95	-0.39	0.66	0.27	0.61	0.90
CACE 13447M001	E	0.44	-0.32	-0.01	0.25	0.07	0.89	0.41	0.08
CACE 13447M001	U	1.96	-0.35	-0.20	3.72	-2.21	0.61	1.94	0.12
CANT 13438M001	N	0.52	0.90	0.36	-0.37	-0.18	0.50	0.40	-0.30
CANT 13438M001	E	0.35	0.26	-0.02	0.05	-0.21	-0.35	-0.65	0.30
CANT 13438M001	U	2.64	-3.59	3.80	-0.64	-2.83	2.22	1.06	0.03
CREU 13432M001	N	0.60	-0.19	-0.43	-0.42	-0.80	0.29	0.05	1.02
CREU 13432M001	E	0.72	1.50	0.48	-0.45	0.26	0.33	-0.32	-0.44
CREU 13432M001	U	2.02	0.52	-3.17	1.21	0.29	1.49	-0.88	-3.11
EBRE 13410M001	N	0.83	-1.53	-0.66	-0.10	-0.11	0.10	0.64	0.94
EBRE 13410M001	E	0.37	-0.11	0.35	-0.24	0.21	0.74	0.03	0.22
EBRE 13410M001	U	3.46	-5.10	6.08	0.15	-0.93	-2.10	-1.68	0.86
ELGE 19353S001	N	0.99	-0.43	1.24	0.74	-0.92	0.14	-0.55	1.56
ELGE 19353S001	E	1.35	-1.56	-0.09	-0.16	-0.60	-1.30	-0.37	2.51
ELGE 19353S001	U	2.75	3.95	0.13	-3.40	-1.52	0.60	1.32	3.73
GERN 19389M001	N	1.25	2.28	0.83	-0.26	-0.89	1.11	-0.74	-0.91
GERN 19389M001	E	0.61	0.62	0.21	-0.82	-0.70	0.18	-0.68	-0.36
GERN 19389M001	U	2.28	0.52	0.95	-1.67	-0.74	-0.46	2.33	4.59
IGEL 19352S001	N	0.81	0.66	1.53	0.54	-0.82	-0.36	0.12	-0.02
IGEL 19352S001	E	0.58	-0.70	-0.15	-0.01	-0.14	-0.71	-0.60	0.79
IGEL 19352S001	U	2.01	-1.15	2.43	-0.53	1.21	3.50	-1.58	0.77
ISPS 19484M001	N	2.28	2.70	1.89	2.13	1.07	-1.58	-2.01	-2.84
ISPS 19484M001	E	1.10	-2.20	0.35	0.71	0.95	-0.16	-0.60	-0.71
ISPS 19484M001	U	3.03	-0.57	1.24	4.11	4.93	0.23	-2.10	-2.76
LAZK 19354S001	N	2.90	-2.80	1.43	3.52	1.00	-4.22	-0.70	2.99
LAZK 19354S001	E	1.74	-3.00	-0.51	-0.83	1.02	2.32	-1.13	0.64
LAZK 19354S001	U	4.19	3.53	3.70	-2.37	-1.89	6.46	0.48	-5.28
LEIT 19428M001	N	2.38	0.39	1.87	1.29	-3.43	3.74	-1.58	-0.75
LEIT 19428M001	E	2.68	-0.86	-0.94	-2.80	-2.42	5.11	1.02	-0.69
LEIT 19428M001	U	8.38	1.58	0.56	7.37	6.08	-16.13	-2.33	7.88
ORDN 19427M001	N	1.40	2.48	0.88	0.47	-0.47	-1.94	-0.59	0.80
ORDN 19427M001	E	0.86	-1.25	-0.54	-0.55	-0.79	-0.16	1.09	0.68
ORDN 19427M001	U	1.94	3.41	0.38	-0.14	0.89	0.79	1.91	-2.38
PAS2 19351S001	N	1.34	1.88	2.06	0.25	-0.44	-1.30	-0.99	0.25
PAS2 19351S001	E	0.58	-0.87	-0.50	-0.65	0.38	-0.50	0.30	0.30
PAS2 19351S001	U	3.12	-3.63	-0.63	0.13	2.82	6.05	-0.29	0.07
PASA 19351S001	N	1.65	0.37	1.29	3.33	-0.53	-1.22	-1.31	0.11
PASA 19351S001	E	0.90	-1.32	-0.38	1.16	-0.11	-1.01	-0.24	0.77
PASA 19351S001	U	2.06	-1.68	0.25	1.86	0.54	4.24	-0.99	0.06
RID1 13448M002	N	0.53	-0.00	0.49	0.19	-0.59	0.82	0.18	0.59
RID1 13448M002	E	0.53	-0.51	-0.17	-0.50	-0.49	-0.47	-0.48	0.69
RID1 13448M002	U	2.44	4.11	-0.79	0.96	3.74	-0.47	-1.27	-1.24
SALA 13469M001	N	0.34	0.06	0.09	-0.08	-0.35	0.36	-0.07	-0.66
SALA 13469M001	E	0.51	-0.50	-0.00	0.04	0.23	-0.55	-0.87	-0.47
SALA 13469M001	U	1.56	-0.03	2.40	-0.43	-2.13	0.53	0.66	-1.84
SOPU 19386M001	N	0.93	-0.64	-0.60	1.59	0.94	-0.82	0.36	0.45
SOPU 19386M001	E	0.87	-1.69	-0.59	0.23	0.51	-0.11	-0.19	0.99
SOPU 19386M001	U	4.28	-6.66	0.27	0.52	1.50	7.34	-2.98	-0.48
TERU 13487M001	N	0.30	0.48	0.00	0.02	-0.14	-0.44	-0.16	-0.28
TERU 13487M001	E	0.37	-0.01	0.42	-0.07	0.34	0.46	-0.44	0.36
TERU 13487M001	U	1.73	1.77	1.67	0.16	-0.57	-2.35	-2.33	-0.83
VITO 19385M001	N	1.02	1.51	1.38	-0.04	-1.35	0.15	-0.05	-0.45
VITO 19385M001	E	0.75	-1.33	-0.22	0.01	0.28	0.57	-0.80	0.73
VITO 19385M001	U	2.36	4.23	-0.00	-1.95	-0.60	1.90	-0.42	-2.77
YEBE 13420M001	N	0.85	0.09	-0.73	-1.32	-0.56	1.30	0.28	-0.15
YEBE 13420M001	E	0.43	0.57	-0.79	0.20	0.02	-0.06	0.31	-0.09
YEBE 13420M001	U	2.50	-0.79	-4.42	3.39	-0.16	1.63	-1.13	1.41
ZARA 13462M001	N	0.47	-0.70	-0.15	-0.37	-0.22	-0.24	0.26	0.73
ZARA 13462M001	E	0.57	0.62	0.79	-0.10	0.60	0.24	-0.47	-0.54
ZARA 13462M001	U	2.18	-1.79	0.73	1.06	1.11	-2.44	-3.20	2.52

### 5.4 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
1	ACOR 13434M001	I W	-0.01	-1.28	-3.46
2	ALAC 13433M001	I W	0.15	0.89	0.42
3	ALBA 13452M001	I W	-0.75	1.17	2.09
4	ALME 13437M001	I W	-1.14	-1.08	3.15
6	BRST 10004M004	I W	-0.40	-1.18	0.03
7	CACE 13447M001	I W	0.96	-1.59	0.76
8	CANT 13438M001	I W	0.47	-1.94	-3.69
9	CEU1 13449M002	I W	0.96	2.20	6.93
10	COBA 13453M001	I W	0.45	-0.12	-2.95
12	EBRE 13410M001	I W	1.53	0.85	1.47
16	HUEL 13451M001	I W	-1.83	3.13	1.26
17	IZAN 31309M002	I W	-3.08	-0.14	-2.69
18	LLIV 13436M001	I W	4.04	-2.64	-2.98
20	LRDC 10023M001	I W	0.32	-1.51	0.48
21	MALA 13443M001	I W	-3.86	2.39	-1.96
22	MALL 13444M001	I W	0.04	0.66	0.84
24	MELI 19379M001	I W	-2.64	0.69	-0.26
25	PDEL 31906M004	I W	-3.72	-2.59	-7.67
27	RIO1 13448M002	I W	1.25	-0.50	-1.38
28	SALA 13469M001	I W	0.33	-0.24	5.38
29	SCOA 10088M002	I W	-2.02	-1.75	-2.36
30	SONS 13446M001	I W	1.24	0.42	-1.37
31	TERU 13487M001	I W	3.08	1.64	2.01
32	VALE 13439M001	I W	0.20	2.12	0.82
33	VIGO 13450M001	I W	-0.20	-2.20	1.04
34	VILL 13406M001	I W	0.87	1.24	-1.51
35	YEBE 13420M001	I W	1.08	0.18	3.84
36	ZARA 13462M001	I W	0.25	0.44	-0.52
37	ZIMM 14001M004	I W	2.42	0.72	2.29
	RMS / COMPONENT		1.86	1.56	2.97
	MEAN		0.00	0.00	-0.00
	MIN		-3.86	-2.64	-7.67
	MAX		4.04	3.13	6.93

NUMBER OF PARAMETERS : 3  
 NUMBER OF COORDINATES : 87  
 RMS OF TRANSFORMATION : 2.22 MM

## 5.5 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          6336932
NUMBER OF UNKNOWN(S)            94843
NUMBER OF DEGREES OF FREEDOM    6242089
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)      180
VARIANCE FACTOR                  1.603614842420405
```

Helmert Transformation Parameters With Respect to Combined Solution:

```
-----
Sol  Rms (m)      Translation (m)      Rotation (")      Scale (ppm)
      X          Y          Z          X          Y          Z
-----
 1  0.00268      0.0234 -0.0128 -0.0177  0.0003  0.0009 -0.0003 -0.00143
 2  0.00188      -0.0011 -0.0099  0.0100  0.0002 -0.0003 -0.0002 -0.00093
 3  0.00280      -0.0144  0.0024  0.0206 -0.0001 -0.0008  0.0001 -0.00019
 4  0.00180      -0.0118  0.0028  0.0099  0.0000 -0.0005  0.0001  0.00049
 5  0.00336      0.0041  0.0105 -0.0082 -0.0002  0.0003  0.0003  0.00048
 6  0.00193      -0.0109 -0.0057  0.0025  0.0001 -0.0003 -0.0002  0.00103
 7  0.00172      -0.0148 -0.0009  0.0167 -0.0000 -0.0007 -0.0001  0.00012
```

Statistics of individual solutions:

```
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
 1  0.00138      873479  1.89          887446      3          414      13556      0
 2  0.00127      931848  1.60          946314      3          471      13998      0
 3  0.00121      909255  1.47          923652      3          474      13926      0
 4  0.00124      910547  1.55          924671      3          477      13650      0
 5  0.00127      865564  1.61          878276      3          417      12298      0
 6  0.00124      869337  1.53          883674      3          456      13884      0
 7  0.00124      879428  1.54          892899      3          423      13051      0
```

## 6 Equipment

### 6.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ FIRMWARE___
ACOR  A  1 P 16:339:00000 16:345:86370 LEICA GRX1200PRO -----
ALDA  A  1 P 16:339:00000 16:345:86370 LEICA GR10 -----
ALSA  A  1 P 16:339:00000 16:345:86370 LEICA GRX1200GGPRO -----
BIAZ  A  1 P 16:342:54570 16:345:86370 LEICA GRX1200GGPRO -----
BRZR  A  1 P 16:339:00000 16:345:86370 LEICA GR10 -----
CACE  A  1 P 16:339:00000 16:345:86370 TRIMBLE NETR9 -----
CANT  A  1 P 16:339:00000 16:345:86370 LEICA GR10 -----
CREU  A  1 P 16:339:00030 16:345:86370 LEICA GR50 -----
EBRE  A  1 P 16:339:00000 16:345:86370 TRIMBLE NETR9 -----
ELGE  A  1 P 16:339:00000 16:345:86370 LEICA GR10 -----
GERN  A  1 P 16:339:00000 16:345:86370 LEICA GR10 -----
IGEL  A  1 P 16:339:00000 16:345:86370 LEICA GR10 -----
ISPS  A  1 P 16:339:00000 16:345:86370 TRIMBLE NETR9 -----
LAZK  A  1 P 16:339:00000 16:345:86370 LEICA GR10 -----
LEIT  A  1 P 16:339:00000 16:345:86370 LEICA GRX1200+GNSS -----
ORON  A  1 P 16:339:00000 16:345:86370 LEICA GRX1200GGPRO -----
PAS2  A  1 P 16:339:00000 16:345:86370 TPS NET-G3A -----
PASA  A  1 P 16:339:00000 16:345:86370 LEICA GR10 -----
RIO1  A  1 P 16:339:00000 16:345:86370 LEICA GR25 -----
SALA  A  1 P 16:339:00000 16:345:86370 LEICA GRX1200+GNSS -----
SOPU  A  1 P 16:339:00000 16:345:86370 LEICA GR10 -----
TERU  A  1 P 16:339:00000 16:345:86370 LEICA GRX1200GGPRO -----
VITO  A  1 P 16:339:00000 16:345:86370 LEICA GR10 -----
YEBE  A  1 P 16:339:00000 16:345:86370 TRIMBLE NETR5 -----
ZARA  A  1 P 16:339:00000 16:345:86370 TRIMBLE NETR9 -----
```

### 6.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__
ACOR  A  1 P 16:339:00000 16:345:86370 LEIAT504      LEIS -----
ALDA  A  1 P 16:339:00000 16:345:86370 LEIAS10      NONE -----
ALSA  A  1 P 16:339:00000 16:345:86370 LEIAX1202GG  NONE -----
BIAZ  A  1 P 16:342:54570 16:345:86370 LEIAR25      LEIT -----
BRZR  A  1 P 16:339:00000 16:345:86370 LEIAS10      NONE -----
CACE  A  1 P 16:339:00000 16:345:86370 TRM29659.00  NONE -----
CANT  A  1 P 16:339:00000 16:345:86370 LEIAR25.R4   LEIT 25066
CREU  A  1 P 16:339:00030 16:345:86370 LEIAR25.R4   NONE 26357
EBRE  A  1 P 16:339:00000 16:345:86370 TRM57971.00  NONE 25503
ELGE  A  1 P 16:339:00000 16:345:86370 LEIAR25.R4   LEIT -----
GERN  A  1 P 16:339:00000 16:345:86370 LEIAS10      NONE -----
```



```

IGEL A 1 P 16:339:00000 16:345:86370 LELAR20 LEIM -----
ISPS A 1 P 16:339:00000 16:345:86370 TRM59900.00 SCIS -----
LAZK A 1 P 16:339:00000 16:345:86370 LELAR25_R4 LEIT -----
LEIT A 1 P 16:339:00000 16:345:86370 LELAX1203+GNSS NONE -----
ORDN A 1 P 16:339:00000 16:345:86370 LELAX1202GG NONE -----
PAS2 A 1 P 16:339:00000 16:345:86370 LELAR20 LEIM 73034
PASA A 1 P 16:339:00000 16:345:86370 LELAR20 LEIM 73034
RI01 A 1 P 16:339:00000 16:345:86370 LELAR25_R4 LEIT 25138
SALA A 1 P 16:339:00000 16:345:86370 LELAR25 NONE -----
SOPU A 1 P 16:339:00000 16:345:86370 LELAS10 NONE -----
TERU A 1 P 16:339:00000 16:345:86370 LELAT504GG LEIS -----
VITO A 1 P 16:339:00000 16:345:86370 LELAS10 NONE -----
YEBE A 1 P 16:339:00000 16:345:86370 TRM29659.00 NONE -----
ZARA A 1 P 16:339:00000 16:345:86370 TRM29659.00 NONE -----
    
```


### 6.3 Eccentricities

```


*
*SITE PT SOLN T DATA_START_ DATA_END_ AXE ARP->BENCHMARK(M) UP_ NORTH_ EAST_
ACOR A 1 P 16:339:00000 16:345:86370 UNE 3.0460 0.0000 0.0000
ALDA A 1 P 16:339:00000 16:345:86370 UNE 0.0000 0.0000 0.0000
ALSA A 1 P 16:339:00000 16:345:86370 UNE 0.0000 0.0000 0.0000
BIAZ A 1 P 16:342:54570 16:345:86370 UNE 0.0000 0.0000 0.0000
BRZR A 1 P 16:339:00000 16:345:86370 UNE 0.0000 0.0000 0.0000
CACE A 1 P 16:339:00000 16:345:86370 UNE 0.0600 0.0000 0.0000
CANT A 1 P 16:339:00000 16:345:86370 UNE 3.0490 0.0000 0.0000
CREU A 1 P 16:339:00030 16:345:86370 UNE 0.0770 0.0000 0.0000
EBRE A 1 P 16:339:00000 16:345:86370 UNE 0.0770 0.0000 0.0000
ELGE A 1 P 16:339:00000 16:345:86370 UNE 0.0000 0.0000 0.0000
GERN A 1 P 16:339:00000 16:345:86370 UNE 0.0000 0.0000 0.0000
IGEL A 1 P 16:339:00000 16:345:86370 UNE 0.0000 0.0000 0.0000
ISPS A 1 P 16:339:00000 16:345:86370 UNE 0.0350 0.0000 0.0000
LAZK A 1 P 16:339:00000 16:345:86370 UNE 0.0000 0.0000 0.0000
LEIT A 1 P 16:339:00000 16:345:86370 UNE 0.0000 0.0000 0.0000
ORDN A 1 P 16:339:00000 16:345:86370 UNE 0.0000 0.0000 0.0000
PAS2 A 1 P 16:339:00000 16:345:86370 UNE 0.0000 0.0000 0.0000
PASA A 1 P 16:339:00000 16:345:86370 UNE 0.0000 0.0000 0.0000
RI01 A 1 P 16:339:00000 16:345:86370 UNE 0.0606 0.0000 0.0000
SALA A 1 P 16:339:00000 16:345:86370 UNE 0.0600 0.0000 0.0000
SOPU A 1 P 16:339:00000 16:345:86370 UNE 0.0000 0.0000 0.0000
TERU A 1 P 16:339:00000 16:345:86370 UNE 0.0600 0.0000 0.0000
VITO A 1 P 16:339:00000 16:345:86370 UNE 0.0000 0.0000 0.0000
YEBE A 1 P 16:339:00000 16:345:86370 UNE 0.0000 0.0000 0.0000
ZARA A 1 P 16:339:00000 16:345:86370 UNE 3.2590 0.0000 0.0000
    
```

## 7 Cumulative Time Series


Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.



1 ) ACOR




2 ) ALDA




GMW 2016 Dec 23 06:32:55

3 ) ALSA




GMW 2016 Dec 23 06:35:07

4 ) BLAZ




GMW 2016 Dec 23 06:35:14


5 ) BIDA




6 ) BRZR



7 ) CACE




8 ) CANT




GMW 2016 Dec 23 06:37:08

9 ) CHER




GMW 2016 Dec 23 06:37:38

10 ) CREU




GMW 2016 Dec 23 06:38:01


11 ) EBRE




12 ) ELGE




13 ) GERN




14 ) IGEL




15 ) ISPS



16 ) LAZK




17 ) LEIT




GMW 2016 Dec 23 06:45:39

18 ) ORON



GMW 2016 Dec 23 06:46:09


19 ) PAS2




GMW 2016 Dec 23 06:46:15

20 ) PASA







21 ) RIO1




22 ) SALA




23 ) SOPU




24 ) TERU



25 ) VITO



26 ) YEBE



27 ) ZARA