

ARA-DAC Weekly Analysis Result: 1932 (GFA)

Technical Report

GPS Week: 1932 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus


Report generated on 2017/01/29 at 12:42:36



1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites



GM 2017 Jan 29 12:42:27

Fig.1: Computed Sites for GPS Week1932 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Reprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences: 0.002 m.
 - sampling (for ambiguity resolution) : 30 s
 - sampling (for final processing) : 180 s
 - Systems: GPS+GLONASS observations are used
- Modelled observable: Double differences of carrier phase in QIF or L_3 combinations (respectively for ambiguity resolution in baseline mode, and final network solution). In the final network solution the double differenced data are sampled at 180 sec. intervals.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I08 file and individual calibrations from EPNC_08.ATX. EPN_A class sites (CRD + VEL) IGB08 used to define the reference frame. If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
 - 3 deg elev. cutoff; elevation dependent weighting
 - VMF1_DRY mapping function. ZPD parameters are estimated using WET VMF1 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3σ of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Wideline (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Wideline (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

5.1 IGB08

The Reference Frame considered in this section is IGB08, release C1890.

```

ARA LAC 1932 WEEK COMBINATION: PRECISE ORBITS                29-JAN-17 11:19
-----
LOCAL GEODETIC DATUM: IGB08                                EPOCH: 2017-01-18 12:00:00
-----
NUM STATION NAME      X (M)      Y (M)      Z (M)      FLAG
-----
 1 ACRD 13434M001     4594489.58850 -678367.49734 4357066.26198 W
 22 ALDA 19383M001     4687280.18556 -190876.61266 4308106.92498 A
 28 ALSA 19419M001     4677250.86046 -176770.44094 4319079.84847 A
 51 BIAZ 10074M002     4634456.08867 -124345.02364 4365785.43778 A
 55 BIDA 00000M000     4644177.85157 -145778.36923 4354832.45804 A
 54 BRZR 19387M001     4662221.01579 -220769.94371 4333309.41069 A
 7 CACE 13447M001     4899866.52668 -544567.07932 4033770.17881 W
 8 CANT 13438M001     4625924.34147 -307096.27709 4365771.53056 W
 11 CREU 13432M001     4715420.16118 273178.01363 4271946.81788 A
 12 EBRE 13410M001     4833520.01661 41537.34255 4147461.69214 W
 77 ELGE 19353S001     4657557.42910 -202241.51824 4338991.84384 A
 87 GERN 19389M001     4642811.33417 -217222.97436 4353278.85315 A
 101 IGEL 19352S001     4645951.45475 -165574.54635 4352550.39203 A
 105 ISPS 19484M001     4640596.50929 -206963.82053 4356391.88786 A
 109 LAZK 19354S001     4666098.36643 -178186.23826 4330463.64782 A
 112 LEIT 19428M001     4663520.96653 -155858.76123 4334519.86255 A
 141 ORDN 19427M001     4659695.81706 -130864.78292 4338948.86392 A
 146 PAS2 19351S001     4644909.08969 -156645.11187 4353623.05308 A
 147 PASA 19351S001     4644909.08646 -156645.11218 4353623.05143 A
 27 RID1 13448M002     4708446.85466 -199490.32791 4284089.70965 W
 28 SALA 13469M001     4803054.50772 -462131.11441 4158379.05220 W
 172 SOPU 19386M001     4643997.93931 -255913.95072 4350063.11953 A
 31 TERU 13487M001     4867391.34617 -95523.40018 4108341.66078 W
 204 VITO 19385M001     4679397.72857 -218436.54875 4314898.33879 A
 35 YEBE 13420M001     4848724.59353 -261631.97506 4123094.30605 W
 36 ZARA 13462M001     4773803.19509 -73506.02973 4215454.07352 W
    
```

5.2 ETRS89 Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011).

```

ETRF2000 COORD. wk 1932                29-JAN-17 11:19
-----
LOCAL GEODETIC DATUM: ETRF2000        EPOCH: 2017-01-18 12:00:00
-----
NUM STATION NAME      X (M)      Y (M)      Z (M)      FLAG
-----
 1 ACRD 13434M001     4594489.87191 -678367.99142 4357065.87093 W
 22 ALDA 19383M001     4687280.51846 -190877.11488 4308106.53298 A
 28 ALSA 19419M001     4677251.19558 -176770.94216 4319079.45733 A
 51 BIAZ 10074M002     4634456.43244 -124345.52062 4365785.05019 A
 55 BIDA 00000M000     4644178.19232 -145778.86720 4354832.06954 A
 54 BRZR 19387M001     4662221.34708 -220770.44359 4333309.02010 A
 7 CACE 13447M001     4899866.80378 -544567.60237 4033769.76801 W
 8 CANT 13438M001     4625924.66553 -307096.77365 4365771.14153 W
 11 CREU 13432M001     4715420.54173 273177.51003 4271946.42902 A
 12 EBRE 13410M001     4833520.36423 41536.82698 4147461.29253 W
 77 ELGE 19353S001     4657557.76275 -202242.01763 4338991.45378 A
 87 GERN 19389M001     4642811.66712 -217223.47236 4353278.46395 A
 101 IGEL 19352S001     4645951.79323 -165575.04454 4352550.00319 A
 105 ISPS 19484M001     4640596.84355 -206964.31830 4356391.49893 A
 109 LAZK 19354S001     4666098.70213 -178186.73841 4330463.25744 A
 112 LEIT 19428M001     4663521.30490 -155859.26109 4334519.47259 A
 141 ORDN 19427M001     4659696.15840 -130865.28235 4338948.47451 A
 146 PAS2 19351S001     4644909.42920 -156645.60993 4353622.66441 A
 147 PASA 19351S001     4644909.42597 -156645.61024 4353622.66276 A
 27 RID1 13448M002     4708447.18509 -199490.83217 4284089.31608 W
 28 SALA 13469M001     4803054.80174 -462131.62818 4158378.64910 W
 172 SOPU 19386M001     4643998.26788 -255914.44892 4350062.72982 A
 31 TERU 13487M001     4867391.67652 -95523.91934 4108341.25729 W
 204 VITO 19385M001     4679398.05893 -218437.05027 4314897.94703 A
 35 YEBE 13420M001     4848724.90692 -261632.49282 4123093.90102 W
 36 ZARA 13462M001     4773803.53469 -73506.53993 4215453.67680 W
    
```

5.3 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGB08 solution and are given with respect the Local fram (North-East-Up).

```

ARA LAC 1932 WEEK COMBINATION: PRECISE ORBITS                29-JAN-17 11:19
-----
Station      #Days  Weekday  Repeatability (mm)
              #Days  O123456  N     E     U
-----
ACRD 13434M001  7  XXXXXX  1.01  1.02  1.89
    
```


LOCAL GEODETIC DATUM: Igb08
 RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
1	ACOR 13434M001	I W	0.34	-0.63	-3.30
3	ALBA 13452M001	I W	0.76	1.39	-0.19
4	ALME 13437M001	I W	-1.62	-0.88	0.14
6	BRST 10004M004	I W	0.42	-1.99	3.34
7	CACE 13447M001	I W	0.49	-1.38	-0.41
8	CANT 13438M001	I W	1.11	-2.40	-1.43
9	CEU1 13449M002	I W	0.17	1.49	9.61
10	COBA 13453M001	I W	-0.23	-0.44	-4.17
12	EBRE 13410M001	I W	0.38	2.75	-0.84
16	HUEL 13451M001	I W	-2.16	0.45	-0.98
17	IZAN 31309M002	I W	-4.11	-1.02	0.82
18	LLIV 13436M001	I W	0.51	-1.67	10.54
20	LROC 10023M001	I W	0.52	-2.22	2.47
21	MALA 13443M001	I W	-4.75	2.69	-4.55
22	MALL 13444M001	I W	-1.09	1.09	-2.30
24	MELI 19379M001	I W	-3.76	1.16	1.05
27	RIO1 13448M002	I W	3.53	-0.35	-3.24
28	SALA 13469M001	I W	-0.11	-0.82	-1.62
29	SCOA 10088M002	I W	1.00	-1.73	1.25
30	SONS 13446M001	I W	1.45	0.68	-2.62
31	TERU 13487M001	I W	1.84	2.08	-1.85
32	VALE 13439M001	I W	-0.74	1.97	-1.21
33	VIGO 13450M001	I W	-0.19	-1.63	-2.79
34	VILL 13406M001	I W	1.03	0.33	-6.55
35	YEBE 13420M001	I W	1.67	-0.06	0.12
36	ZARA 13462M001	I W	-0.12	0.31	-1.19
37	ZIMM 14001M004	I W	3.65	0.84	9.90
	RMS / COMPONENT		1.98	1.51	4.19
	MEAN		0.00	-0.00	0.00
	MIN		-4.75	-2.40	-6.55
	MAX		3.65	2.75	10.54

NUMBER OF PARAMETERS : 3
 NUMBER OF COORDINATES : 81
 RMS OF TRANSFORMATION : 2.82 MM

5.5 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          7134158
NUMBER OF UNKNOWN               106318
NUMBER OF DEGREES OF FREEDOM    7027840
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)      180
VARIANCE FACTOR                  1.676986637554281

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")      Scale (ppm)
      X          Y          Z          X          Y          Z
-----
 1  0.00244      0.0035 -0.0079 -0.0019  0.0001  0.0001 -0.0003  -0.00036
 2  0.00263     -0.0122 -0.0237  0.0170  0.0005 -0.0007 -0.0006  -0.00061
 3  0.00188     -0.0010  0.0207  0.0033  -0.0004 -0.0001  0.0006  -0.00011
 4  0.00162     -0.0045 -0.0126  0.0075  0.0002 -0.0003 -0.0004  -0.00019
 5  0.00167     -0.0008 -0.0041  0.0027  -0.0001 -0.0001 -0.0002  -0.00007
 6  0.00210      0.0161  0.0160 -0.0217  -0.0002  0.0009  0.0005  0.00030
 7  0.00166     -0.0010 -0.0395  0.0033  0.0008 -0.0001 -0.0010  -0.00034
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
 1  0.00130      1009071  1.70  1024536  3  456  15012  0
 2  0.00135      1018194  1.83  1034244  3  462  15591  0
 3  0.00134      970155  1.79  984970  3  456  14362  0
 4  0.00126      1027165  1.60  1043499  3  462  15875  0
 5  0.00127      1026088  1.61  1041573  3  459  15029  0
 6  0.00126      1004827  1.59  1020931  3  453  15654  0
 7  0.00124      969643  1.53  984405  3  432  14333  0
```

6 Equipment

6.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__ FIRMWARE__
ACOR A 1 P 17:015:00000 17:021:86370 LEICA GRX1200PRO -----
ALDA A 1 P 17:015:00000 17:018:86370 LEICA GR10 -----
ALSA A 1 P 17:015:00000 17:021:86370 LEICA GRX1200GGPRO -----
BIAZ A 1 P 17:015:00000 17:021:86370 LEICA GRX1200GGPRO -----
BIDA A 1 P 17:015:79530 17:020:61470 LEICA GR10 -----
BRZR A 1 P 17:015:00000 17:021:86370 LEICA GR10 -----
CACE A 1 P 17:015:00000 17:021:86370 TRIMBLE NETR9 -----
CANT A 1 P 17:015:00000 17:021:86370 LEICA GR10 -----
CREU A 1 P 17:015:00000 17:021:86370 LEICA GR50 -----
EBRE A 1 P 17:015:00000 17:021:86370 LEICA GR50 -----
ELGE A 1 P 17:015:00000 17:020:46140 LEICA GR10 -----
GERN A 1 P 17:015:00000 17:021:86370 LEICA GR10 -----
IGEL A 1 P 17:015:00000 17:020:86370 LEICA GR10 -----
ISPS A 1 P 17:015:00000 17:021:86370 TRIMBLE NETR9 -----
LAZK A 1 P 17:015:00000 17:019:86370 LEICA GR10 -----
LEIT A 1 P 17:015:00000 17:021:86370 LEICA GRX1200+GNSS -----
ORON A 1 P 17:015:00000 17:021:86370 LEICA GRX1200GGPRO -----
PAS2 A 1 P 17:015:00000 17:020:86370 TPS NET-G3A -----
PASA A 1 P 17:015:00000 17:020:86370 LEICA GR10 -----
RIO1 A 1 P 17:015:00000 17:021:86370 LEICA GR25 -----
SALA A 1 P 17:015:00000 17:021:86370 LEICA GRX1200+GNSS -----
SOPU A 1 P 17:016:33420 17:021:86370 LEICA GR10 -----
TERU A 1 P 17:015:00000 17:021:86370 LEICA GRX1200GGPRO -----
VITO A 1 P 17:015:00000 17:021:86370 LEICA GR10 -----
YEBE A 1 P 17:016:00000 17:021:86370 TRIMBLE NETR9 -----
ZARA A 1 P 17:015:00000 17:021:86370 TRIMBLE NETR9 -----
```

6.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__
ACOR A 1 P 17:015:00000 17:021:86370 LEIAT504 LEIS -----
ALDA A 1 P 17:015:00000 17:018:86370 LEIAS10 NONE -----
ALSA A 1 P 17:015:00000 17:021:86370 LEIAX1202GG NONE -----
BIAZ A 1 P 17:015:00000 17:021:86370 LEIAR25 LEIT -----
BIDA A 1 P 17:015:79530 17:020:61470 LEIAS10 NONE -----
BRZR A 1 P 17:015:00000 17:021:86370 LEIAS10 NONE -----
CACE A 1 P 17:015:00000 17:021:86370 TRM29659.00 NONE -----
CANT A 1 P 17:015:00000 17:021:86370 LEIAR25.R4 LEIT 25066
CREU A 1 P 17:015:00000 17:021:86370 LEIAR25.R4 NONE 26357
EBRE A 1 P 17:015:00000 17:021:86370 LEIAR25.R4 NONE 26359
```


ELGE	A	1	P	17:015:00000	17:020:46140	LEIAR25.R4	LEIT	----
GERN	A	1	P	17:015:00000	17:021:86370	LEIAS10	NONE	----
IGEL	A	1	P	17:015:00000	17:020:86370	LEIAR20	LEIM	----
ISPS	A	1	P	17:015:00000	17:021:86370	TRM59900.00	SCIS	----
LAZK	A	1	P	17:015:00000	17:019:86370	LEIAR25.R4	LEIT	----
LEIT	A	1	P	17:015:00000	17:021:86370	LEIAX1203+GNSS	NONE	----
ORON	A	1	P	17:015:00000	17:021:86370	LEIAX1202GG	NONE	----
PAS2	A	1	P	17:015:00000	17:020:86370	LEIAR20	LEIM	73034
PASA	A	1	P	17:015:00000	17:020:86370	LEIAR20	LEIM	73034
RI01	A	1	P	17:015:00000	17:021:86370	LEIAR25.R4	LEIT	25138
SALA	A	1	P	17:015:00000	17:021:86370	LEIAR25	NONE	----
SOPU	A	1	P	17:016:33420	17:021:86370	LEIAS10	NONE	----
TERU	A	1	P	17:015:00000	17:021:86370	LEIAT504GG	LEIS	----
VITO	A	1	P	17:015:00000	17:021:86370	LEIAS10	NONE	----
YEBE	A	1	P	17:016:00000	17:021:86370	TRM29659.00	NONE	----
ZARA	A	1	P	17:015:00000	17:021:86370	TRM29659.00	NONE	----

6.3 Eccentricities

*SITE	PT	SOLN	T	DATA_START_	DATA_END_	AXE	UP	NORTH	EAST
							ARB->	BENCHMARK(M)	
ACOR	A	1	P	17:015:00000	17:021:86370	UNE	3.0460	0.0000	0.0000
ALDA	A	1	P	17:015:00000	17:018:86370	UNE	0.0000	0.0000	0.0000
ALSA	A	1	P	17:015:00000	17:021:86370	UNE	0.0000	0.0000	0.0000
BIAZ	A	1	P	17:015:00000	17:021:86370	UNE	0.0000	0.0000	0.0000
BIDA	A	1	P	17:015:79530	17:020:61470	UNE	0.0000	0.0000	0.0000
BRZR	A	1	P	17:015:00000	17:021:86370	UNE	0.0000	0.0000	0.0000
CACE	A	1	P	17:015:00000	17:021:86370	UNE	0.0600	0.0000	0.0000
CANT	A	1	P	17:015:00000	17:021:86370	UNE	3.0490	0.0000	0.0000
CREU	A	1	P	17:015:00000	17:021:86370	UNE	0.0770	0.0000	0.0000
EBRE	A	1	P	17:015:00000	17:021:86370	UNE	0.0770	0.0000	0.0000
ELGE	A	1	P	17:015:00000	17:020:46140	UNE	0.0000	0.0000	0.0000
GERN	A	1	P	17:015:00000	17:021:86370	UNE	0.0000	0.0000	0.0000
IGEL	A	1	P	17:015:00000	17:020:86370	UNE	0.0000	0.0000	0.0000
ISPS	A	1	P	17:015:00000	17:021:86370	UNE	0.0350	0.0000	0.0000
LAZK	A	1	P	17:015:00000	17:019:86370	UNE	0.0000	0.0000	0.0000
LEIT	A	1	P	17:015:00000	17:021:86370	UNE	0.0000	0.0000	0.0000
ORON	A	1	P	17:015:00000	17:021:86370	UNE	0.0000	0.0000	0.0000
PAS2	A	1	P	17:015:00000	17:020:86370	UNE	0.0000	0.0000	0.0000
PASA	A	1	P	17:015:00000	17:020:86370	UNE	0.0000	0.0000	0.0000
RI01	A	1	P	17:015:00000	17:021:86370	UNE	0.0606	0.0000	0.0000
SALA	A	1	P	17:015:00000	17:021:86370	UNE	0.0600	0.0000	0.0000
SOPU	A	1	P	17:016:33420	17:021:86370	UNE	0.0000	0.0000	0.0000
TERU	A	1	P	17:015:00000	17:021:86370	UNE	0.0600	0.0000	0.0000
VITO	A	1	P	17:015:00000	17:021:86370	UNE	0.0000	0.0000	0.0000
YEBE	A	1	P	17:016:00000	17:021:86370	UNE	0.0000	0.0000	0.0000
ZARA	A	1	P	17:015:00000	17:021:86370	UNE	3.2590	0.0000	0.0000


7 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:


2017-01-29 04:11 UTC		BIAZ0150.170		RECEIVER TYPE		LEICA GRX1200+GNSS -> LEICA GRX1200GGPRO
2017-01-29 04:11 UTC		BIAZ0150.170		RECEIVER FIRM. VERS.		8.51 -> 7.5
2017-01-29 04:11 UTC		LEIT0150.170		RECEIVER FIRM. VERS.		8.20/6.112 -> 8.20/4.007
2017-01-29 05:21 UTC		BIAZ0160.170		RECEIVER TYPE		LEICA GRX1200+GNSS -> LEICA GRX1200GGPRO
2017-01-29 05:21 UTC		BIAZ0160.170		RECEIVER FIRM. VERS.		8.51 -> 7.5
2017-01-29 05:21 UTC		LEIT0160.170		RECEIVER FIRM. VERS.		8.20/6.112 -> 8.20/4.007
2017-01-29 06:27 UTC		BIAZ0170.170		RECEIVER TYPE		LEICA GRX1200+GNSS -> LEICA GRX1200GGPRO
2017-01-29 06:27 UTC		BIAZ0170.170		RECEIVER FIRM. VERS.		8.51 -> 7.5
2017-01-29 06:27 UTC		LEIT0170.170		RECEIVER FIRM. VERS.		8.20/6.112 -> 8.20/4.007
2017-01-29 07:36 UTC		BIAZ0180.170		RECEIVER TYPE		LEICA GRX1200+GNSS -> LEICA GRX1200GGPRO
2017-01-29 07:36 UTC		BIAZ0180.170		RECEIVER FIRM. VERS.		8.51 -> 7.5
2017-01-29 07:36 UTC		LEIT0180.170		RECEIVER FIRM. VERS.		8.20/6.112 -> 8.20/4.007
2017-01-29 08:44 UTC		BIAZ0190.170		RECEIVER TYPE		LEICA GRX1200+GNSS -> LEICA GRX1200GGPRO
2017-01-29 08:44 UTC		BIAZ0190.170		RECEIVER FIRM. VERS.		8.51 -> 7.5
2017-01-29 08:44 UTC		LEIT0190.170		RECEIVER FIRM. VERS.		8.20/6.112 -> 8.20/4.007
2017-01-29 10:08 UTC		BIAZ0200.170		RECEIVER TYPE		LEICA GRX1200+GNSS -> LEICA GRX1200GGPRO
2017-01-29 10:08 UTC		BIAZ0200.170		RECEIVER FIRM. VERS.		8.51 -> 7.5
2017-01-29 10:08 UTC		LEIT0200.170		RECEIVER FIRM. VERS.		8.20/6.112 -> 8.20/4.007
2017-01-29 11:19 UTC		BIAZ0210.170		RECEIVER TYPE		LEICA GRX1200+GNSS -> LEICA GRX1200GGPRO
2017-01-29 11:19 UTC		BIAZ0210.170		RECEIVER FIRM. VERS.		8.51 -> 7.5
2017-01-29 11:19 UTC		LEIT0210.170		RECEIVER FIRM. VERS.		8.20/6.112 -> 8.20/4.007

8 Cumulative Time Series


Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.



1) ACOR




2) ALDA




GMW 2017 Jan 29 11:30:03

3) ALSA




GMW 2017 Jan 29 11:32:12

4) BLAZ




GMW 2017 Jan 29 11:32:16


5) BIDA




6) BRZR



7) CACE




8) CANT




GMW 2017 Jan 29 11:34:11

9) CHER




GMW 2017 Jan 29 11:34:40

10) CREU




GMW 2017 Jan 29 11:35:03


11) EBRE




12) ELGE




13) GERN




14) IGEL




15) ISPS



16) LAZK




17) LEIT




GMW 2017 Jan 29 11:42:40

18) ORON






GMW 2017 Jan 29 11:43:10


19) PAS2




GMW 2017 Jan 29 11:43:16

20) PASA







24) TERU



25) VITO



26) YEBE



27) ZARA