

ARA-DAC Weekly Analysis Result: 1933 (GFA)

Technical Report

GPS Week: 1933 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus


Report generated on 2017/02/05 at 14:47:53



1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites



GM 2017 Feb 05 14:47:44

Fig.1: Computed Sites for GPS Week1933 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Reprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences: 0.002 m.
 - sampling (for ambiguity resolution) : 30 s
 - sampling (for final processing) : 180 s
 - Systems: GPS+GLONASS observations are used
- Modelled observable: Double differences of carrier phase in QIF or L_3 combinations (respectively for ambiguity resolution in baseline mode, and final network solution). In the final network solution the double differenced data are sampled at 180 sec. intervals.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I08 file and individual calibrations from EPNC_08.ATX. EPN_A class sites (CRD + VEL) IGB08 used to define the reference frame. If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
 - 3 deg elev. cutoff; elevation dependent weighting
 - VMF1_DRY mapping function. ZPD parameters are estimated using WET VMF1 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3σ of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Wideline (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Wideline (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

5.1 IGB08

The Reference Frame considered in this section is IGB08, release C1890.

```

ARA LAC 1933 WEEK COMBINATION: PRECISE ORBITS                                05-FEB-17 13:20
-----
LOCAL GEODETIC DATUM: IGB08                                EPOCH: 2017-01-25 12:00:00
-----
NUM STATION NAME          X (M)          Y (M)          Z (M)          FLAG
-----
 1 ACDR 13434M001         4594489.58685        -678367.49731        4357066.26190        W
 28 ALSA 19419M001         4677250.86414        -176770.44049        4319079.84958        A
 51 BIAZ 10074M002         4634456.09059        -124345.02369        4365785.44044        A
 55 BIDA 00000M000         4644177.84765        -145778.37013        4354832.45434        A
 54 BRZR 19387M001         4662221.01618        -220769.94441        4333309.41107        A
 7 CACE 13447M001         4899866.52585        -544567.07906        4033770.17738        W
 8 CANT 13438M001         4625924.34086        -307096.27711        4365771.53162        W
 11 CREU 13432M001         4715420.16137        273178.01423        4271946.81771        A
 12 EBRE 13410M001         4833520.01890        41537.34441        4147461.69262        W
 77 ELGE 19353S001         4657557.43041        -202241.51927        4338991.84463        A
 87 GERN 19389M001         4642811.33480        -217222.97503        4353278.85305        A
 101 IGEL 19352S001         4645951.45697        -165574.54659        4352550.39560        A
 105 ISPS 19484M001         4640596.50885        -206963.82151        4356391.88804        A
 109 LAZK 19354S001         4666098.36912        -178186.23712        4330463.64821        A
 112 LEIT 19428M001         4663520.96516        -155858.76038        4334519.86059        A
 141 ORDN 19427M001         4659695.81978        -130864.78294        4338948.86409        A
 146 PAS2 19351S001         4644909.09307        -156645.11231        4353623.05725        A
 147 PASA 19351S001         4644909.08795        -156645.11264        4353623.05395        A
 27 RI01 13448M002         4708446.85277        -199490.32713        4284089.71193        W
 28 SALA 13469M001         4803054.50577        -462131.11441        4158379.05090        W
 172 SOPU 19386M001         4643997.93699        -255913.95129        4350063.11951        A
 31 TERU 13487M001         4867391.34690        -95523.39911        4108341.66069        W
 204 VITO 19385M001         4679397.72710        -218436.54852        4314898.33725        A
 35 YEBE 13420M001         4848724.59124        -261631.97479        4123094.30445        W
 36 ZARA 13462M001         4773803.19592        -73506.02930        4215454.07401        W
    
```

5.2 ETRS89 Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011).

```

ETRF2000 COORD. wk 1933                                                    05-FEB-17 13:20
-----
LOCAL GEODETIC DATUM: ETRF2000                                EPOCH: 2017-01-25 12:00:00
-----
NUM STATION NAME          X (M)          Y (M)          Z (M)          FLAG
-----
 1 ACDR 13434M001         4594489.87041        -678367.99176        4357065.87061        W
 28 ALSA 19419M001         4677251.19946        -176770.94209        4319079.45820        A
 51 BIAZ 10074M002         4634456.43456        -124345.52105        4365785.05261        A
 55 BIDA 00000M000         4644178.18860        -145778.86847        4354832.06560        A
 54 BRZR 19387M001         4662221.34766        -220770.44466        4333309.02024        A
 7 CACE 13447M001         4899866.80310        -544567.60250        4033769.76633        W
 8 CANT 13438M001         4625924.66510        -307096.77404        4365771.14235        W
 11 CREU 13432M001         4715420.54214        273177.51026        4271946.42861        A
 12 EBRE 13410M001         4833520.36672        41536.82845        4147461.29276        W
 77 ELGE 19353S001         4657557.76426        -202242.01903        4338991.45433        A
 87 GERN 19389M001         4642811.66794        -217223.47340        4353278.46361        A
 101 IGEL 19352S001         4645951.79564        -165575.04515        4352550.00652        A
 105 ISPS 19484M001         4640596.84330        -206964.31965        4356391.49887        A
 109 LAZK 19354S001         4666098.70501        -178186.73764        4330463.25758        A
 112 LEIT 19428M001         4663521.30372        -155859.26061        4334519.47039        A
 141 ORDN 19427M001         4659696.16132        -130865.28274        4338948.47444        A
 146 PAS2 19351S001         4644909.43277        -156645.61075        4353622.66834        A
 147 PASA 19351S001         4644909.42765        -156645.61108        4353622.66504        A
 27 RI01 13448M002         4708447.18339        -199490.83176        4284089.31812        W
 28 SALA 13469M001         4803054.79995        -462131.62857        4158378.64755        W
 172 SOPU 19386M001         4643998.26575        -255914.44986        4350062.72955        A
 31 TERU 13487M001         4867391.67744        -95523.91866        4108341.25695        W
 204 VITO 19385M001         4679398.05765        -218437.05041        4314897.94525        A
 35 YEBE 13420M001         4848724.90481        -261632.49294        4123093.90017        W
 36 ZARA 13462M001         4773803.53572        -73506.53988        4215453.67705        W
    
```

5.3 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGB08 solution and are given with respect the Local fram (North-East-Up).

```

ARA LAC 1933 WEEK COMBINATION: PRECISE ORBITS                                05-FEB-17 13:20
-----
Station      #Days      Weekday      Repeatability (mm)
              0123456      N      E      U
-----
ACDR 13434M001      7      XXXXXX      0.90  0.74  2.34
ALSA 19419M001      7      XXXXXX      1.50  0.37  2.11
BIAZ 10074M002      7      XXXXXX      0.43  0.29  2.20
    
```


NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
1	ACOR 13434M001	I W	-0.37	-0.14	-2.03
2	ALAC 13433M001	I W	0.68	0.93	0.22
3	ALBA 13452M001	I W	-0.67	0.40	2.38
4	ALME 13437M001	I W	-1.44	-1.06	3.42
6	BRST 10004M004	I W	0.79	-1.54	-0.48
7	CACE 13447M001	I W	1.35	-1.23	1.17
8	CANT 13438M001	I W	0.23	-1.99	-1.67
9	CEU1 13449M002	I W	-0.06	3.23	11.43
10	COBA 13453M001	I W	0.26	0.26	-2.26
12	EBRE 13410M001	I W	1.75	1.13	-2.83
16	HUEL 13451M001	I W	-1.78	-0.23	1.55
17	IZAN 31309M002	I W	-4.80	-0.19	0.68
18	LLIV 13436M001	I W	3.75	-4.96	-5.77
20	LRDC 10023M001	I W	0.44	-1.71	-0.35
21	MALA 13443M001	I W	-4.99	3.00	-0.56
22	MALL 13444M001	I W	-0.84	0.73	0.04
24	MELI 19379M001	I W	-3.16	1.06	6.01
27	RIO1 13448M002	I W	0.85	-0.65	-3.28
28	SALA 13469M001	I W	-0.06	-0.34	0.68
29	SCDA 10088M002	I W	0.06	-2.11	-1.06
30	SONS 13446M001	I W	1.27	0.93	-2.01
31	TERU 13487M001	I W	2.66	1.35	-2.32
32	VALE 13439M001	I W	0.61	2.48	-0.51
33	VIGO 13450M001	I W	-1.01	-0.93	0.47
34	VILL 13406M001	I W	1.08	0.73	-5.53
35	YEBE 13420M001	I W	0.95	0.16	2.26
36	ZARA 13462M001	I W	0.35	0.19	-2.15
37	ZIMM 14001M004	I W	2.13	0.49	2.49
	RMS / COMPONENT		1.95	1.67	3.39
	MEAN		-0.00	0.00	0.00
	MIN		-4.99	-4.96	-5.77
	MAX		3.75	3.23	11.43

NUMBER OF PARAMETERS : 3
 NUMBER OF COORDINATES : 84
 RMS OF TRANSFORMATION : 2.46 MM

5.5 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          7502439
NUMBER OF UNKNOWN               116133
NUMBER OF DEGREES OF FREEDOM    7386306
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)     180
VARIANCE FACTOR                  1.707973608591075

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")      Scale (ppm)
      X          Y          Z          X          Y          Z
-----
  1  0.00144     -0.0006 -0.0333 -0.0018  0.0007  0.0000 -0.0008  0.00007
  2  0.00173     -0.0186 -0.0280  0.0219  0.0005 -0.0009 -0.0008 -0.00015
  3  0.00125     -0.0110 -0.0149  0.0094  0.0003 -0.0005 -0.0004  0.00027
  4  0.00116     -0.0210 -0.0050  0.0247  0.0001 -0.0011 -0.0001  0.00005
  5  0.00194     0.0223  0.0378 -0.0175 -0.0007  0.0009  0.0010 -0.00083
  6  0.00226     0.0153  0.0172 -0.0158 -0.0003  0.0007  0.0005 -0.00020
  7  0.00163     0.0072  0.0076 -0.0089 -0.0001  0.0004  0.0003  0.00007
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
  1  0.00126     1053502  1.58          1070198      3          474  16225  0
  2  0.00127     1049933  1.62          1066459      3          483  16046  0
  3  0.00124     1057197  1.55          1073551      3          480  15877  0
  4  0.00125     1062460  1.56          1079099      3          480  16162  0
  5  0.00134     1045288  1.81          1062416      3          477  16654  0
  6  0.00142     1048178  2.02          1066001      3          477  17349  0
  7  0.00134     1066901  1.78          1084715      3          480  17337  0
```

6 Equipment

6.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ FIRMWARE___
ACOR  A  1 P 17:022:00000 17:028:86370 LEICA GRX1200PRO -----
ALSA  A  1 P 17:022:00000 17:028:86370 LEICA GRX1200GGPRO -----
BIAZ  A  1 P 17:022:00000 17:028:86370 LEICA GRX1200+GNSS -----
BIDA  A  1 P 17:023:00000 17:023:86370 LEICA GR10 -----
BRZR  A  1 P 17:022:00000 17:028:86370 LEICA GR10 -----
CACE  A  1 P 17:022:00000 17:028:86370 TRIMBLE NETR9 -----
CANT  A  1 P 17:022:00000 17:028:86370 LEICA GR10 -----
CREU  A  1 P 17:022:00030 17:028:86370 LEICA GR50 -----
EBRE  A  1 P 17:022:00030 17:028:86370 LEICA GR50 -----
ELGE  A  1 P 17:022:00000 17:028:86370 LEICA GR10 -----
GERN  A  1 P 17:022:00000 17:028:86370 LEICA GR10 -----
IGEL  A  1 P 17:022:00000 17:028:86370 LEICA GR10 -----
ISPS  A  1 P 17:022:00000 17:028:86370 TRIMBLE NETR9 -----
LAZK  A  1 P 17:022:00000 17:028:86370 LEICA GR10 -----
LEIT  A  1 P 17:022:00000 17:028:86370 LEICA GRX1200+GNSS -----
ORON  A  1 P 17:022:00000 17:028:86370 LEICA GRX1200GGPRO -----
PAS2  A  1 P 17:022:00000 17:028:86370 TPS NET-G3A -----
PASA  A  1 P 17:022:00000 17:028:86370 LEICA GR10 -----
RIO1  A  1 P 17:022:00000 17:028:86370 LEICA GR25 -----
SALA  A  1 P 17:022:00000 17:028:86370 LEICA GRX1200+GNSS -----
SOPU  A  1 P 17:022:00000 17:028:86370 LEICA GR10 -----
TERU  A  1 P 17:022:00000 17:028:86370 LEICA GRX1200GGPRO -----
VITO  A  1 P 17:022:00000 17:028:86370 LEICA GR10 -----
YEBE  A  1 P 17:022:00000 17:028:86370 TRIMBLE NETRS -----
ZARA  A  1 P 17:022:00000 17:028:86370 TRIMBLE NETR9 -----
```

6.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__
ACOR  A  1 P 17:022:00000 17:028:86370 LEIAT504      LEIS -----
ALSA  A  1 P 17:022:00000 17:028:86370 LEIAX1202GG    NONE -----
BIAZ  A  1 P 17:022:00000 17:028:86370 LEIAR25        LEIT -----
BIDA  A  1 P 17:023:00000 17:023:86370 LEIAS10        NONE -----
BRZR  A  1 P 17:022:00000 17:028:86370 LEIAS10        NONE -----
CACE  A  1 P 17:022:00000 17:028:86370 TRM29659.00   NONE -----
CANT  A  1 P 17:022:00000 17:028:86370 LEIAR25.R4     LEIT 25066
CREU  A  1 P 17:022:00030 17:028:86370 LEIAR25.R4     NONE 26357
EBRE  A  1 P 17:022:00030 17:028:86370 LEIAR25.R4     NONE 26359
ELGE  A  1 P 17:022:00000 17:028:86370 LEIAR25.R4     LEIT -----
GERN  A  1 P 17:022:00000 17:028:86370 LEIAS10        NONE -----
```



```

IGEL A 1 P 17:022:00000 17:028:86370 LEIAR20 LEIM -----
ISPS A 1 P 17:022:00000 17:028:86370 TRM59900.00 SCIS -----
LAZK A 1 P 17:022:00000 17:028:86370 LEIAR25_R4 LEIT -----
LEIT A 1 P 17:022:00000 17:028:86370 LEIAX1203+GNSS NONE -----
ORON A 1 P 17:022:00000 17:028:86370 LEIAX1202GG NONE -----
PAS2 A 1 P 17:022:00000 17:028:86370 LEIAR20 LEIM 73034
PASA A 1 P 17:022:00000 17:028:86370 LEIAR20 LEIM 73034
RIO1 A 1 P 17:022:00000 17:028:86370 LEIAR25_R4 LEIT 25138
SALA A 1 P 17:022:00000 17:028:86370 LEIAR25 NONE -----
SOPU A 1 P 17:022:00000 17:028:86370 LEIAS10 NONE -----
TERU A 1 P 17:022:00000 17:028:86370 LEIAT504GG LEIS -----
VITO A 1 P 17:022:00000 17:028:86370 LEIAS10 NONE -----
YEBE A 1 P 17:022:00000 17:028:86370 TRM29659.00 NONE -----
ZARA A 1 P 17:022:00000 17:028:86370 TRM29659.00 NONE -----

```

6.3 Eccentricities


```

*
*SITE PT SOLN T DATA_START_ DATA_END_ AXE ARP->BENCHMARK(M) UP_ NORTH_ EAST_
-----
ACOR A 1 P 17:022:00000 17:028:86370 UNE 3.0460 0.0000 0.0000
ALSA A 1 P 17:022:00000 17:028:86370 UNE 0.0000 0.0000 0.0000
BIAZ A 1 P 17:022:00000 17:028:86370 UNE 0.0000 0.0000 0.0000
BIDA A 1 P 17:023:00000 17:023:86370 UNE 0.0000 0.0000 0.0000
BRZR A 1 P 17:022:00000 17:028:86370 UNE 0.0000 0.0000 0.0000
CACE A 1 P 17:022:00000 17:028:86370 UNE 0.0600 0.0000 0.0000
CANT A 1 P 17:022:00000 17:028:86370 UNE 3.0490 0.0000 0.0000
CREU A 1 P 17:022:00030 17:028:86370 UNE 0.0770 0.0000 0.0000
EBRE A 1 P 17:022:00030 17:028:86370 UNE 0.0770 0.0000 0.0000
ELGE A 1 P 17:022:00000 17:028:86370 UNE 0.0000 0.0000 0.0000
GERN A 1 P 17:022:00000 17:028:86370 UNE 0.0000 0.0000 0.0000
IGEL A 1 P 17:022:00000 17:028:86370 UNE 0.0000 0.0000 0.0000
ISPS A 1 P 17:022:00000 17:028:86370 UNE 0.0350 0.0000 0.0000
LAZK A 1 P 17:022:00000 17:028:86370 UNE 0.0000 0.0000 0.0000
LEIT A 1 P 17:022:00000 17:028:86370 UNE 0.0000 0.0000 0.0000
ORON A 1 P 17:022:00000 17:028:86370 UNE 0.0000 0.0000 0.0000
PAS2 A 1 P 17:022:00000 17:028:86370 UNE 0.0000 0.0000 0.0000
PASA A 1 P 17:022:00000 17:028:86370 UNE 0.0000 0.0000 0.0000
RIO1 A 1 P 17:022:00000 17:028:86370 UNE 0.0606 0.0000 0.0000
SALA A 1 P 17:022:00000 17:028:86370 UNE 0.0600 0.0000 0.0000
SOPU A 1 P 17:022:00000 17:028:86370 UNE 0.0000 0.0000 0.0000
TERU A 1 P 17:022:00000 17:028:86370 UNE 0.0600 0.0000 0.0000
VITO A 1 P 17:022:00000 17:028:86370 UNE 0.0000 0.0000 0.0000
YEBE A 1 P 17:022:00000 17:028:86370 UNE 0.0000 0.0000 0.0000
ZARA A 1 P 17:022:00000 17:028:86370 UNE 3.2590 0.0000 0.0000


```

7 Cumulative Time Series


Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.



1) ACOR




2) ALDA




GMW 2017 Feb 05 13:32:11

3) ALSA




GMW 2017 Feb 05 13:34:21

4) BIAZ




GMW 2017 Feb 05 13:34:27

5) BIDA




GMW 2017 Feb 05 13:34:46

6) BRZR




GMW 2016 Jul 18 03:58:15

7) CACE




GMW 2017 Feb 05 13:35:22

8) CANT




GMW 2017 Feb 05 13:36:23

9) CHER




GMW 2017 Feb 05 13:36:54

10) CREU




GMW 2017 Feb 05 13:37:17

11) EBRE




GMW 2017 Feb 05 13:37:29

12) ELGE




GMW 2017 Feb 05 13:38:45

13) GERN




GMW 2017 Feb 05 13:40:15

14) IGEL




GMW 2017 Feb 05 13:40:33

15) ISPS




GMW 2017 Feb 05 13:41:09

16) LAZK




GMW 2017 Feb 05 13:41:28

17) LEIT




GMW 2017 Feb 05 13:45:21

18) ORON




GMW 2017 Feb 05 13:45:53

19) PAS2




GMW 2017 Feb 05 13:45:59


20) PASA




21) RIO1




22) SALA




23) SOPU




24) TERU



25) VITO



26) YEBE



27) ZARA