

# ARA-DAC Weekly Analysis Result: 2022 (GFA)

## Technical Report

**GPS Week: 2022 (GFA)**

<http://geolabpasaia.org/gnss/ARA-euref/>

**ARA-DAC details:**

Contact person: J. Zurutuza

Contact mail: [geodesia@aranzadi.eus](mailto:geodesia@aranzadi.eus)


Report generated on 2018/10/28 at 15:26:01



# 1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

# 2 Map of Computed Sites



GM 2018 Oct 28 15:25:49

Fig.1: Computed Sites for GPS Week2022 (GFA)

### 3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase,  $L_1$  and  $L_2$ ; a priori sigma of single differences:0.002 m.
  - sampling (for ambiguity resolution) : 30 s
  - sampling (for final processing) : 180 s
  - Systems: GPS+GLONASS observations are used (GALILEO also used if available from GPSW 1986 on)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV\_COD.I14 file and individual calibrations from EPNC\_14.ATX. EPN\_A class sites (CRD + VEL) IGS14 used to define the reference frame (from GPSW 1934). If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
  - 3 deg elev. cutoff; elevation dependent weighting
  - VMF1 mapping function. ZPD parameters are estimated using the VMF1 mapping function.
  - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

### 4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3\*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
  - Code-Based Wideline (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
  - Phase-Based Wideline ( $L_5$ ) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
  - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
  - Direct  $L_1/L_2$  AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

## 5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

### 5.1 IGS14

The Reference Frame considered in this section is IGS14, release C2010.

ARA LAC 2022 WEEK FINAL COMBINATION: PRECISE ORBITS 28-OCT-18 10:55

---

LOCAL GEODETIC DATUM: IGS14 EPOCH: 2018-10-10 12:00:00

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
1	ACOR 13434M001	4594489.56524	-678367.46278	4357066.27923	W
33	ALDA 19383M001	4687280.16624	-190876.57962	4308106.94249	A
42	ALSA 19419M001	4677250.84318	-176770.41106	4319079.86682	A
44	AMUR 19388M001	4661499.45672	-244591.27249	4332269.87811	A
78	BLAZ 10074M002	4634456.05863	-124344.99032	4365785.45131	A
79	BIDA 00000M000	4644177.83107	-145778.33601	4354832.47441	A
89	BRZR 19387M001	4662220.99510	-220769.91750	4333309.42697	A
9	CACE 13447M001	4899866.50801	-544567.05006	4033770.19557	W
10	CANT 13438M001	4625924.32131	-307096.24803	4365771.55140	W
114	CHER 00000M000	4645880.32584	-125721.94160	4353624.36745	A
15	CREU 13432M001	4715420.13926	273178.04638	4271946.83445	W
16	EBRE 13410M001	4833519.99946	41537.37681	4147461.70881	W
135	ELGE 19353S001	4657557.41425	-202241.48994	4338991.86400	A
137	EMAZ 17001M001	4645924.21549	-276949.87984	4347759.57525	A
157	GERN 19389M001	4642811.31650	-217222.94633	4353278.87487	A
177	IGEL 19352S001	4645951.43396	-165574.51833	4352550.41280	A
182	ISPS 19484M001	4640596.48593	-206963.79064	4356391.90773	A
187	KAST 19499M001	4646949.08967	-240747.29046	4348014.98263	A
192	LARE 19440M001	4632831.95744	-279026.15206	4360314.42079	A
193	LAZK 19354S001	4666098.34950	-178186.20617	4330463.66537	A
197	LEIT 19428M001	4663520.94268	-155858.73011	4334519.87533	A
253	ORON 19427M001	4659695.79694	-130864.75162	4338948.88394	A
260	PAS2 19351S001	4644909.06874	-156645.08266	4353623.07405	A
30	PASA 19351S001	4644909.06524	-156645.08238	4353623.07093	W
33	RID1 13448M002	4708446.83325	-199490.29800	4284089.73073	W
34	SALA 13469M001	4803054.49004	-462131.08309	4158379.07169	W
35	SCDA 10088M002	4639940.50353	-136224.95480	4359552.40839	W
313	SOPU 19386M001	4643997.91988	-255913.92223	4350063.13898	A
333	TERU 13487M001	4867391.32664	-95523.36584	4108341.67218	A
366	VITO 19385M001	4679397.70701	-218436.52092	4314898.35674	A
43	YEBE 13420M001	4848724.57167	-261631.94348	4123094.32145	W
44	ZARA 13462M001	4773803.17437	-73505.99830	4215454.08985	W

### 5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

ETRF2000 FINAL COORD. wk 2022 28-OCT-18 10:55

---

LOCAL GEODETIC DATUM: ETRF2000 EPOCH: 2018-10-10 12:00:00

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
1	ACOR 13434M001	4594489.86651	-678367.98810	4357065.87060	W
33	ALDA 19383M001	4687280.52010	-190877.11335	4308106.53283	A
42	ALSA 19419M001	4677251.19939	-176770.94372	4319079.45807	A
44	AMUR 19388M001	4661499.80606	-244591.80373	4332269.46973	A
78	BLAZ 10074M002	4634456.42400	-124345.51846	4365785.04636	A
79	BIDA 00000M000	4644178.19324	-145778.86521	4354832.06849	A
89	BRZR 19387M001	4662221.34724	-220770.44876	4333309.01882	A
9	CACE 13447M001	4899866.80273	-544567.60607	4033769.76582	W
10	CANT 13438M001	4625924.66575	-307096.77581	4365771.14492	W
114	CHER 00000M000	4645880.69023	-125722.47091	4353623.96164	A
15	CREU 13432M001	4715420.54371	273177.51141	4271946.42811	W
16	EBRE 13410M001	4833520.36801	41536.82902	4147461.29099	W
135	ELGE 19353S001	4657557.76889	-202242.02067	4338991.45642	A
137	EMAZ 17001M001	4645924.56217	-276950.40959	4347759.16765	A
157	GERN 19389M001	4642811.67039	-217223.47559	4353278.46820	A
177	IGEL 19352S001	4645951.79371	-165575.04777	4352550.00651	A
182	ISPS 19484M001	4640596.84121	-206964.31965	4356391.50135	A
187	KAST 19499M001	4646949.44051	-240747.82021	4348014.57538	A
192	LARE 19440M001	4632832.30473	-279026.68047	4360314.01413	A
193	LAZK 19354S001	4666098.70632	-178186.73770	4330463.25744	A
197	LEIT 19428M001	4663521.30233	-155859.26132	4334519.46785	A
253	ORON 19427M001	4659696.15975	-130865.28236	4338948.47704	A
260	PAS2 19351S001	4644909.42959	-156645.61196	4353622.66794	A
30	PASA 19351S001	4644909.42609	-156645.61168	4353622.66482	W
33	RID1 13448M002	4708447.18449	-199490.83390	4284089.31940	W
34	SALA 13469M001	4803054.80268	-462131.62921	4158378.65017	W
35	SCDA 10088M002	4639940.86711	-136225.48354	4359552.00289	W
313	SOPU 19386M001	4643998.26912	-255914.45172	4350062.73176	A
333	TERU 13487M001	4867391.67787	-95523.91751	4108341.25023	A
366	VITO 19385M001	4679398.05817	-218437.05392	4314897.94734	A
43	YEBE 13420M001	4848724.90489	-261632.49374	4123093.89893	W
44	ZARA 13462M001	4773803.53538	-73506.54045	4215453.67514	W

### 5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017) (Altamimi, 2017).

```

ETRF2014 FINAL COORD. wk 2022                                28-OCT-18 10:55
-----
LOCAL GEODETIC DATUM: ETRF2014          EPOCH: 2018-10-10 12:00:00
NUM STATION NAME          X (M)          Y (M)          Z (M)          FLAG
1  ACRD 13434M001        4594489.82382      -678368.02694    4357065.91873    W
33 ALDA 19383M001        4687280.47525      -190877.15349    4308106.58085    A
42 ALSA 19419M001        4677251.15460      -176770.98395    4319079.50613    A
44 AMUR 19388M001        4661499.76161      -244591.84379    4332269.51779    A
78 BIAZ 10074M002        4634456.37946      -124345.55903    4365785.09454    A
79 BIDA 00000M000        4644178.14868      -145778.90566    4354832.11663    A
89 BRZR 19387M001        4662221.30272      -220770.48889    4333309.06689    A
9  CACE 13447M001        4899866.75668      -544567.64419    4033769.81330    W
10 CANT 13438M001        4625924.62182      -307096.81579    4365771.19304    W
114 CHER 00000M000        4645880.64558      -125722.51143    4353624.00979    A
15 CREU 13432M001        4715420.49708      273177.46983    4271946.47635    W
16 EBRE 13410M001        4833520.32099      41536.78866    4147461.33882    W
135 ELGE 19353S001        4657557.72437      -202242.06089    4338991.50450    A
137 EMAZ 17001M001        4645924.51797      -276950.44960    4347759.21573    A
157 GERN 19389M001        4642811.62605      -217223.51581    4353278.51632    A
177 IGEL 19352S001        4645951.74919      -165575.08815    4352550.05464    A
182 ISPS 19484M001        4640596.79686      -206964.35991    4356391.54948    A
187 KAST 19499M001        4646949.39620      -240747.86034    4348014.62347    A
192 LARE 19440M001        4632832.26066      -279026.72052    4360314.06225    A
193 LAZK 19354S001        4666098.66164      -178186.77796    4330463.30551    A
197 LEIT 19428M001        4663521.25761      -155859.30166    4334519.51595    A
253 ORDN 19427M001        4659696.11499      -130865.32280    4338948.52516    A
260 PAS2 19351S001        4644909.38505      -156645.65238    4353622.71608    A
30 PASA 19351S001        4644909.38155      -156645.65210    4353622.71296    W
33 RIO1 13448M002        4708447.13946      -199490.87393    4284089.36737    W
34 SALA 13469M001        4803054.75742      -462131.66799    4158378.69785    W
35 SOA 10088M002        4639940.82256      -136225.52404    4359552.05105    W
313 SOPU 19386M001        4643998.22488      -255914.49180    4350062.77986    A
333 TERU 13487M001        4867391.63094      -95523.95728    4108341.29791    A
366 VITO 19385M001        4679398.01348      -218437.09400    4314897.99537    A
43 YEBE 13420M001        4848724.85864      -261632.53303    4123093.94657    W
44 ZARA 13462M001        4773803.48933      -73506.58065    4215453.72302    W

```

## 6 Quality Control

### 6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGS14 solution and are given with respect the Local frame (North-East-Up).

ARA LAC 2022 WEEK FINAL COMBINATION: PRECISE ORBITS 28-OCT-18 10:55

---

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACOR 13434M001	7	XXXXXX	1.35	1.51	2.97
ALDA 19383M001	7	XXXXXX	2.39	1.53	3.44
ALSA 19419M001	7	XXXXXX	2.32	1.52	6.13
AMUR 19388M001	7	XXXXXX	2.03	2.27	7.05
BLAZ 10074M002	7	XXXXXX	1.07	0.69	3.74
BIDA 00000M000	7	XXXXXX	2.51	1.08	4.89
BRZR 19387M001	7	XXXXXX	2.09	3.72	7.45
CACE 13447M001	7	XXXXXX	0.77	1.06	5.26
CANT 13438M001	7	XXXXXX	1.01	0.70	2.80
CHER 00000M000	5	X X XXX	3.39	2.87	6.13
CREU 13432M001	6	XXXXX	1.28	1.46	2.02
EBRE 13410M001	7	XXXXXX	0.42	0.36	4.30
ELGE 19353S001	7	XXXXXX	2.42	2.05	4.54
EMAZ 17001M001	7	XXXXXX	1.36	1.85	3.22
GERN 19389M001	7	XXXXXX	2.24	1.87	3.94
IGEL 19352S001	7	XXXXXX	3.51	1.00	2.60
ISPS 19484M001	7	XXXXXX	2.47	2.14	4.93
KAST 19499M001	7	XXXXXX	4.34	1.82	12.52
LARE 19440M001	7	XXXXXX	1.43	1.57	5.73
LAZK 19354S001	7	XXXXXX	2.28	0.91	3.89
LEIT 19428M001	7	XXXXXX	3.33	1.69	8.02
ORON 19427M001	7	XXXXXX	2.77	1.50	8.19
PAS2 19351S001	5	XXXXX	1.46	0.84	3.40
PASA 19351S001	6	XXXXX	1.33	0.63	3.94
RI01 13448M002	7	XXXXXX	1.50	0.73	3.89
SALA 13469M001	7	XXXXXX	0.48	0.36	2.05
SCDA 10088M002	7	XXXXXX	1.35	1.14	2.84
SOPU 19386M001	7	XXXXXX	0.89	0.97	4.27
TERU 13487M001	7	XXXXXX	0.71	0.59	2.07
VITD 19385M001	7	XXXXXX	1.96	0.95	4.07
YEBE 13420M001	7	XXXXXX	0.61	0.44	3.22
ZARA 13462M001	7	XXXXXX	0.56	0.56	1.01

Comparison of individual solutions:

ACOR 13434M001	N	1.35	-0.41	0.43	-1.44	-0.05	-0.50	-2.36	-1.63
ACOR 13434M001	E	1.51	1.11	-0.11	0.03	-1.15	-0.77	-2.29	2.30
ACOR 13434M001	U	2.97	3.29	-0.17	0.84	3.97	-3.85	3.22	-0.66
ALDA 19383M001	N	2.39	3.73	-0.60	0.79	2.86	-0.50	-2.64	-1.97
ALDA 19383M001	E	1.53	-1.63	-1.01	-1.03	2.33	1.46	-0.23	1.28
ALDA 19383M001	U	3.44	-3.13	3.43	-0.96	2.29	6.47	0.87	-0.84
ALSA 19419M001	N	2.32	1.99	-1.97	1.61	1.40	0.92	-4.26	0.95
ALSA 19419M001	E	1.52	-0.73	-0.70	-1.02	-2.08	1.06	2.10	1.38
ALSA 19419M001	U	6.13	-2.93	0.24	-0.34	-0.61	7.06	1.25	-12.85
AMUR 19388M001	N	2.03	1.37	1.16	0.12	-1.58	-3.31	2.73	0.69
AMUR 19388M001	E	2.27	0.03	0.71	-0.39	1.80	-4.53	1.82	-1.78
AMUR 19388M001	U	7.05	-1.77	-0.60	-4.79	-12.46	-3.99	10.02	-0.55
BLAZ 10074M002	N	1.07	-1.45	-1.28	-0.09	1.33	0.52	-0.03	-1.06
BLAZ 10074M002	E	0.69	0.84	0.10	0.97	-0.39	-0.15	-0.97	0.30
BLAZ 10074M002	U	3.74	-1.38	-4.50	-0.06	5.07	4.59	-2.32	-3.11
BIDA 00000M000	N	2.51	3.13	0.70	-1.87	-1.13	2.38	-1.34	-3.91
BIDA 00000M000	E	1.08	-2.05	-0.08	1.44	0.21	0.11	0.80	-0.19
BIDA 00000M000	U	4.89	8.50	-2.36	1.26	-2.35	-4.84	3.90	-4.43
BRZR 19387M001	N	2.09	0.26	2.06	2.61	-2.16	-1.40	-2.76	-0.92
BRZR 19387M001	E	3.72	3.50	1.77	2.82	-1.93	-7.34	1.44	-0.12
BRZR 19387M001	U	7.45	11.37	1.93	4.30	-9.94	-6.79	4.32	-4.24
CACE 13447M001	N	0.77	-0.43	0.60	-0.60	1.51	-0.33	-0.51	-0.11
CACE 13447M001	E	1.06	-0.05	-0.39	2.47	-0.02	-0.26	0.27	-0.57
CACE 13447M001	U	5.26	1.03	-1.08	9.04	-2.78	-8.48	0.99	-1.34
CANT 13438M001	N	1.01	-0.19	0.74	-0.12	1.14	0.39	1.39	1.46
CANT 13438M001	E	0.70	0.96	0.38	-0.87	-0.36	0.85	0.35	0.34
CANT 13438M001	U	2.80	5.47	-1.34	-1.64	-1.83	-0.81	0.17	-2.95
CHER 00000M000	N	3.39	-3.39		4.74		-2.84	1.57	1.17
CHER 00000M000	E	2.87	-0.76		4.73		-2.68	1.69	0.02
CHER 00000M000	U	6.13	5.10		7.08		-8.23	-0.97	2.41
CREU 13432M001	N	1.28		-1.56	-0.89	0.44	1.66	0.70	-1.24
CREU 13432M001	E	1.46		0.74	-2.35	2.07	-0.37	-0.34	0.12
CREU 13432M001	U	2.02		0.19	-2.58	1.00	1.09	-2.02	-2.74
EBRE 13410M001	N	0.42	-0.40	-0.08	0.74	-0.10	0.02	-0.03	-0.58
EBRE 13410M001	E	0.36	-0.26	0.57	-0.28	-0.19	-0.08	-0.15	0.49
EBRE 13410M001	U	4.30	7.58	2.12	-4.11	-4.93	0.80	-1.83	-1.99
ELGE 19353S001	N	2.42	1.10	1.36	1.97	-1.95	-4.89	-0.35	0.63
ELGE 19353S001	E	2.05	2.54	1.45	-0.16	-2.07	0.28	-3.31	1.14
ELGE 19353S001	U	4.54	6.43	-1.62	2.06	1.08	0.18	-8.56	1.01
EMAZ 17001M001	N	1.36	-1.84	-1.14	0.60	0.90	-1.69	1.05	-1.09
EMAZ 17001M001	E	1.85	1.40	-0.57	-1.11	-2.45	-1.69	1.37	2.53
EMAZ 17001M001	U	3.22	-0.97	2.65	-2.71	-2.93	-1.42	-2.72	5.39
GERN 19389M001	N	2.24	2.69	0.18	0.73	-4.26	-1.97	0.46	-0.20
GERN 19389M001	E	1.87	2.73	0.45	0.95	-2.87	0.97	-0.82	-1.59
GERN 19389M001	U	3.94	4.69	1.89	3.56	-4.27	-4.21	-3.69	2.27
IGEL 19352S001	N	3.51	-3.65	-3.38	-1.20	-3.10	0.43	4.51	4.17
IGEL 19352S001	E	1.00	1.26	0.77	0.21	-1.52	-1.12	0.47	-0.03
IGEL 19352S001	U	2.60	5.18	-0.79	0.62	-3.11	-1.59	-0.65	-0.04
ISPS 19484M001	N	2.47	-2.14	-1.07	-0.31	3.68	2.45	-2.78	-1.88
ISPS 19484M001	E	2.14	1.55	0.29	1.87	-1.89	2.67	-1.70	-2.81
ISPS 19484M001	U	4.93	3.84	0.98	4.85	4.41	-1.76	-5.40	-7.43
KAST 19499M001	N	4.34	3.66	6.26	3.12	-6.59	1.94	-1.89	-0.24
KAST 19499M001	E	1.82	0.33	0.87	2.21	0.89	-1.78	-3.04	-0.98
KAST 19499M001	U	12.52	8.74	18.00	-0.10	-16.95	0.91	-10.75	-11.68
LARE 19440M001	N	1.43	-0.50	0.37	0.45	0.20	2.10	-1.42	-2.27
LARE 19440M001	E	1.57	-0.59	0.41	-1.26	0.49	2.29	-2.07	1.74
LARE 19440M001	U	5.73	-6.53	3.57	-2.76	-8.66	4.06	0.32	6.54
LAZK 19354S001	N	2.28	3.07	0.81	0.11	-2.65	1.17	-1.36	-3.32
LAZK 19354S001	E	0.91	0.12	1.65	0.47	-0.72	-1.04	-0.10	-0.62

LAZK	19354S001	U	3.89	0.62	1.14	4.32	-6.24	1.82	2.84	-4.51
LEIT	19428M001	N	3.33	1.47	-0.94	-1.00	2.34	4.68	-4.57	-3.76
LEIT	19428M001	E	1.69	-1.01	-2.14	-0.99	0.76	2.48	-0.56	1.90
LEIT	19428M001	U	8.02	15.37	2.27	-3.43	1.65	-1.80	-5.24	-9.99
ORDN	19427M001	N	2.77	-0.83	-2.74	-2.77	-3.11	3.59	1.65	2.24
ORDN	19427M001	E	1.50	1.88	1.36	0.01	-1.31	-2.41	0.22	0.71
ORDN	19427M001	U	8.19	-3.30	-6.32	-6.80	1.89	-2.14	17.23	0.10
PAS2	19351S001	N	1.46			0.14	0.04	0.41	-2.70	1.05
PAS2	19351S001	E	0.84			0.08	0.22	-0.65	-1.18	0.97
PAS2	19351S001	U	3.40			-4.55	4.34	-1.96	-1.54	0.60
PASA	19351S001	N	1.33	-1.27	-1.28	1.12	0.51	0.80	-1.84	
PASA	19351S001	E	0.63	-0.11	0.33	0.80	0.40	-0.35	-0.97	
PASA	19351S001	U	3.94	5.31	-2.47	-4.63	4.51	-0.23	-1.18	
RID1	13448M002	N	1.50	-2.22	0.66	1.17	2.39	0.90	0.07	0.39
RID1	13448M002	E	0.73	-0.12	0.07	-0.74	-0.06	1.53	0.35	0.43
RID1	13448M002	U	3.89	4.61	-1.29	-5.18	0.94	4.02	-2.72	-4.07
SALA	13469M001	N	0.48	0.03	-0.01	-0.56	-0.40	-0.04	-0.66	-0.66
SALA	13469M001	E	0.36	-0.33	-0.42	0.42	-0.23	0.29	-0.42	-0.09
SALA	13469M001	U	2.05	-2.58	2.35	1.77	-1.15	1.26	-2.07	1.65
SCDA	10088M002	N	1.35	-1.60	-0.36	1.63	-1.35	-0.87	-0.49	1.68
SCDA	10088M002	E	1.14	0.31	-1.02	0.06	-0.74	-0.78	1.33	1.93
SCDA	10088M002	U	2.84	-1.61	-4.63	-0.21	0.37	-0.87	4.32	2.20
SOPU	19386M001	N	0.89	-1.42	0.04	-0.38	-1.20	0.91	0.21	0.49
SOPU	19386M001	E	0.97	-1.32	-0.63	0.00	1.65	0.90	0.13	-0.01
SOPU	19386M001	U	4.27	3.86	3.93	2.11	1.07	-1.57	-8.39	0.85
TERU	13487M001	N	0.71	0.26	-0.20	0.16	1.13	-0.39	0.42	1.15
TERU	13487M001	E	0.59	0.39	0.25	-0.65	-0.54	0.06	-0.09	1.06
TERU	13487M001	U	2.07	-0.19	-0.02	3.23	3.02	0.61	1.39	1.96
VITO	19385M001	N	1.96	0.95	0.91	2.25	-0.63	-3.69	1.47	-0.41
VITO	19385M001	E	0.95	0.91	1.10	-0.78	-0.64	-1.06	-1.10	0.22
VITO	19385M001	U	4.07	3.45	2.66	-2.55	-5.87	-3.19	-5.40	-0.30
YEBE	13420M001	N	0.61	-0.47	0.60	-0.63	-0.22	0.81	0.54	0.53
YEBE	13420M001	E	0.44	-0.50	-0.27	0.36	0.69	0.26	-0.31	0.21
YEBE	13420M001	U	3.22	0.83	-3.97	5.36	-0.31	0.14	0.57	-4.07
ZARA	13462M001	N	0.56	0.07	-0.28	-0.09	1.25	-0.21	-0.41	-0.19
ZARA	13462M001	E	0.56	0.13	-0.07	-0.56	-0.99	-0.25	0.43	0.54
ZARA	13462M001	U	1.01	-1.69	0.69	-0.74	-0.66	-0.24	-0.33	-1.29



## 6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

LOCAL GEODETIC DATUM: IGS14  
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
1	ACOR 13434M001	I W	-2.76	1.20	-1.77
2	ALAC 13433M001	I W	1.76	-0.32	0.02
3	ALBA 13452M001	I W	0.57	0.16	1.24
4	ALME 13437M001	I W	-0.68	0.37	6.59
5	BCLN 13412M001	I W	0.81	0.01	-4.16
6	BELL 13431M001	I W	0.63	0.50	0.21
7	BORR 13480M001	I W	0.07	-0.94	-1.12
8	BRST 10004M004	I W	-1.51	2.13	-3.11
9	CACE 13447M001	I W	1.13	0.96	1.12
10	CANT 13438M001	I W	-0.55	0.55	-3.60
11	CARG 19412M001	I W	1.07	0.10	-0.02
12	CASC 13909S001	I W	0.41	0.29	2.66
13	CEU1 13449M002	I W	0.74	0.27	1.62
14	COBA 13453M001	I W	1.60	0.40	-4.04
15	CREU 13432M001	I W	0.66	-0.02	-2.09
16	EBRE 13410M001	I W	1.19	0.15	-3.84
17	ESCO 13435M001	I W	1.83	1.00	-9.33
18	FUNC 13911S001	I W	0.13	-1.20	10.05
19	GAIA 13902M001	I W	0.93	2.76	-1.00
21	HUEL 13451M001	I W	1.44	-0.83	2.76
22	IZAN 13109M002	I W	-0.83	-2.41	9.62
23	LLIV 13436M001	I W	0.88	0.25	-0.64
24	LPAL 81701M001	I W	-4.17	-0.64	8.43
25	LRDC 10023M001	I W	0.65	0.07	-3.60
26	MALA 13443M001	I W	0.28	-1.17	-1.21
27	MAS1 31303M002	I W	-0.16	1.45	11.02
29	MELI 19379M001	I W	0.69	-0.35	0.71
30	PASA 19351S001	I W	-0.25	0.89	-0.49
31	PDEL 31906M004	I W	-0.62	2.88	-4.70
32	RABT 35001M002	I W	1.40	0.86	-4.85
33	RID1 13448M002	I W	-0.16	0.67	-3.92
34	SALA 13469M001	I W	0.55	-0.20	-3.95
35	SCOA 10088M002	I W	-3.32	0.30	-1.06
36	SFER 13402M004	I W	-9.44	-5.72	15.50
38	SONS 13446M001	I W	0.32	-1.07	-2.47
39	TERC 31909M001	I W	5.84	-2.83	-9.15
40	VALA 13463M002	I W	0.02	-0.60	-2.06
41	VALE 13439M001	I W	-0.20	0.24	1.27
42	VIGO 13450M001	I W	-1.78	-0.72	2.19
43	YEBE 13420M001	I W	0.93	-0.51	3.58
44	ZARA 13462M001	I W	0.48	1.27	-1.56
45	ZIMM 14001M004	I W	-0.59	-0.21	-4.86
	RMS / COMPONENT		2.16	1.44	5.16
	MEAN		-0.00	0.00	0.00
	MIN		-9.44	-5.72	-9.33
	MAX		5.84	2.88	15.50

NUMBER OF PARAMETERS : 3  
NUMBER OF COORDINATES : 126  
RMS OF TRANSFORMATION : 3.33 MM

BARYCENTER COORDINATES:

LATITUDE : 39 35 30.89  
LONGITUDE : - 5 28 47.35  
HEIGHT : -48.657 KM

PARAMETERS:

TRANSLATION IN N : -0.00 +- 0.51 MM  
TRANSLATION IN E : 0.00 +- 0.51 MM  
TRANSLATION IN U : 0.00 +- 0.51 MM

### 6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          17645001
NUMBER OF UNKNOWN               234606
NUMBER OF DEGREES OF FREEDOM    17410395
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)      180
VARIANCE FACTOR                  2.135194847035442

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")      Scale (ppm)
      X          Y          Z          X          Y          Z
-----
 1  0.00270     -0.0039  0.0029 -0.0056  0.0001  0.0000  0.0001  0.00126
 2  0.00307     0.0146 -0.0109 -0.0444  0.0005  0.0014 -0.0001  0.00247
 3  0.00334     -0.0034 -0.0473  0.0163  0.0008 -0.0005 -0.0013 -0.00153
 4  0.00234     -0.0056 -0.0217  0.0101  0.0004 -0.0003 -0.0006 -0.00050
 5  0.00272     0.0072  0.0221  0.0061 -0.0005  0.0000  0.0006 -0.00132
 6  0.00274     0.0041  0.0099 -0.0082 -0.0001  0.0003  0.0003  0.00017
 7  0.00242     0.0091  0.0101 -0.0079 -0.0002  0.0004  0.0003 -0.00031
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Ch1**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
 1  0.00142      2473290      2.03          2507209          3          1017      32905      0
 2  0.00138      2496518      1.92          2529109          3          999      31595      0
 3  0.00152      2507917      2.30          2543501          3          1035      34552      0
 4  0.00150      2489980      2.25          2524760          3          1017      33766      0
 5  0.00152      2501742      2.32          2537318          3          1011      34568      0
 6  0.00138      2501961      1.89          2535039          3          1014      32067      0
 7  0.00146      2432963      2.12          2468065          3          996      34109      0
```

## 7 Equipment

### 7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__ FIRMWARE____
ACOR  A  1 P 18:280:00000 18:286:86370 LEICA GRX1200PRO -----
ALDA  A  1 P 18:280:00000 18:286:86370 LEICA GR10 -----
ALSA  A  1 P 18:280:00000 18:286:86370 LEICA GRX1200GGPRO -----
AMUR  A  1 P 18:280:00000 18:286:86370 LEICA GR10 -----
BIAZ  A  1 P 18:280:00000 18:286:86370 TRI SP90M -----
BIDA  A  1 P 18:280:00000 18:286:86370 LEICA GR10 -----
BRZR  A  1 P 18:280:00000 18:286:86370 LEICA GR10 -----
CACE  A  1 P 18:280:00000 18:286:86370 TRIMBLE NETR9 -----
CANT  A  1 P 18:280:00000 18:286:86370 LEICA GR10 -----
CHER  A  1 P 18:280:00000 18:286:86370 LEICA GRX1200+GNSS -----
CREU  A  1 P 18:281:00000 18:286:86370 LEICA GR50 -----
EBRE  A  1 P 18:280:00000 18:286:86370 LEICA GR50 -----
ELGE  A  1 P 18:280:00000 18:286:86370 LEICA GR10 -----
EMAZ  A  1 P 18:280:00000 18:286:86370 LEICA GR30 -----
GERN  A  1 P 18:280:00000 18:286:86370 LEICA GR10 -----
IGEL  A  1 P 18:280:00000 18:286:86370 LEICA GR30 -----
ISPS  A  1 P 18:280:00000 18:286:86370 TRIMBLE NETR9 -----
KAST  A  1 P 18:280:00000 18:286:86370 LEICA GR30 -----
LARE  A  1 P 18:280:00000 18:286:86370 LEICA GRX1200GGPRO -----
LAZK  A  1 P 18:280:00000 18:286:86370 LEICA GR10 -----
LEIT  A  1 P 18:280:00000 18:286:86370 LEICA GRX1200+GNSS -----
ORON  A  1 P 18:280:00000 18:286:86370 LEICA GRX1200GGPRO -----
PAS2  A  1 P 18:282:00000 18:286:86370 TPS NET-G3A -----
PASA  A  1 P 18:280:00000 18:285:86370 LEICA GR10 -----
RIO1  A  1 P 18:280:00000 18:286:86370 LEICA GR25 -----
SALA  A  1 P 18:280:00000 18:286:86370 LEICA GRX1200+GNSS -----
SCOA  A  1 P 18:280:00000 18:286:86370 LEICA GR25 -----
SOPU  A  1 P 18:280:00000 18:286:86370 LEICA GR10 -----
TERU  A  1 P 18:280:00000 18:286:86370 LEICA GRX1200GGPRO -----
VITO  A  1 P 18:280:00000 18:286:86370 LEICA GR10 -----
YEBA  A  1 P 18:280:00000 18:286:86370 TRIMBLE NETR9 -----
ZARA  A  1 P 18:280:00000 18:286:86370 TRIMBLE NETR9 -----
```

### 7.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__
ACOR  A  1 P 18:280:00000 18:286:86370 LEIAT504      LEIS -----
ALDA  A  1 P 18:280:00000 18:286:86370 LEIAS10      NONE -----
ALSA  A  1 P 18:280:00000 18:286:86370 LEIAX1202GG  NONE -----
AMUR  A  1 P 18:280:00000 18:286:86370 LEIAS10      NONE -----
```

```

BIAZ A 1 P 18:280:00000 18:286:86370 LEIAR25 LEIT ----
BIDA A 1 P 18:280:00000 18:286:86370 LEIAS10 NONE ----
BRZR A 1 P 18:280:00000 18:286:86370 LEIAS10 NONE ----
CACE A 1 P 18:280:00000 18:286:86370 TRM29659.00 NONE ----
CANT A 1 P 18:280:00000 18:286:86370 LEIAR25_R4 LEIT 25066
CHER A 1 P 18:280:00000 18:286:86370 LEIAX1203+GNSS NONE ----
CREU A 1 P 18:281:00000 18:286:86370 LEIAR25_R4 NONE 26357
EBRE A 1 P 18:280:00000 18:286:86370 LEIAR25_R4 NONE 26359
ELGE A 1 P 18:280:00000 18:286:86370 LEIAR25_R4 LEIT ----
EMAZ A 1 P 18:280:00000 18:286:86370 LEIAS10 NONE ----
GERN A 1 P 18:280:00000 18:286:86370 LEIAS10 NONE ----
IGEL A 1 P 18:280:00000 18:286:86370 LEIAR20 LEIM ----
ISPS A 1 P 18:280:00000 18:286:86370 TRM59900.00 SCIS ----
KAST A 1 P 18:280:00000 18:286:86370 LEIAS10 NONE ----
LARE A 1 P 18:280:00000 18:286:86370 LEIAT504 NONE ----
LAZK A 1 P 18:280:00000 18:286:86370 LEIAR25_R4 LEIT ----
LEIT A 1 P 18:280:00000 18:286:86370 LEIAX1203+GNSS NONE ----
ORDN A 1 P 18:280:00000 18:286:86370 LEIAX1202GG NONE ----
PAS2 A 1 P 18:282:00000 18:286:86370 LEIAR20 LEIM 73034
PASA A 1 P 18:280:00000 18:285:86370 LEIAR20 LEIM 73034
RID1 A 1 P 18:280:00000 18:286:86370 LEIAR25_R4 LEIT 25138
SALA A 1 P 18:280:00000 18:286:86370 LEIAR25 NONE ----
SCDA A 1 P 18:280:00000 18:286:86370 TRM55971.00 NONE ----
SOPU A 1 P 18:280:00000 18:286:86370 LEIAS10 NONE ----
TERU A 1 P 18:280:00000 18:286:86370 LEIAT504GG LEIS ----
VITO A 1 P 18:280:00000 18:286:86370 LEIAS10 NONE ----
YEBE A 1 P 18:280:00000 18:286:86370 TRM29659.00 NONE ----
ZARA A 1 P 18:280:00000 18:286:86370 TRM29659.00 NONE ----

```

### 7.3 Eccentricities

```

*
*SITE PT SOLN T DATA_START_ DATA_END_ AXE ARP->BENCHMARK(M) UP_ NORTH_ EAST_
ACOR A 1 P 18:280:00000 18:286:86370 UNE 3.0460 0.0000 0.0000
ALDA A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
ALSA A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
AMUR A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
BIAZ A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
BIDA A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
BRZR A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
CACE A 1 P 18:280:00000 18:286:86370 UNE 0.0600 0.0000 0.0000
CANT A 1 P 18:280:00000 18:286:86370 UNE 3.0490 0.0000 0.0000
CHER A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
CREU A 1 P 18:281:00000 18:286:86370 UNE 0.0770 0.0000 0.0000
EBRE A 1 P 18:280:00000 18:286:86370 UNE 0.0770 0.0000 0.0000
ELGE A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
EMAZ A 1 P 18:280:00000 18:286:86370 UNE 0.0350 0.0000 0.0000
GERN A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
IGEL A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
ISPS A 1 P 18:280:00000 18:286:86370 UNE 0.0350 0.0000 0.0000
KAST A 1 P 18:280:00000 18:286:86370 UNE 0.0350 0.0000 0.0000
LARE A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
LAZK A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
LEIT A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
ORDN A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
PAS2 A 1 P 18:282:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
PASA A 1 P 18:280:00000 18:285:86370 UNE 0.0000 0.0000 0.0000
RID1 A 1 P 18:280:00000 18:286:86370 UNE 0.0606 0.0000 0.0000
SALA A 1 P 18:280:00000 18:286:86370 UNE 0.0600 0.0000 0.0000
SCDA A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
SOPU A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
TERU A 1 P 18:280:00000 18:286:86370 UNE 0.0600 0.0000 0.0000
VITO A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
YEBE A 1 P 18:280:00000 18:286:86370 UNE 0.0000 0.0000 0.0000
ZARA A 1 P 18:280:00000 18:286:86370 UNE 3.2590 0.0000 0.0000

```

## 8 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:


```

2018-10-22 00:31 UTC | PAS22800.180 | RECEIVER TYPE | NET-G3A -> TPS NET-G3A
2018-10-23 00:33 UTC | PAS22810.180 | RECEIVER TYPE | NET-G3A -> TPS NET-G3A


```

## 9 Cumulative Time Series


Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.



1 ) ACOR




2 ) ALDA




GMW 2018 Oct 28 13:29:04

3 ) ALSA




GMW 2018 Oct 28 13:29:16

4 ) AMUR




GMW 2018 Oct 28 13:32:38


5 ) BLAZ




6 ) BIDA




7 ) BRZR




8 ) CACE




9 ) CANT




10 ) CHER




11 ) CREU



12 ) EBRE




13 ) ELGE




14 ) EMAZ







15 ) GERN



16 ) IGEL




17 ) ISPS




GMW 2018 Oct 28 13:44:42

18 ) KAST




GMW 2018 Oct 28 13:45:10

19 ) LARE




GMW 2018 Oct 28 13:45:16


20 ) LAZK




21 ) LEIT




22 ) ORON




23 ) PAS2




24 ) PASA




25 ) RIO1




26 ) SALA




27 ) SCOA




28 ) SOPU




29 ) TERU



30 ) VITO



31 ) YEBE



32 ) ZARA



