

ARA-DAC Weekly Analysis Result: 2039 (GFA)

Technical Report

GPS Week: 2039 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus


Report generated on 2019/02/25 at 12:07:13



1 Introduction

In may 2015 ARA (EUREF’s acronym of the ARANZADI’s Department of Applied Geodesy), kicks off as a EUREF’s Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF’s EPN Densification Project.

2 Map of Computed Sites



GM 2019 Feb 25 12:07:04

Fig.1: Computed Sites for GPS Week2039 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences:0.002 m.
 - sampling (for ambiguity resolution) : 30 s
 - sampling (for final processing) : 180 s
 - Systems: GPS+GLONASS observations are used (GALILEO also used if available from GPSW 1986 on)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I14 file and individual calibrations from EPNC_14.ATX. EPN_A class sites (CRD + VEL) IGS14 used to define the reference frame (from GPSW 1934). If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
 - 3 deg elev. cutoff; elevation dependent weighting
 - VMF1 mapping function. ZPD parameters are estimated using the VMF1 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Wideline (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Wideline (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

5.1 IGS14

The Reference Frame considered in this section is IGS14, release C2010.

ARA LAC 2039 WEEK FINAL COMBINATION: PRECISE ORBITS 25-FEB-19 08:36

LOCAL GEODETIC DATUM: IGS14 EPOCH: 2019-02-06 12:00:00

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
1	ACOR 13434M001	4594489.56391	-678367.45330	4357066.28116	W
33	ALDA 19383M001	4687280.15866	-190876.57662	4308106.96121	A
42	ALSA 19419M001	4677250.83027	-176770.40019	4319079.86823	A
44	AMUR 19388M001	4661499.44948	-244591.26656	4332269.88068	A
78	BLAZ 10074M002	4634456.05310	-124344.98403	4365785.45456	A
79	BIDA 00000M000	4644177.82540	-145778.33133	4354832.48082	A
89	BRZR 19387M001	4662220.99227	-220769.90617	4333309.43655	A
9	CACE 13447M001	4899866.50441	-544567.04284	4033770.19906	W
10	CANT 13438M001	4625924.31629	-307096.24030	4365771.55211	W
114	CHER 00000M000	4645880.32494	-125721.93461	4353624.37074	A
15	CREU 13432M001	4715420.13944	273178.05161	4271946.83765	W
16	EBRE 13410M001	4833519.99116	41537.38070	4147461.71163	W
135	ELGE 19353S001	4657557.40618	-202241.48112	4338991.86566	A
137	EMAZ 17001M001	4645924.20765	-276949.87292	4347759.57439	A
157	GERN 19389M001	4642811.31240	-217222.93903	4353278.87635	A
177	IGEL 19352S001	4645951.42985	-165574.51062	4352550.41434	A
182	ISPS 19484M001	4640596.48436	-206963.78503	4356391.91164	A
187	KAST 19499M001	4646949.08072	-240747.28405	4348014.98813	A
192	LARE 19440M001	4632831.95213	-279026.14323	4360314.42402	A
193	LAZK 19354S001	4666098.34404	-178186.19843	4330463.67028	A
197	LEIT 19428M001	4663520.93423	-155858.72468	4334519.87885	A
253	ORON 19427M001	4659695.77664	-130864.74300	4338948.87867	A
30	PASA 19351S001	4644909.06017	-156645.07518	4353623.07303	W
33	RID1 13448M002	4708446.82968	-199490.29077	4284089.73268	W
34	SALA 13469M001	4803054.48347	-462131.07721	4158379.07256	W
35	SCDA 10088M002	4639940.49977	-136224.94782	4359552.40754	W
313	SOPU 19386M001	4643997.90982	-255913.91422	4350063.14074	A
333	TERU 13487M001	4867391.32136	-95523.36158	4108341.67960	A
366	VITO 19385M001	4679397.70185	-218436.51255	4314898.36091	A
43	YEBE 13420M001	4848724.56720	-261631.93778	4123094.32483	W
44	ZARA 13462M001	4773803.16803	-73505.99232	4215454.09216	W

5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

ETRF2000 FINAL COORD. wk 2039 25-FEB-19 08:36

LOCAL GEODETIC DATUM: ETRF2000 EPOCH: 2019-02-06 12:00:00

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
1	ACOR 13434M001	4594489.86792	-678367.98492	4357065.86844	W
33	ALDA 19383M001	4687280.51583	-190877.11674	4308106.54745	A
42	ALSA 19419M001	4677251.18982	-176770.93923	4319079.45539	A
44	AMUR 19388M001	4661499.80208	-244591.80417	4332269.46821	A
78	BLAZ 10074M002	4634456.42190	-124345.51850	4365785.04556	A
79	BIDA 00000M000	4644178.19098	-145778.86687	4354832.07083	A
89	BRZR 19387M001	4662221.34770	-220770.44379	4333309.02431	A
9	CACE 13447M001	4899866.80180	-544567.60548	4033769.76499	W
10	CANT 13438M001	4625924.66394	-307096.77440	4365771.14156	W
114	CHER 00000M000	4645880.69275	-125722.47026	4353623.96087	A
15	CREU 13432M001	4715420.54175	273177.51023	4271946.42724	W
16	EBRE 13410M001	4833520.36420	41536.82636	4147461.28962	W
135	ELGE 19353S001	4657557.76414	-202242.01821	4338991.45400	A
137	EMAZ 17001M001	4645924.55756	-276950.40902	4347759.16270	A
157	GERN 19389M001	4642811.66960	-217223.47463	4353278.46561	A
177	IGEL 19352S001	4645951.79298	-165575.04640	4352550.00399	A
182	ISPS 19484M001	4640596.84296	-206964.32038	4356391.50119	A
187	KAST 19499M001	4646949.43484	-240747.82015	4348014.57680	A
192	LARE 19440M001	4632832.30266	-279026.67797	4360314.01329	A
193	LAZK 19354S001	4666098.70420	-178186.73632	4330463.25826	A
197	LEIT 19428M001	4663521.29725	-155859.26225	4334519.46729	A
253	ORON 19427M001	4659696.14286	-130865.28009	4338948.46770	A
30	PASA 19351S001	4644909.42441	-156645.61082	4353622.66286	W
33	RID1 13448M002	4708447.18321	-199490.83308	4284089.31722	W
34	SALA 13469M001	4803054.79897	-462131.62986	4158378.64681	W
35	SCDA 10088M002	4639940.86677	-136225.48289	4359551.99799	W
313	SOPU 19386M001	4643998.26232	-255914.45005	4350062.72945	A
333	TERU 13487M001	4867391.67587	-95523.91983	4108341.25341	A
366	VITO 19385M001	4679398.05629	-218437.05193	4314897.94741	A
43	YEBE 13420M001	4848724.90351	-261632.49461	4123093.89806	W
44	ZARA 13462M001	4773803.53243	-73506.54095	4215453.67329	W

5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017) (Altamimi, 2017).

ETRF2014 FINAL COORD. wk 2039		25-FEB-19 08:36			
LOCAL GEODETIC DATUM: ETRF2014		EPOCH: 2019-02-06 12:00:00			
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
1	ACDR 13434M001	4594489.82532	-678368.02363	4357065.91671	W
33	ALDA 19383M001	4687280.47105	-190877.15677	4308106.59662	A
42	ALSA 19419M001	4677251.14510	-176770.97935	4319079.50359	A
44	AMUR 19388M001	4661499.75771	-244591.84411	4332269.51642	A
78	BLAZ 10074M002	4634456.37744	-124345.55896	4365785.09389	A
79	BIDA 00000M000	4644178.14648	-145778.90722	4354832.11913	A
89	BRZR 19387M001	4662221.30326	-220770.48382	4333309.07253	A
9	CACE 13447M001	4899866.75580	-544567.64348	4033769.81261	W
10	CANT 13438M001	4625924.62009	-307096.81427	4365771.18983	W
114	CHER 00000M000	4645880.64818	-125722.51067	4353624.00916	A
15	CREU 13432M001	4715420.49518	273177.46875	4271946.47563	W
16	EBRE 13410M001	4833520.31722	41536.78611	4147461.33759	W
135	ELGE 19353S001	4657557.71969	-202242.05831	4338991.50223	A
137	EMAZ 17001M001	4645924.51344	-276950.44891	4347759.21093	A
157	GERN 19389M001	4642811.62533	-217223.51474	4353278.51388	A
177	IGEL 19352S001	4645951.74853	-165575.08668	4352550.05226	A
182	ISPS 19484M001	4640596.79869	-206964.36053	4356391.54947	A
187	KAST 19499M001	4646949.39060	-240747.86016	4348014.62504	A
192	LARE 19440M001	4632832.25866	-279026.71791	4360314.06155	A
193	LAZK 19354S001	4666098.65959	-178186.77648	4330463.30649	A
197	LEIT 19428M001	4663521.25261	-155859.30249	4334519.51553	A
253	ORON 19427M001	4659696.09817	-130865.32043	4338948.51596	A
30	PASA 19351S001	4644909.37994	-156645.65113	4353622.71115	W
33	RI01 13448M002	4708447.13824	-199490.87300	4284089.36534	W
34	SALA 13469M001	4803054.75378	-462131.66851	4158378.69463	W
35	SOA 10088M002	4639940.82229	-136225.52329	4359552.04629	W
313	SOPU 19386M001	4643998.21816	-255914.49003	4350062.77769	A
333	TERU 13487M001	4867391.62899	-95523.95949	4108341.30123	A
366	VITO 19385M001	4679398.01167	-218437.09190	4314897.99559	A
43	YEBE 13420M001	4848724.85731	-261632.53378	4123093.94585	W
44	ZARA 13462M001	4773803.48643	-73506.58104	4215453.72132	W

6 Quality Control

6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGS14 solution and are given with respect the Local frame (North-East-Up).

ARA LAC 2039 WEEK FINAL COMBINATION: PRECISE ORBITS 25-FEB-19 08:36

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACOR 13434M001	6	X XXXXX	0.58	0.98	1.91
ALDA 19383M001	7	XXXXXXX	1.10	0.86	4.04
ALSA 19419M001	7	XXXXXXX	1.28	0.74	2.55
AMUR 19388M001	7	XXXXXXX	1.23	1.40	3.65
BLAZ 10074M002	7	XXXXXXX	0.87	0.58	3.81
BIDA 00000M000	6	XXXXXX	0.74	1.15	4.36
BRZR 19387M001	7	XXXXXXX	2.03	2.15	4.27
CACE 13447M001	7	XXXXXXX	0.62	0.44	2.43
CANT 13438M001	7	XXXXXXX	0.75	0.37	2.57
CHER 00000M000	6	XX XXXX	0.79	1.20	2.76
CREU 13432M001	7	XXXXXXX	1.44	1.53	4.70
EBRE 13410M001	7	XXXXXXX	0.55	1.81	3.70
ELGE 19353S001	6	XXXXXX	0.37	0.22	2.70
EMAZ 17001M001	7	XXXXXXX	1.14	0.74	2.34
GERN 19389M001	7	XXXXXXX	0.67	0.55	2.09
IGEL 19352S001	6	XXXXXX	0.86	0.44	0.99
ISPS 19484M001	3	XXX	0.50	1.25	1.87
KAST 19499M001	7	XXXXXXX	0.93	0.25	5.68
LARE 19440M001	7	XXXXXXX	1.39	0.90	2.43
LAZK 19354S001	6	XXXXXX	1.19	0.75	3.52
LEIT 19428M001	7	XXXXXXX	0.96	0.48	2.06
ORON 19427M001	7	XXXXXXX	0.56	0.80	5.70
PASA 19351S001	7	XXXXXXX	0.50	0.62	1.86
RI01 13448M002	7	XXXXXXX	1.01	0.75	2.78
SALA 13469M001	7	XXXXXXX	0.22	0.39	1.89
SCDA 10088M002	7	XXXXXXX	1.73	0.65	3.57
SOPU 19386M001	7	XXXXXXX	1.12	0.95	3.58
TERU 13487M001	7	XXXXXXX	0.72	0.36	2.34
VITO 19385M001	7	XXXXXXX	2.02	1.75	2.84
YEBE 13420M001	7	XXXXXXX	0.68	0.48	2.52
ZARA 13462M001	7	XXXXXXX	0.57	0.46	1.65

Comparison of individual solutions:

ACOR 13434M001	N	0.58	-0.08		-0.42	-0.49	0.10	0.01	1.11
ACOR 13434M001	E	0.98	-1.91		1.04	0.11	-0.02	-0.30	-0.10
ACOR 13434M001	U	1.91	-2.99		0.12	1.09	1.40	2.31	-0.89
ALDA 19383M001	N	1.10	-1.25	0.42	-0.07	-0.81	0.87	-0.08	-2.02
ALDA 19383M001	E	0.86	-0.45	-0.65	0.66	1.30	-1.02	-0.44	0.65
ALDA 19383M001	U	4.04	2.02	-2.66	1.45	2.21	-5.94	-3.70	-5.56
ALSA 19419M001	N	1.28	1.91	-0.37	0.13	0.39	-0.01	-0.82	-2.28
ALSA 19419M001	E	0.74	-0.84	-0.23	-0.52	0.88	-0.20	-0.29	1.19
ALSA 19419M001	U	2.55	-1.38	1.38	0.75	3.87	-0.62	-3.81	-2.16
AMUR 19388M001	N	1.23	-0.39	-0.54	-0.70	-2.31	-0.61	-0.33	1.51
AMUR 19388M001	E	1.40	0.44	-0.94	-0.92	-1.12	-1.05	0.09	2.73
AMUR 19388M001	U	3.65	-4.51	-3.49	-2.84	-1.95	-3.58	-4.50	1.64
BLAZ 10074M002	N	0.87	-0.58	0.18	1.43	-0.20	-0.30	1.11	-0.85
BLAZ 10074M002	E	0.58	-0.42	-1.07	0.18	0.51	0.03	-0.55	0.34
BLAZ 10074M002	U	3.81	0.42	1.69	-1.00	1.54	-4.27	-7.10	3.50
BIDA 00000M000	N	0.74		1.44	0.38	-0.30	-0.26	-0.01	-0.62
BIDA 00000M000	E	1.15		0.19	1.11	0.82	-2.12	-0.46	-0.07
BIDA 00000M000	U	4.36		2.72	6.51	0.36	-3.47	-5.74	0.45
BRZR 19387M001	N	2.03	2.89	-0.10	-0.11	0.70	1.03	0.37	-3.84
BRZR 19387M001	E	2.15	4.12	-0.41	-1.05	0.35	1.19	-2.76	-0.70
BRZR 19387M001	U	4.27	7.59	0.98	1.76	0.94	0.34	-6.46	-2.26
CACE 13447M001	N	0.62	-0.29	-0.20	0.54	0.71	0.31	0.57	0.97
CACE 13447M001	E	0.44	-0.10	-0.01	0.03	0.66	0.13	0.80	-0.30
CACE 13447M001	U	2.43	-2.19	-2.10	3.14	-3.18	1.03	-0.02	-2.28
CANT 13438M001	N	0.75	0.10	-0.53	-0.81	-0.35	0.14	0.61	1.40
CANT 13438M001	E	0.37	0.51	-0.26	-0.46	-0.18	-0.35	-0.34	0.02
CANT 13438M001	U	2.57	-0.22	2.69	2.07	-4.25	0.33	-2.50	1.90
CHER 00000M000	N	0.79	-0.58	0.48		-1.20	-0.01	0.90	0.55
CHER 00000M000	E	1.20	-1.14	-1.35		-0.12	-0.93	1.72	0.49
CHER 00000M000	U	2.76	-2.00	0.52		2.63	1.87	-1.89	-4.45
CREU 13432M001	N	1.44	0.44	1.57	-2.61	-0.06	1.14	0.58	-1.17
CREU 13432M001	E	1.53	1.91	0.12	-1.76	-2.34	0.74	1.05	0.34
CREU 13432M001	U	4.70	-3.81	-4.22	-4.89	-7.59	3.48	2.55	0.45
EBRE 13410M001	N	0.55	-0.91	-0.17	-0.76	0.21	0.01	0.20	0.53
EBRE 13410M001	E	1.81	-3.73	-0.54	-0.36	1.26	1.08	1.25	1.00
EBRE 13410M001	U	3.70	-6.88	1.73	2.50	1.13	4.59	0.30	-1.74
ELGE 19353S001	N	0.37		0.40	-0.07	-0.23	-0.05	0.50	-0.48
ELGE 19353S001	E	0.22		-0.10	0.00	-0.32	-0.21	-0.13	0.27
ELGE 19353S001	U	2.70		0.28	-0.13	2.30	-2.02	-3.93	3.39
EMAZ 17001M001	N	1.14	-0.09	0.00	0.38	-0.49	-0.81	-1.13	-2.34
EMAZ 17001M001	E	0.74	1.22	-0.48	-0.78	-0.27	0.67	-0.64	-0.19
EMAZ 17001M001	U	2.34	-1.36	2.75	2.88	2.66	-0.50	2.69	0.74
GERN 19389M001	N	0.67	0.65	0.64	-0.97	-0.43	0.23	-0.12	0.83
GERN 19389M001	E	0.55	0.15	0.82	0.11	-0.04	-0.99	0.16	0.28
GERN 19389M001	U	2.09	0.35	4.15	1.09	0.61	-1.56	-1.91	-1.07
IGEL 19352S001	N	0.86		-0.35	-0.60	-0.07	-0.59	-0.06	1.69
IGEL 19352S001	E	0.44		0.16	-0.04	-0.34	-0.19	-0.55	0.70
IGEL 19352S001	U	0.99		1.54	-0.58	-0.42	0.32	-1.28	0.55
ISPS 19484M001	N	0.50	0.28	0.65	0.07				
ISPS 19484M001	E	1.25	1.44	0.40	-0.94				
ISPS 19484M001	U	1.87	0.96	1.69	1.80				
KAST 19499M001	N	0.93	0.13	0.75	-0.52	-0.15	-1.18	-0.98	-1.38
KAST 19499M001	E	0.25	-0.05	0.14	-0.39	0.10	0.30	-0.29	0.11
KAST 19499M001	U	5.68	4.96	6.08	0.39	-2.14	2.40	-6.44	-8.94
LARE 19440M001	N	1.39	0.21	-1.17	-0.33	0.80	-2.52	0.75	-1.58
LARE 19440M001	E	0.90	1.09	0.04	-0.29	-1.27	0.62	-1.28	-0.09
LARE 19440M001	U	2.43	2.07	2.40	4.09	2.42	-0.25	1.44	-0.73
LAZK 19354S001	N	1.19		0.35	-0.24	1.53	-0.09	0.49	-2.07
LAZK 19354S001	E	0.75		-0.31	-0.65	-0.24	-0.84	0.42	1.16
LAZK 19354S001	U	3.52		-3.73	4.19	1.46	-3.56	-1.59	3.64

LEIT 19428M001	N	0.96	0.52	1.23	0.38	-0.66	0.49	-1.06	-1.33
LEIT 19428M001	E	0.48	-0.23	0.14	-0.50	0.38	-0.84	0.39	0.21
LEIT 19428M001	U	2.06	-2.20	1.62	-2.93	0.41	1.17	-2.25	1.72
ORDN 19427M001	N	0.56	0.65	-0.03	-0.38	0.20	-0.30	0.47	-0.98
ORDN 19427M001	E	0.80	1.37	-0.93	-0.37	0.39	-0.48	-0.42	-0.64
ORDN 19427M001	U	5.70	-12.52	3.52	2.57	0.14	4.13	1.43	0.06
PASA 19351S001	N	0.50	-0.96	0.50	-0.13	-0.02	0.33	0.10	-0.40
PASA 19351S001	E	0.62	-1.01	0.22	-0.19	-0.28	-0.54	0.02	0.90
PASA 19351S001	U	1.86	-1.12	1.35	-0.37	-1.96	2.38	-2.75	0.63
RIO1 13448M002	N	1.01	-2.24	0.17	-0.14	0.25	0.73	0.51	0.44
RIO1 13448M002	E	0.75	-1.37	0.19	0.17	0.36	-0.35	-0.70	0.83
RIO1 13448M002	U	2.78	2.59	3.08	-0.95	-3.94	-0.51	-2.56	2.64
SALA 13469M001	N	0.22	0.03	-0.02	-0.06	-0.31	-0.31	0.30	0.09
SALA 13469M001	E	0.39	-0.55	-0.07	0.29	-0.29	0.18	-0.61	0.11
SALA 13469M001	U	1.89	1.17	-1.47	-0.93	0.56	-0.49	2.70	3.05
SCDA 10088M002	N	1.73	-0.49	-2.42	-0.72	-0.98	0.93	2.72	1.47
SCDA 10088M002	E	0.65	-0.37	-1.23	-0.08	-0.18	0.72	0.12	0.55
SCDA 10088M002	U	3.57	-2.02	-1.92	-3.55	2.41	0.62	-0.11	7.05
SOPU 19386M001	N	1.12	-1.26	0.75	1.99	0.44	-0.40	0.13	-1.01
SOPU 19386M001	E	0.95	-1.02	1.37	0.71	0.60	-0.53	0.34	-1.08
SOPU 19386M001	U	3.58	4.63	5.58	-0.07	-2.25	-2.14	0.39	-3.79
TERU 13487M001	N	0.72	1.12	-0.08	0.99	0.83	-0.16	-0.38	-0.06
TERU 13487M001	E	0.36	-0.34	-0.17	0.38	0.43	0.39	0.13	-0.40
TERU 13487M001	U	2.34	-4.76	2.06	1.04	-1.02	-1.05	-0.36	-1.62
VITO 19385M001	N	2.02	-4.82	0.49	0.54	0.61	0.49	0.16	0.13
VITO 19385M001	E	1.75	3.44	0.40	-1.32	-0.07	-1.41	0.06	-1.60
VITO 19385M001	U	2.84	3.23	-0.97	-2.63	-2.10	-3.90	-0.77	-3.17
YEBE 13420M001	N	0.68	1.40	0.13	0.08	0.48	0.23	0.63	0.27
YEBE 13420M001	E	0.48	0.52	-0.41	0.59	0.17	0.42	0.33	0.56
YEBE 13420M001	U	2.52	-4.29	-2.62	1.96	2.08	-1.40	1.65	-0.09
ZARA 13462M001	N	0.57	-0.47	0.40	-0.27	0.44	0.17	-0.96	-0.60
ZARA 13462M001	E	0.46	-0.37	-0.60	0.79	-0.06	0.25	-0.29	-0.02
ZARA 13462M001	U	1.65	-0.29	-0.02	-2.97	1.69	-0.01	2.00	-0.76

6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

LOCAL GEODETIC DATUM: IGS14
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
1	ACOR 13434M001	I W	-0.48	-1.09	-2.08
2	ALAC 13433M001	I W	-0.20	-0.26	-1.78
3	ALBA 13452M001	I W	-0.10	-0.73	0.01
4	ALME 13437M001	I W	-2.33	-0.44	6.04
5	BCLN 13412M001	I W	0.31	1.13	-0.51
6	BELL 13431M001	I W	1.76	1.66	-0.84
7	BORR 13480M001	I W	-0.29	-2.25	0.48
8	BRST 10004M004	I W	0.07	-0.65	-0.82
9	CACE 13447M001	I W	1.23	0.16	2.17
10	CANT 13438M001	I W	0.78	-0.76	-0.20
11	CARG 19412M001	I W	0.65	-0.57	0.76
12	CASC 13909S001	I W	0.06	-1.07	2.03
13	CEU1 13449M002	I W	0.32	-0.17	0.16
14	COBA 13453M001	I W	1.19	0.64	-1.75
15	CREU 13432M001	I W	0.03	1.32	-0.32
16	EBRE 13410M001	I W	-0.19	3.06	-0.46
17	ESCO 13435M001	I W	-0.37	1.19	1.35
18	FUNC 13911S001	I W	0.34	-2.29	1.04
19	GAIA 13902M001	I W	-3.60	-2.18	-6.19
21	HUEL 13451M001	I W	-1.48	1.11	2.66
22	IZAN 13109M002	I W	-1.49	-0.82	-2.99
23	LLIV 13436M001	I W	-1.02	-0.14	3.99
24	LPAL 81701M001	I W	-3.57	-0.14	-4.27
25	LRDC 10023M001	I W	0.42	-0.60	1.89
26	MALA 13443M001	I W	-0.41	0.16	1.75
27	MAS1 31303M002	I W	-0.51	0.51	-0.96
29	MELI 19379M001	I W	-0.20	0.80	-0.47
30	PASA 19351S001	I W	0.20	0.11	1.70
31	PDEL 31906M004	I W	-0.63	1.04	-5.55
32	RABT 35001M002	I W	0.24	0.22	-3.36
33	RID1 13448M002	I W	0.47	-0.18	-1.67
34	SALA 13469M001	I W	0.90	0.66	0.59
35	SCOA 10088M002	I W	0.03	-0.46	1.74
38	SONS 13446M001	I W	1.18	1.70	-0.95
39	TERC 31909M001	I W	5.26	-5.76	-8.53
40	VALA 13463M002	I W	-0.50	1.30	2.21
41	VALE 13439M001	I W	-0.51	1.71	0.88
42	VIGO 13450M001	I W	0.73	-1.10	2.96
43	YEBE 13420M001	I W	0.67	0.23	5.02
44	ZARA 13462M001	I W	-0.07	1.87	1.51
45	ZIMM 14001M004	I W	1.13	1.11	2.77
	RMS / COMPONENT		1.40	1.49	2.88
	MEAN		0.00	-0.00	0.00
	MIN		-3.60	-5.76	-8.53
	MAX		5.26	3.06	6.04

NUMBER OF PARAMETERS : 3
NUMBER OF COORDINATES : 123
RMS OF TRANSFORMATION : 2.04 MM

BARYCENTER COORDINATES:

LATITUDE : 39 40 7.24
LONGITUDE : - 5 27 40.26
HEIGHT : -49.601 KM

PARAMETERS:

TRANSLATION IN N : 0.00 +- 0.32 MM
TRANSLATION IN E : 0.00 +- 0.32 MM
TRANSLATION IN U : 0.00 +- 0.32 MM

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          17831593
NUMBER OF UNKNOWN               214351
NUMBER OF DEGREES OF FREEDOM    17617232
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)      180
VARIANCE FACTOR                  1.688394882633137

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")      Scale (ppm)
      X          Y          Z          X          Y          Z
-----
  1  0.00250      0.0107 -0.0106 -0.0232  0.0003  0.0008 -0.0002  0.00086
  2  0.00184     -0.0010  0.0079  0.0041 -0.0001 -0.0001  0.0003 -0.00028
  3  0.00148     -0.0146 -0.0206  0.0143  0.0004 -0.0007 -0.0005  0.00006
  4  0.00168      0.0037 -0.0082 -0.0041  0.0002  0.0002 -0.0002 -0.00012
  5  0.00132     -0.0076 -0.0022  0.0075 -0.0000 -0.0003 -0.0001  0.00023
  6  0.00172      0.0099  0.0192 -0.0079 -0.0003  0.0004  0.0006 -0.00017
  7  0.00191      0.0331  0.0258 -0.0339 -0.0004  0.0015  0.0008 -0.00037
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
  1  0.00134      2478371  1.79          2510504          3          996          31140          0
  2  0.00129      2552840  1.67          2584452          3          1011          30604          0
  3  0.00129      2541638  1.67          2573376          3          1002          30739          0
  4  0.00128      2554765  1.63          2586363          3          1011          30590          0
  5  0.00129      2545398  1.67          2576747          3          1005          30347          0
  6  0.00128      2420932  1.65          2450542          3          957          28656          0
  7  0.00131      2517339  1.71          2549599          3          1008          31255          0
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__ FIRMWARE____
ACOR  A  1 P 19:034:00000 19:040:86370 LEICA GR10 -----
ALDA  A  1 P 19:034:00000 19:040:86370 LEICA GR10 -----
ALSA  A  1 P 19:034:00000 19:040:86370 LEICA GR50 -----
AMUR  A  1 P 19:034:00000 19:040:86370 LEICA GR10 -----
BIAZ  A  1 P 19:034:00000 19:040:86370 TRI SP90M -----
BIDA  A  1 P 19:035:00000 19:040:86370 LEICA GR10 -----
BRZR  A  1 P 19:034:00000 19:040:86370 LEICA GR30 -----
CACE  A  1 P 19:034:00000 19:040:86370 TRIMBLE NETR9 -----
CANT  A  1 P 19:034:00000 19:040:86370 LEICA GR10 -----
CHER  A  1 P 19:034:00000 19:040:86370 LEICA GRX1200+GNSS -----
CREU  A  1 P 19:034:00000 19:040:86370 LEICA GR50 -----
EBRE  A  1 P 19:034:00000 19:040:86370 LEICA GR50 -----
ELGE  A  1 P 19:035:00000 19:040:86370 LEICA GR10 -----
EMAZ  A  1 P 19:034:00000 19:040:86370 LEICA GR30 -----
GERN  A  1 P 19:034:00000 19:040:86370 LEICA GR10 -----
IGEL  A  1 P 19:035:00000 19:040:86370 LEICA GR30 -----
ISPS  A  1 P 19:034:00000 19:036:86370 TRIMBLE NETR9 -----
KAST  A  1 P 19:034:00000 19:040:86370 LEICA GR30 -----
LARE  A  1 P 19:034:00000 19:040:86370 LEICA GRX1200GGPRD -----
LAZK  A  1 P 19:035:00000 19:040:86370 LEICA GR10 -----
LEIT  A  1 P 19:034:00000 19:040:86370 LEICA GR50 -----
ORON  A  1 P 19:034:00000 19:040:86370 LEICA GR50 -----
PASA  A  1 P 19:034:00000 19:040:86370 LEICA GR10 -----
RIO1  A  1 P 19:034:00000 19:040:86370 LEICA GR25 -----
SALA  A  1 P 19:034:00000 19:040:86370 LEICA GRX1200+GNSS -----
SCOA  A  1 P 19:034:00000 19:040:86370 LEICA GR25 -----
SOPU  A  1 P 19:034:00000 19:040:86370 LEICA GR30 -----
TERU  A  1 P 19:034:00000 19:040:86370 LEICA GRX1200GGPRD -----
VITO  A  1 P 19:034:00000 19:040:86370 LEICA GR10 -----
YEBE  A  1 P 19:034:00000 19:040:86370 TRIMBLE NETR9 -----
ZARA  A  1 P 19:034:00000 19:040:86370 TRIMBLE NETR9 -----
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__
ACOR  A  1 P 19:034:00000 19:040:86370 LEIAT504 LEIS -----
ALDA  A  1 P 19:034:00000 19:040:86370 LEIAS10 NONE -----
ALSA  A  1 P 19:034:00000 19:040:86370 LEIAR10 NONE -----
AMUR  A  1 P 19:034:00000 19:040:86370 LEIAS10 NONE -----
BIAZ  A  1 P 19:034:00000 19:040:86370 LEIAR25 LEIT -----
```

BIDA	A	1	P	19:035:00000	19:040:86370	LEIAS10	NONE	----
BRZR	A	1	P	19:034:00000	19:040:86370	LEIAS10	NONE	----
CACE	A	1	P	19:034:00000	19:040:86370	TRM29659.00	NONE	----
CANT	A	1	P	19:034:00000	19:040:86370	LEIAR25_R4	LEIT	25066
CHER	A	1	P	19:034:00000	19:040:86370	LEIAX1203+GNSS	NONE	----
CREU	A	1	P	19:034:00000	19:040:86370	LEIAR25_R4	NONE	26357
EBRE	A	1	P	19:034:00000	19:040:86370	LEIAR25_R4	NONE	26359
ELGE	A	1	P	19:035:00000	19:040:86370	LEIAR25_R4	LEIT	----
EMAZ	A	1	P	19:034:00000	19:040:86370	LEIAS10	NONE	----
GERN	A	1	P	19:034:00000	19:040:86370	LEIAS10	NONE	----
IGEL	A	1	P	19:035:00000	19:040:86370	LEIAR20	LEIM	----
ISPS	A	1	P	19:034:00000	19:036:86370	TRM59900.00	SCIS	----
KAST	A	1	P	19:034:00000	19:040:86370	LEIAS10	NONE	----
LARE	A	1	P	19:034:00000	19:040:86370	LEIAT504	NONE	----
LAZK	A	1	P	19:035:00000	19:040:86370	LEIAR25_R4	LEIT	----
LEIT	A	1	P	19:034:00000	19:040:86370	LEIAR10	NONE	----
ORDN	A	1	P	19:034:00000	19:040:86370	LEIAR10	NONE	----
PASA	A	1	P	19:034:00000	19:040:86370	LEIAR20	LEIM	73034
RID1	A	1	P	19:034:00000	19:040:86370	LEIAR25_R4	LEIT	25138
SALA	A	1	P	19:034:00000	19:040:86370	LEIAR25	NONE	----
SCDA	A	1	P	19:034:00000	19:040:86370	TRM55971.00	NONE	----
SOPU	A	1	P	19:034:00000	19:040:86370	LEIAS10	NONE	----
TERU	A	1	P	19:034:00000	19:040:86370	LEIAT504GG	LEIS	----
VITO	A	1	P	19:034:00000	19:040:86370	LEIAS10	NONE	----
YEBE	A	1	P	19:034:00000	19:040:86370	TRM29659.00	NONE	----
ZARA	A	1	P	19:034:00000	19:040:86370	TRM29659.00	NONE	----

7.3 Eccentricities

* SITE	PT	SOLN	T	DATA_START_	DATA_END_	AXE	ARP->BENCHMARK(M)	UP	NORTH	EAST
ACOR	A	1	P	19:034:00000	19:040:86370	UNE	3.0460	0.0000	0.0000	0.0000
ALDA	A	1	P	19:034:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
ALSA	A	1	P	19:034:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
AMUR	A	1	P	19:034:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
BIAZ	A	1	P	19:034:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
BIDA	A	1	P	19:035:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
BRZR	A	1	P	19:034:00000	19:040:86370	UNE	0.0771	0.0000	0.0000	0.0000
CACE	A	1	P	19:034:00000	19:040:86370	UNE	0.0600	0.0000	0.0000	0.0000
CANT	A	1	P	19:034:00000	19:040:86370	UNE	3.0490	0.0000	0.0000	0.0000
CHER	A	1	P	19:034:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
CREU	A	1	P	19:034:00000	19:040:86370	UNE	0.0770	0.0000	0.0000	0.0000
EBRE	A	1	P	19:034:00000	19:040:86370	UNE	0.0770	0.0000	0.0000	0.0000
ELGE	A	1	P	19:035:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
EMAZ	A	1	P	19:034:00000	19:040:86370	UNE	0.0350	0.0000	0.0000	0.0000
GERN	A	1	P	19:034:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
IGEL	A	1	P	19:035:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
ISPS	A	1	P	19:034:00000	19:036:86370	UNE	0.0350	0.0000	0.0000	0.0000
KAST	A	1	P	19:034:00000	19:040:86370	UNE	0.0350	0.0000	0.0000	0.0000
LARE	A	1	P	19:034:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
LAZK	A	1	P	19:035:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
LEIT	A	1	P	19:034:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
ORDN	A	1	P	19:034:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
PASA	A	1	P	19:034:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
RID1	A	1	P	19:034:00000	19:040:86370	UNE	0.0606	0.0000	0.0000	0.0000
SALA	A	1	P	19:034:00000	19:040:86370	UNE	0.0600	0.0000	0.0000	0.0000
SCDA	A	1	P	19:034:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
SOPU	A	1	P	19:034:00000	19:040:86370	UNE	0.0771	0.0000	0.0000	0.0000
TERU	A	1	P	19:034:00000	19:040:86370	UNE	0.0600	0.0000	0.0000	0.0000
VITO	A	1	P	19:034:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
YEBE	A	1	P	19:034:00000	19:040:86370	UNE	0.0000	0.0000	0.0000	0.0000
ZARA	A	1	P	19:034:00000	19:040:86370	UNE	3.2590	0.0000	0.0000	0.0000



8 Inconsistencies (logsheet-RINEX metadata)


The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

2019-02-17	23:16	UTC		GERN0340.190		RECEIVER FIRM. VERS.		4.10	->	4.10/6.523
2019-02-18	23:21	UTC		GERN0350.190		RECEIVER FIRM. VERS.		4.10	->	4.10/6.523
2019-02-20	00:07	UTC		GERN0360.190		RECEIVER FIRM. VERS.		4.10	->	4.10/6.523
2019-02-20	23:20	UTC		GERN0370.190		RECEIVER FIRM. VERS.		4.10	->	4.10/6.523
2019-02-21	23:20	UTC		GERN0380.190		RECEIVER FIRM. VERS.		4.10	->	4.10/6.523
2019-02-22	23:09	UTC		GERN0390.190		RECEIVER FIRM. VERS.		4.10	->	4.10/6.523
2019-02-23	23:18	UTC		GERN0400.190		RECEIVER FIRM. VERS.		4.10	->	4.10/6.523

9 Cumulative Time Series


Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.






GMW 2019 Feb 25 10:19:46

3) ALSA




GMW 2019 Feb 25 10:19:55

4) AMUR




GMW 2019 Feb 25 10:22:19

5) BIAZ




GMW 2019 Feb 25 10:22:24

6) BIDA




GMW 2019 Feb 25 10:23:14

7) BRZR




GMW 2019 Feb 25 10:23:44


8) CACE




9) CANT



10) CHER




11) CREU




GMW 2019 Feb 25 10:26:29

12) EBRE




GMW 2019 Feb 25 10:26:58

13) ELGE




GMW 2019 Feb 25 10:27:07


14) EMAZ




15) GERN




16) IGEL




17) ISPS




18) KAST



19) LARE




20) LAZK




GMW 2019 Feb 25 10:31:38

21) LEIT




GMW 2019 Feb 25 10:36:05

22) ORON




GMW 2019 Feb 25 10:36:35


23) PAS2




24) PASA




25) RIO1




26) SALA




27) SCOA




28) SOPU




29) TERU



30) VITO



31) YEBE



32) ZARA

