

ARA-DAC Weekly Analysis Result: 2085 (GFA)

Technical Report

GPS Week: 2085 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus


Report generated on 2020/01/12 at 15:38:04



1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites



GM 2020 Jan 12 15:37:52

Fig.1: Computed Sites for GPS Week2085 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences:0.002 m.
 - sampling (for ambiguity resolution): 30 s
 - sampling (for final processing): 180 s
 - Systems: GPS+GLONASS observations are used (Galileo also used if available from GPSW 1986 on)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I14 file and individual calibrations from EPNC_14.ATX. EPN_A class sites (CRD + VEL) IGS14 used to define the reference frame (from GPSW 1934). If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
 - 3 deg elev. cutoff; elevation dependent weighting
 - VMF1 mapping function. ZPD parameters are estimated using the VMF1 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Wideline (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Wideline (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

5.1 IGS14

The Reference Frame considered in this section is IGS14, release C2055.

```

ARA LAC 2085 WEEK FINAL COMBINATION: PRECISE ORBITS          12-JAN-20 11:46
-----
LOCAL GEODETIC DATUM: IGS14          EPOCH: 2019-12-25 12:00:00
-----
NUM  STATION NAME      X (M)      Y (M)      Z (M)      FLAG
-----
  1  ACRD 13434M001    4594489.55517  -678367.43265  4357066.28984  W
 34  ALDA 19383M001    4687280.14939  -190876.55624  4308106.96835  A
 43  ALSA 19419M001    4677250.82263  -176770.38378  4319079.88008  A
 45  AMUR 19388M001    4661499.44113  -244591.24985  4332269.88931  A
 81  BIAZ 10074M002    4634456.04571  -124344.96682  4365785.46752  A
 82  BIDA 00000M000    4644177.81019  -145778.31421  4354832.48813  A
 92  BRZR 19387M001    4662220.98209  -220769.88962  4333309.44713  A
  9  CACE 13447M001    4899866.49458  -544567.02527  4033770.20978  W
 10  CANT 13438M001    4625924.30519  -307096.22397  4365771.56111  W
118  CHER 00000M000    4645880.31394  -125721.91755  4353624.38161  A
 15  CREU 13432M001    4715420.12462  273178.06908  4271946.85006  W
 17  EBRE 13410M001    4833519.98250  41537.39700  4147461.72358  W
139  ELGE 19353S001    4657557.39677  -202241.46404  4338991.87645  A
141  EMAZ 17001M001    4645924.19761  -276949.85623  4347759.58360  A
209  GERN 19389M001    4642811.31382  -217222.91370  4353278.88715  A
183  IGEL 19352S001    4645951.42175  -165574.49371  4352550.42583  A
188  ISPS 19484M001    4640596.47375  -206963.76755  4356391.32166  A
193  KAST 19499M001    4646949.07034  -240747.20541  4348014.99860  A
198  LARE 19440M001    4632831.94325  -279026.12840  4360314.43500  A
199  LAZK 19354S001    4666098.33139  -178186.18201  4330463.67802  A
203  LEIT 19428M001    4663520.92664  -155858.70826  4334519.89079  A
260  ORDN 19427M001    4659695.76640  -130864.72600  4338948.88759  A
 33  PASA 19351S001    4644909.05232  -156645.05849  4353623.08493  W
 36  RID1 13448M002    4708446.81816  -199490.27388  4284089.74270  W
 37  SALA 13469M001    4803054.47514  -462131.06035  4158379.08433  W
 38  SCDA 10088M002    4639940.49032  -136224.93213  4359552.42109  W
321  SOPU 19386M001    4643997.89940  -255913.89704  4350063.14955  A
342  TERU 13487M001    4867391.31440  -95523.34137  4108341.68983  A
375  VITO 19385M001    4679397.69166  -218436.49628  4314898.37154  A
 49  YEBE 13420M001    4848724.55921  -261631.92099  4123094.33578  W
 50  ZARA 13462M001    4773803.16024  -73505.97657  4215454.10285  W

```

5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

ETRF2000 FINAL COORD. wk 2085          12-JAN-20 11:46
-----
LOCAL GEODETIC DATUM: ETRF2000        EPOCH: 2019-12-25 12:00:00
-----
NUM  STATION NAME      X (M)      Y (M)      Z (M)      FLAG
-----
  1  ACRD 13434M001    4594489.86658  -678367.98132  4357065.86605  W
 34  ALDA 19383M001    4687280.51552  -190877.11565  4308106.54349  A
 43  ALSA 19419M001    4677251.19121  -176770.94008  4319079.45617  A
 45  AMUR 19388M001    4661499.80256  -244591.80467  4332269.46578  A
 81  BIAZ 10074M002    4634456.42381  -124345.51842  4365785.40756  A
 82  BIDA 00000M000    4644178.18497  -145778.86690  4354832.06715  A
 92  BRZR 19387M001    4662221.34643  -220770.44466  4333309.02384  A
  9  CACE 13447M001    4899866.79918  -544567.60587  4033769.76401  W
 10  CANT 13438M001    4625924.66152  -307096.77519  4365771.13955  W
118  CHER 00000M000    4645880.69102  -125722.47036  4353623.96075  A
 15  CREU 13432M001    4715420.54339  273177.51038  4271946.42865  W
 17  EBRE 13410M001    4833520.36496  41536.82496  4147461.29022  W
139  ELGE 19353S001    4657557.76372  -202242.01833  4338991.45375  A
141  EMAZ 17001M001    4645924.55627  -276950.40950  4347759.16087  A
209  GERN 19389M001    4642811.67998  -217223.46646  4353278.46540  A
183  IGEL 19352S001    4645951.79401  -165575.04666  4352550.00447  A
188  ISPS 19484M001    4640596.84135  -206964.32005  4356391.50021  A
193  KAST 19499M001    4646949.43333  -240747.81868  4348014.57624  A
198  LARE 19440M001    4632832.30254  -279026.68028  4360314.01326  A
199  LAZK 19354S001    4666098.70060  -178186.73713  4330463.25495  A
203  LEIT 19428M001    4663521.29879  -155859.26304  4334519.46820  A
260  ORDN 19427M001    4659696.14184  -130865.28029  4338948.46560  A
 33  PASA 19351S001    4644909.42572  -156645.61129  4353622.66376  W
 36  RID1 13448M002    4708447.18157  -199490.83355  4284089.31609  W
 37  SALA 13469M001    4803054.79838  -462131.63066  4158378.64713  W
 38  SCDA 10088M002    4639940.86657  -136225.48434  4359552.00056  W
321  SOPU 19386M001    4643998.26073  -255914.45004  4350062.72723  A
342  TERU 13487M001    4867391.67780  -95523.91744  4108341.25218  A
375  VITO 19385M001    4679398.05498  -218437.05293  4314897.94695  A
 49  YEBE 13420M001    4848724.90387  -261632.49560  4123093.89753  W
 50  ZARA 13462M001    4773803.53381  -73506.54274  4215453.67273  W

```

5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

ETRF2014 FINAL COORD. wk 2085		12-JAN-20 11:46			
LOCAL GEODETIC DATUM: ETRF2014		EPOCH: 2019-12-25 12:00:00			
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
1	ACDR 13434M001	4594489.82423	-678368.01968	4357065.91472	W
34	ALDA 19383M001	4687280.47093	-190877.15538	4308106.59205	A
43	ALSA 19419M001	4677251.14668	-176770.97990	4319079.50476	A
45	AMUR 19388M001	4661499.75839	-244591.84432	4332269.51438	A
81	BLAZ 10074M002	4634456.37955	-124345.55859	4365785.09628	A
82	BIDA 00000M000	4644178.14068	-145778.90696	4354832.11584	A
92	BRZR 19387M001	4662221.30219	-220770.48438	4333309.07245	A
9	CACE 13447M001	4899866.75333	-544567.64350	4033769.81201	W
10	CANT 13438M001	4625924.61789	-307096.81475	4365771.18822	W
118	CHER 00000M000	4645880.64665	-125722.51048	4353624.00944	A
15	CREU 13432M001	4715420.49695	273177.46915	4271946.47744	W
17	EBRE 13410M001	4833520.31811	41536.78500	4147461.33858	W
139	ELGE 19353S001	4657557.71946	-202242.05814	4338991.50238	A
141	EMAZ 17001M001	4645924.51236	-276950.44909	4347759.20950	A
209	GERN 19389M001	4642811.63592	-217223.50627	4353278.51406	A
183	IGEL 19352S001	4645951.74976	-165575.08664	4352550.05315	A
188	ISPS 19484M001	4640596.79728	-206964.35991	4356391.54888	A
193	KAST 19499M001	4646949.38930	-240747.85840	4348014.62488	A
198	LARE 19440M001	4632832.25876	-279026.71991	4360314.06192	A
199	LAZK 19354S001	4666098.65618	-178186.77699	4330463.30357	A
203	LEIT 19428M001	4663521.25434	-155859.30299	4334519.51683	A
260	ORON 19427M001	4659696.09734	-130865.32034	4338948.51426	A
33	PASA 19351S001	4644909.38145	-156645.65131	4353622.71245	W
36	RI01 13448M002	4708447.13679	-199490.87316	4284089.36460	W
37	SALA 13469M001	4803054.75337	-462131.66897	4158378.69533	W
38	SOA 10088M002	4639940.82229	-136225.52445	4359552.04926	W
321	SOPU 19386M001	4643998.21677	-255914.48971	4350062.77587	A
342	TERU 13487M001	4867391.63104	-95523.95679	4108341.30038	A
375	VITO 19385M001	4679398.01056	-218437.09260	4314897.99552	A
49	YEBE 13420M001	4848724.85781	-261632.53444	4123093.94570	W
50	ZARA 13462M001	4773803.48797	-73506.58254	4215453.72115	W

6 Quality Control

6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGS14 solution and are given with respect the Local frame (North-East-Up).

ARA LAC 2085 WEEK FINAL COMBINATION: PRECISE ORBITS										12-JAN-20 11:46		
Station	#Days	Weekday 0123456	Repeatability (mm)									
			N	E	U							
ACOR 13434M001	4	XXXX	0.49	0.27	3.12							
ALDA 19383M001	7	XXXXXX	1.50	1.25	3.93							
ALSA 19419M001	7	XXXXXX	0.66	1.39	2.26							
AMUR 19388M001	7	XXXXXX	0.95	0.75	3.80							
BIAZ 10074M002	7	XXXXXX	1.08	0.55	3.79							
BIDA 00000M000	1	X	0.69	0.25	1.42							
BRZR 19387M001	7	XXXXXX	1.59	1.36	3.34							
CACE 13447M001	7	XXXXXX	0.69	0.77	2.24							
CANT 13438M001	7	XXXXXX	0.61	0.34	2.54							
CHER 00000M000	7	XXXXXX	1.77	1.30	2.37							
CREU 13432M001	7	XXXXXX	1.71	1.53	4.45							
EBRE 13410M001	7	XXXXXX	2.06	3.47	8.48							
ELGE 19353S001	7	XXXXXX	0.67	0.97	3.18							
EMAZ 17001M001	7	XXXXXX	0.94	1.26	2.97							
GERN 19389M001	7	XXXXXX	1.48	1.41	6.45							
IGEL 19352S001	7	XXXXXX	0.66	0.36	2.08							
ISPS 19484M001	7	XXXXXX	1.05	1.11	1.84							
KAST 19499M001	7	XXXXXX	0.39	1.27	1.25							
LARE 19440M001	7	XXXXXX	1.57	1.37	2.41							
LAZK 19354S001	7	XXXXXX	1.05	0.59	4.34							
LEIT 19428M001	6	XXXXXX	0.51	0.81	3.68							
ORON 19427M001	7	XXXXXX	1.11	2.38	1.61							
PASA 19351S001	7	XXXXXX	0.72	0.42	1.77							
RI01 13448M002	7	XXXXXX	0.83	1.16	2.19							
SALA 13469M001	7	XXXXXX	0.43	0.56	2.02							
SCDA 10088M002	7	XXXXXX	2.49	0.55	1.90							
SOPU 19386M001	7	XXXXXX	1.13	1.04	0.87							
TERU 13487M001	7	XXXXXX	0.88	2.54	3.86							
VITO 19385M001	7	XXXXXX	0.91	0.62	2.46							
YEBE 13420M001	7	XXXXXX	0.28	0.69	3.95							
ZARA 13462M001	7	XXXXXX	0.61	0.55	2.31							
Comparison of individual solutions:												
ACOR 13434M001	N	0.49	0.19	-0.21	0.70	-0.40						
ACOR 13434M001	E	0.27	-0.12	-0.15	0.33	-0.26						
ACOR 13434M001	U	3.12	-2.65	4.27	1.58	1.22						
ALDA 19383M001	N	1.50	-0.40	0.99	-0.51	-1.43	2.45	-1.39	1.44			
ALDA 19383M001	E	1.25	2.20	-0.86	-0.57	-0.21	-1.33	-1.05	0.74			
ALDA 19383M001	U	3.93	1.94	-8.47	-3.42	-0.07	-0.00	2.04	-1.15			
ALSA 19419M001	N	0.66	-0.48	0.31	-0.14	-0.92	1.17	0.20	-0.17			
ALSA 19419M001	E	1.39	-2.62	1.31	0.77	0.56	-0.20	0.81	1.19			
ALSA 19419M001	U	2.26	-2.35	0.80	-4.58	1.08	0.52	-1.00	1.02			
AMUR 19388M001	N	0.95	0.94	0.03	0.40	-1.38	1.13	0.49	0.94			
AMUR 19388M001	E	0.75	-0.07	0.82	0.27	-1.56	0.04	0.33	0.15			
AMUR 19388M001	U	3.80	-4.79	-4.41	-0.88	3.96	-3.53	-3.24	-2.24			
BIAZ 10074M002	N	1.08	-0.84	0.10	-2.07	0.97	-0.44	0.77	-0.48			
BIAZ 10074M002	E	0.55	-0.82	0.65	-0.32	-0.09	-0.13	0.77	-0.14			
BIAZ 10074M002	U	3.79	1.91	1.59	4.85	-2.10	1.41	-2.42	-6.63			
BIDA 00000M000	N	0.69							0.69			
BIDA 00000M000	E	0.25							-0.25			
BIDA 00000M000	U	1.42							1.42			
BRZR 19387M001	N	1.59	-2.62	-0.13	1.28	1.90	1.32	0.70	0.85			
BRZR 19387M001	E	1.36	-2.87	-0.13	0.70	1.00	0.73	0.62	0.61			
BRZR 19387M001	U	3.34	4.68	-3.34	-4.57	-1.53	2.43	1.62	1.36			
CACE 13447M001	N	0.69	-1.02	0.61	0.83	-0.21	-0.49	0.66	-0.06			
CACE 13447M001	E	0.77	-1.67	-0.18	0.09	-0.48	0.11	-0.05	0.70			
CACE 13447M001	U	2.24	-4.65	-0.11	-1.70	0.25	1.73	-0.18	1.54			
CANT 13438M001	N	0.61	0.45	0.56	-0.08	0.45	0.17	-1.12	-0.51			
CANT 13438M001	E	0.34	-0.44	0.14	0.54	0.33	0.07	-0.02	-0.28			
CANT 13438M001	U	2.54	3.72	-1.20	-1.69	-1.94	1.22	0.91	-3.81			
CHER 00000M000	N	1.77	-1.29	-0.71	-1.09	-0.90	0.88	-0.24	3.72			
CHER 00000M000	E	1.30	-2.26	-0.57	0.84	0.85	0.35	1.03	-1.48			
CHER 00000M000	U	2.37	-4.65	1.60	2.40	1.12	1.01	1.07	-0.55			
CREU 13432M001	N	1.71	-1.73	-1.63	0.63	3.33	-0.47	-0.30	-0.47			
CREU 13432M001	E	1.53	2.56	1.87	-0.95	-1.05	-0.10	-0.69	-1.23			
CREU 13432M001	U	4.45	7.84	2.28	2.17	-3.24	-5.97	1.01	0.26			
EBRE 13410M001	N	2.06	-0.36	2.25	-2.21	-1.56	3.09	-1.32	-1.30			
EBRE 13410M001	E	3.47	-6.63	-1.60	3.59	2.93	-0.17	1.22	1.66			
EBRE 13410M001	U	8.48	-9.53	-0.02	18.28	0.71	-1.47	0.92	1.70			
ELGE 19353S001	N	0.67	0.08	0.04	0.45	1.02	0.91	0.42	0.63			
ELGE 19353S001	E	0.97	1.75	-1.39	0.69	0.24	-0.18	0.03	-0.36			
ELGE 19353S001	U	3.18	0.65	-0.44	-2.31	4.10	4.40	-1.70	-3.93			
EMAZ 17001M001	N	0.94	-1.16	0.45	-0.69	-1.14	-0.47	-0.26	1.30			
EMAZ 17001M001	E	1.26	-2.59	0.16	0.05	0.16	1.13	1.04	0.66			
EMAZ 17001M001	U	2.97	2.32	-2.66	-3.20	2.85	-0.61	2.26	-4.08			
GERN 19389M001	N	1.48	0.04	-1.41	-0.19	1.01	-0.34	1.94	2.49			
GERN 19389M001	E	1.41	0.95	-2.62	1.09	0.22	-0.95	1.09	0.94			
GERN 19389M001	U	6.45	11.03	6.52	-7.00	-0.21	-1.80	-2.69	-5.09			
IGEL 19352S001	N	0.66	0.30	0.02	0.53	0.55	0.82	1.08	0.32			
IGEL 19352S001	E	0.36	0.23	0.32	0.65	-0.40	0.20	-0.05	-0.09			
IGEL 19352S001	U	2.08	2.59	-1.60	-0.92	1.05	1.91	0.67	-3.28			
ISPS 19484M001	N	1.05	1.69	-0.95	0.68	0.33	0.39	1.17	0.87			
ISPS 19484M001	E	1.11	-0.53	-1.36	0.95	-0.68	-1.52	1.14	0.48			
ISPS 19484M001	U	1.84	-1.21	-1.75	0.35	-0.20	3.39	0.21	-2.01			
KAST 19499M001	N	0.39	0.52	0.23	0.37	-0.08	0.61	0.25	0.17			
KAST 19499M001	E	1.27	-1.24	-1.44	1.96	0.36	-0.58	1.18	0.58			
KAST 19499M001	U	1.25	0.75	-0.20	-1.67	0.55	-0.04	2.31	-0.53			
LARE 19440M001	N	1.57	-2.55	-1.46	-0.64	-1.03	-0.70	1.20	1.68			
LARE 19440M001	E	1.37	-2.82	-0.24	1.07	0.30	1.05	0.56	0.74			
LARE 19440M001	U	2.41	-1.36	-3.58	-2.85	0.12	2.59	1.20	-1.97			
LAZK 19354S001	N	1.05	2.31	0.77	-0.14	-0.16	-0.19	0.67	0.40			
LAZK 19354S001	E	0.59	-0.96	0.95	0.20	0.13	0.43	0.19	-0.08			
LAZK 19354S001	U	4.34	-2.31	-3.23	-3.50	2.78	7.57	-3.56	2.71			

LEIT 19428M001	N	0.51	-0.23	0.14	-0.62	-0.40	0.75	0.35	
LEIT 19428M001	E	0.81	0.96	-0.42	0.34	0.16	-1.43	0.03	
LEIT 19428M001	U	3.68	3.88	-4.07	-4.83	2.02	-0.00	-2.93	
ORON 19427M001	N	1.11	0.39	1.06	-1.85	0.61	0.68	-0.99	-0.92
ORON 19427M001	E	2.38	-4.59	3.42	0.33	0.57	-0.05	0.64	0.50
ORON 19427M001	U	1.61	-0.52	3.14	0.83	-0.12	1.84	-0.52	-1.06
PASA 19351S001	N	0.72	0.14	0.18	0.12	0.31	1.29	0.75	0.86
PASA 19351S001	E	0.42	0.45	0.82	-0.42	-0.11	0.02	0.01	0.13
PASA 19351S001	U	1.77	2.30	0.82	-2.62	1.24	0.15	0.76	-1.95
RIO1 13448M002	N	0.83	-0.58	1.23	-1.03	0.40	0.45	-0.64	-0.67
RIO1 13448M002	E	1.16	-2.28	0.42	1.53	0.02	0.21	-0.20	0.45
RIO1 13448M002	U	2.19	1.88	0.70	0.61	-2.17	-2.49	-3.35	-1.50
SALA 13469M001	N	0.43	-0.19	-0.34	0.42	-0.05	-0.49	0.26	-0.70
SALA 13469M001	E	0.56	-1.01	0.62	0.00	0.25	0.01	-0.46	0.46
SALA 13469M001	U	2.02	0.33	3.50	1.95	1.52	0.50	-2.38	-0.44
SCDA 10088M002	N	2.49	2.99	0.71	2.38	1.63	1.19	-2.55	-3.41
SCDA 10088M002	E	0.55	0.06	0.64	-0.73	0.40	-0.21	0.51	0.62
SCDA 10088M002	U	1.90	-0.23	1.13	1.95	-1.23	0.89	-1.51	-3.47
SOPU 19386M001	N	1.13	-0.50	-0.53	-0.23	0.50	0.85	2.10	1.30
SOPU 19386M001	E	1.04	0.31	-1.07	0.91	0.11	-1.12	1.78	-0.18
SOPU 19386M001	U	0.87	0.43	-0.73	0.29	1.67	-0.96	0.02	0.06
TERU 13487M001	N	0.88	1.78	-0.74	-0.86	-0.08	-0.30	0.17	-0.18
TERU 13487M001	E	2.54	6.07	0.14	-0.38	-0.73	-1.05	-0.17	-0.25
TERU 13487M001	U	3.86	8.27	-3.25	0.95	-0.39	1.06	-1.14	2.63
VITO 19385M001	N	0.91	-1.01	0.43	-0.73	0.42	1.53	0.22	0.78
VITO 19385M001	E	0.62	-0.45	0.14	-0.43	-0.29	-1.06	0.43	0.71
VITO 19385M001	U	2.46	-3.65	-2.42	-0.67	0.36	-2.18	-2.13	-2.71
YEBE 13420M001	N	0.28	0.37	0.03	0.12	0.47	-0.18	-0.18	-0.20
YEBE 13420M001	E	0.69	1.52	-0.14	0.07	-0.36	0.01	0.07	-0.65
YEBE 13420M001	U	3.95	-8.08	-0.79	4.28	-1.07	1.58	0.30	-2.39
ZARA 13462M001	N	0.61	-1.15	0.73	0.19	0.19	-0.07	-0.47	-0.27
ZARA 13462M001	E	0.55	1.16	0.03	0.18	0.37	0.21	0.31	-0.44
ZARA 13462M001	U	2.31	3.00	-2.48	-2.63	1.11	-1.43	-2.37	-1.01

6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

LOCAL GEODETIC DATUM: IGS14
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
1	ACOR 13434M001	I W	0.68	-1.90	-2.30
2	ALAC 13433M001	I W	0.07	0.60	0.31
3	ALBA 13452M001	I W	-0.15	-0.05	-0.89
4	ALME 13437M001	I W	-2.61	0.67	-0.42
5	BCLN 13412M001	I W	0.63	0.53	1.29
7	BORR 13480M001	I W	-0.65	-1.78	-3.30
8	BRST 10004M004	I W	1.28	-1.12	1.37
9	CACE 13447M001	I W	0.59	0.07	4.26
10	CANT 13438M001	I W	0.71	-0.15	1.28
11	CARG 19412M001	I W	0.23	-0.81	-0.10
13	CEU1 13449M002	I W	-1.00	-0.65	-1.55
14	COBA 13453M001	I W	-0.08	0.22	-1.42
15	CREU 13432M001	I W	-0.18	0.91	-3.37
17	EBRE 13410M001	I W	-0.63	4.03	-1.92
18	ESCO 13435M001	I W	0.95	1.94	-0.56
19	FUNC 13911S001	I W	-1.39	-4.58	6.11
22	HUEL 13451M001	I W	-0.21	2.80	-1.92
23	IZAN 31309M002	I W	-2.00	-2.48	-1.14
25	LLIV 13436M001	I W	-1.28	2.97	0.67
26	LPAL 81701M001	I W	-3.32	-1.38	-1.50
27	LRDC 10023M001	I W	1.62	-0.24	1.62
28	MALA 13443M001	I W	-1.17	-1.57	2.46
29	MAS1 31303M002	I W	-1.17	-1.04	-0.69
32	MELI 19379M001	I W	-0.04	0.18	-0.29
33	PASA 19351S001	I W	0.04	0.10	-1.54
34	PDEL 31906M004	I W	7.61	4.71	0.11
36	RIO1 13448M002	I W	-0.34	-0.04	-0.88
37	SALA 13469M001	I W	-0.15	1.22	-0.86
38	SCOA 10088M002	I W	-1.18	0.52	-1.56
39	SFER 13402M004	I W	0.17	-2.02	0.54
42	SONS 13446M001	I W	-0.04	-0.56	-1.99
44	TERC 31909M001	I W	-2.15	-7.44	-2.86
46	VALA 13463M002	I W	-0.79	1.22	2.12
47	VALE 13439M001	I W	0.02	2.14	-1.32
48	VIGO 13450M001	I W	0.71	-0.89	3.38
49	YEBE 13420M001	I W	1.16	1.58	4.52
50	ZARA 13462M001	I W	1.02	2.04	-0.10
51	ZIMM 14001M004	I W	3.04	0.27	2.47
	RMS / COMPONENT		1.75	2.19	2.19
	MEAN		-0.00	0.00	0.00
	MIN		-3.32	-7.44	-3.37
	MAX		7.61	4.71	6.11

NUMBER OF PARAMETERS : 3
NUMBER OF COORDINATES : 114
RMS OF TRANSFORMATION : 2.06 MM

BARYCENTER COORDINATES:

LATITUDE : 39 39 43.40
LONGITUDE : - 5 25 51.41
HEIGHT : -51.717 KM

PARAMETERS:

TRANSLATION IN N : 0.00 +- 0.33 MM
TRANSLATION IN E : 0.00 +- 0.33 MM
TRANSLATION IN U : 0.00 +- 0.33 MM

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect the daily solutions are shown.

```

* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          16712625
NUMBER OF UNKNOWN               190676
NUMBER OF DEGREES OF FREEDOM    16521949
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)      180
VARIANCE FACTOR                  1.745081348613471

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")      Scale (ppm)
      X          Y          Z          X          Y          Z
-----
 1  0.00356    0.0140 -0.0270 -0.0199    0.0006 0.0008 -0.0007   -0.00001
 2  0.00241    0.0092 -0.0079 -0.0142    0.0002 0.0006 -0.0002   0.00016
 3  0.00201    0.0121  0.0275 -0.0033   -0.0005 0.0003 0.0008   -0.00055
 4  0.00161   -0.0016 -0.0142  0.0026    0.0002 -0.0001 -0.0004   -0.00033
 5  0.00192   -0.0092 -0.0047  0.0092   -0.0000 -0.0004 -0.0002   -0.00000
 6  0.00183   -0.0041  0.0118  0.0027   -0.0002 -0.0002  0.0004   0.00028
 7  0.00158    0.0071  0.0283 -0.0058   -0.0005 0.0003 0.0008   0.00002
    
```

```

Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
 1  0.00146    2320962    2.12          2350511      3          954      28598      0
 2  0.00135    2313374    1.83          2341471      3          960      27140      0
 3  0.00129    2324369    1.67          2351280      3          951      25963      0
 4  0.00129    2350698    1.66          2378404      3          978      26731      0
 5  0.00132    2388540    1.74          2417843      3          990      28316      0
 6  0.00126    2419967    1.59          2447699      3          996      26739      0
 7  0.00124    2398243    1.53          2425417      3          999      26178      0
    
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```

*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__ FIRMWARE____
ACOR  A   1 P 19:356:00000 19:359:86370 LEICA GR50      -----
ALDA  A   1 P 19:356:00000 19:362:86370 LEICA GR10      -----
ALSA  A   1 P 19:356:00000 19:362:86370 LEICA GR50      -----
AMUR  A   1 P 19:356:00000 19:362:86370 LEICA GR10      -----
BIAZ  A   1 P 19:356:00000 19:362:86370 TRI SP90M      -----
BIDA  A   1 P 19:360:30930 19:360:86370 LEICA GR10      -----
BRZR  A   1 P 19:356:00000 19:362:86370 LEICA GR30      -----
CACE  A   1 P 19:356:00000 19:362:86370 TRIMBLE NETR9  -----
CANT  A   1 P 19:356:00000 19:362:86370 LEICA GR10      -----
CHER  A   1 P 19:356:00000 19:362:30720 LEICA GRX1200+GNSS -----
CREU  A   1 P 19:356:00000 19:362:86370 LEICA GR50      -----
EBRE  A   1 P 19:356:00000 19:362:86370 LEICA GR50      -----
ELGE  A   1 P 19:356:00000 19:362:86370 LEICA GR30      -----
EMAZ  A   1 P 19:356:00000 19:362:86370 LEICA GR30      -----
GERN  A   1 P 19:356:00000 19:362:86370 LEICA GR30      -----
IGEL  A   1 P 19:356:00000 19:362:86370 LEICA GR30      -----
ISPS  A   1 P 19:356:00000 19:362:86370 TRIMBLE NETR9  -----
KAST  A   1 P 19:356:00000 19:362:86370 LEICA GR30      -----
LARE  A   1 P 19:356:00000 19:362:86370 LEICA GRX1200GGPRO -----
LAZK  A   1 P 19:356:00000 19:362:86370 LEICA GR30      -----
LEIT  A   1 P 19:356:00000 19:361:86370 LEICA GR50      -----
ORON  A   1 P 19:356:00000 19:362:86370 LEICA GR50      -----
PASA  A   1 P 19:356:00000 19:362:86370 LEICA GR30      -----
RIO1  A   1 P 19:356:00000 19:362:86370 LEICA GR25      -----
SALA  A   1 P 19:356:00000 19:362:86370 LEICA GRX1200+GNSS -----
SCOA  A   1 P 19:356:00000 19:362:86370 LEICA GR25      -----
SOPU  A   1 P 19:356:00000 19:362:86370 LEICA GR30      -----
TERU  A   1 P 19:356:00000 19:362:86370 LEICA GRX1200GGPRO -----
VITO  A   1 P 19:356:00000 19:362:86370 LEICA GR10      -----
YEBE  A   1 P 19:356:00000 19:362:86370 TRIMBLE NETR9  -----
ZARA  A   1 P 19:356:00000 19:362:86370 TRIMBLE NETR9  -----
    
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```

*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__
ACOR  A   1 P 19:356:00000 19:359:86370 LEIAT504      LEIS -----
ALDA  A   1 P 19:356:00000 19:362:86370 LEIAS10      NONE -----
ALSA  A   1 P 19:356:00000 19:362:86370 LEIAR10      NONE -----
AMUR  A   1 P 19:356:00000 19:362:86370 LEIAS10      NONE -----
BIAZ  A   1 P 19:356:00000 19:362:86370 LEIAR25      LEIT -----
    
```

BIDA	A	1	P	19:360:30930	19:360:86370	LEIAS10	NONE	----
BRZR	A	1	P	19:356:00000	19:362:86370	LEIAS10	NONE	----
CACE	A	1	P	19:356:00000	19:362:86370	TRM29659.00	NONE	----
CANT	A	1	P	19:356:00000	19:362:86370	LEIAR25_R4	LEIT	25066
CHER	A	1	P	19:356:00000	19:362:30720	LEIAX1203+GNSS	NONE	----
CREU	A	1	P	19:356:00000	19:362:86370	LEIAR25_R4	NONE	26357
EBRE	A	1	P	19:356:00000	19:362:86370	LEIAR25_R4	NONE	26359
ELGE	A	1	P	19:356:00000	19:362:86370	LEIAR25_R4	LEIT	----
EMAZ	A	1	P	19:356:00000	19:362:86370	LEIAS10	NONE	----
GERN	A	1	P	19:356:00000	19:362:86370	LEIAS10	NONE	----
IGEL	A	1	P	19:356:00000	19:362:86370	LEIAR20	LEIM	----
ISPS	A	1	P	19:356:00000	19:362:86370	TRM59900.00	SCIS	----
KAST	A	1	P	19:356:00000	19:362:86370	LEIAS10	NONE	----
LARE	A	1	P	19:356:00000	19:362:86370	LEIAT504	NONE	----
LAZK	A	1	P	19:356:00000	19:362:86370	LEIAR25_R4	LEIT	----
LEIT	A	1	P	19:356:00000	19:361:86370	LEIAR10	NONE	----
ORDN	A	1	P	19:356:00000	19:362:86370	LEIAR10	NONE	----
PASA	A	1	P	19:356:00000	19:362:86370	LEIAR20	LEIM	73034
RID1	A	1	P	19:356:00000	19:362:86370	LEIAR25_R4	LEIT	25138
SALA	A	1	P	19:356:00000	19:362:86370	LEIAR25	NONE	----
SCDA	A	1	P	19:356:00000	19:362:86370	TRM55971.00	NONE	----
SOPU	A	1	P	19:356:00000	19:362:86370	LEIAS10	NONE	----
TERU	A	1	P	19:356:00000	19:362:86370	LEIAT504GG	LEIS	----
VITO	A	1	P	19:356:00000	19:362:86370	LEIAS10	NONE	----
YEBE	A	1	P	19:356:00000	19:362:86370	TRM29659.00	NONE	----
ZARA	A	1	P	19:356:00000	19:362:86370	TRM29659.00	NONE	----

7.3 Eccentricities

*SITE	PT	SOLN	T	DATA_START_	DATA_END_	AXE	ARP->BENCHMARK(M)	UP	NORTH	EAST
ACOR	A	1	P	19:356:00000	19:359:86370	UNE	3.0460	0.0000	0.0000	0.0000
ALDA	A	1	P	19:356:00000	19:362:86370	UNE	0.0000	0.0000	0.0000	0.0000
ALSA	A	1	P	19:356:00000	19:362:86370	UNE	0.0000	0.0000	0.0000	0.0000
AMUR	A	1	P	19:356:00000	19:362:86370	UNE	0.0000	0.0000	0.0000	0.0000
BIAZ	A	1	P	19:356:00000	19:362:86370	UNE	0.0000	0.0000	0.0000	0.0000
BIDA	A	1	P	19:360:30930	19:360:86370	UNE	0.0000	0.0000	0.0000	0.0000
BRZR	A	1	P	19:356:00000	19:362:86370	UNE	0.0771	0.0000	0.0000	0.0000
CACE	A	1	P	19:356:00000	19:362:86370	UNE	0.0600	0.0000	0.0000	0.0000
CANT	A	1	P	19:356:00000	19:362:86370	UNE	3.0490	0.0000	0.0000	0.0000
CHER	A	1	P	19:356:00000	19:362:30720	UNE	0.0000	0.0000	0.0000	0.0000
CREU	A	1	P	19:356:00000	19:362:86370	UNE	0.0770	0.0000	0.0000	0.0000
EBRE	A	1	P	19:356:00000	19:362:86370	UNE	0.0770	0.0000	0.0000	0.0000
ELGE	A	1	P	19:356:00000	19:362:86370	UNE	0.0000	0.0000	0.0000	0.0000
EMAZ	A	1	P	19:356:00000	19:362:86370	UNE	0.0350	0.0000	0.0000	0.0000
GERN	A	1	P	19:356:00000	19:362:86370	UNE	0.0771	0.0000	0.0000	0.0000
IGEL	A	1	P	19:356:00000	19:362:86370	UNE	0.0000	0.0000	0.0000	0.0000
ISPS	A	1	P	19:356:00000	19:362:86370	UNE	0.0350	0.0000	0.0000	0.0000
KAST	A	1	P	19:356:00000	19:362:86370	UNE	0.0350	0.0000	0.0000	0.0000
LARE	A	1	P	19:356:00000	19:362:86370	UNE	0.0000	0.0000	0.0000	0.0000
LAZK	A	1	P	19:356:00000	19:362:86370	UNE	0.0000	0.0000	0.0000	0.0000
LEIT	A	1	P	19:356:00000	19:361:86370	UNE	0.0000	0.0000	0.0000	0.0000
ORDN	A	1	P	19:356:00000	19:362:86370	UNE	0.0000	0.0000	0.0000	0.0000
PASA	A	1	P	19:356:00000	19:362:86370	UNE	0.0000	0.0000	0.0000	0.0000
RID1	A	1	P	19:356:00000	19:362:86370	UNE	0.0606	0.0000	0.0000	0.0000
SALA	A	1	P	19:356:00000	19:362:86370	UNE	0.0600	0.0000	0.0000	0.0000
SCDA	A	1	P	19:356:00000	19:362:86370	UNE	0.0000	0.0000	0.0000	0.0000
SOPU	A	1	P	19:356:00000	19:362:86370	UNE	0.0771	0.0000	0.0000	0.0000
TERU	A	1	P	19:356:00000	19:362:86370	UNE	0.0600	0.0000	0.0000	0.0000
VITO	A	1	P	19:356:00000	19:362:86370	UNE	0.0000	0.0000	0.0000	0.0000
YEBE	A	1	P	19:356:00000	19:362:86370	UNE	0.0000	0.0000	0.0000	0.0000
ZARA	A	1	P	19:356:00000	19:362:86370	UNE	3.2590	0.0000	0.0000	0.0000

8 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

2020-01-07	13:36	UTC		ELGE3560.190		RECEIVER SER. NO.		1703003	->	1700003
2020-01-06	23:25	UTC		ELGE3570.190		RECEIVER SER. NO.		1703003	->	1700003
2020-01-07	23:31	UTC		ELGE3580.190		RECEIVER SER. NO.		1703003	->	1700003
2020-01-09	10:49	UTC		ELGE3590.190		RECEIVER SER. NO.		1703003	->	1700003
2020-01-09	23:32	UTC		ELGE3600.190		RECEIVER SER. NO.		1703003	->	1700003
2020-01-10	23:26	UTC		ELGE3610.190		RECEIVER SER. NO.		1703003	->	1700003
2020-01-11	23:25	UTC		ELGE3620.190		RECEIVER SER. NO.		1703003	->	1700003

9 References


C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. etrs89.ensg.ign.fr/memo-V8.pdf

EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf


Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf

10 Cumulative Time Series


Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.




1) ACOR




2) ALDA




3) AMUR




4) BIAZ




5) BIDA




6) CACE




7) CANT




8) CHER




9) EBRE




10) ELGE




11) EMAZ




12) IGEL




13) ISPS




14) KAST




15) LAZK




16) LEIT




17) ORON




18) PASA




19) RIO1




20) SALA




21) SOPU



22) TERU



23) VITO



24) ZARA