

# ARA-DAC Weekly Analysis Result: 2111 (GFA)

## Technical Report

**GPS Week: 2111 (GFA)**

<http://geolabpasaia.org/gnss/ARA-euref/>

**ARA-DAC details:**

Contact person: J. Zurutuza

Contact mail: [geodesia@aranzadi.eus](mailto:geodesia@aranzadi.eus)


Report generated on 2020/07/12 at 05:38:42



# 1 Introduction

In may 2015 ARA (EUREF’s acronym of the ARANZADI’s Department of Applied Geodesy), kicks off as a EUREF’s Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF’s EPN Densification Project.

# 2 Map of Computed Sites



GM 2020 Jul 12 05:38:35

Fig.1: Computed Sites for GPS Week2111 (GFA)

### 3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase,  $L_1$  and  $L_2$ ; a priori sigma of single differences: 0.002 m.
  - sampling (for ambiguity resolution): 30 s
  - sampling (for final processing): 180 s
  - Systems: GPS+GLONASS observations are used (Galileo also used if available from GPSW 1986 on)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV\_COD.I14 file and individual calibrations from EPNC\_14.ATX. EPN\_A class sites (CRD + VEL) IGS14 used to define the reference frame (from GPSW 1934). If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
  - 3 deg elev. cutoff; elevation dependent weighting
  - VMF1 mapping function. ZPD parameters are estimated using the VMF1 mapping function.
  - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

### 4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3\*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
  - Code-Based Wideline (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
  - Phase-Based Wideline ( $L_5$ ) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
  - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
  - Direct  $L_1/L_2$  AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.



## 5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

### 5.1 IGS14

The Reference Frame considered in this section is IGS14, release C2085.

ARA LAC 2111 WEEK FINAL COMBINATION: PRECISE ORBITS 11-JUL-20 23:12

---

LOCAL GEODETIC DATUM: IGS14 EPOCH: 2020-06-24 12:00:00

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
4	ACOR 13434M001	4594489.54672	-678367.42251	4357066.29439	W
39	ALDA 19383M001	4687280.14511	-190876.54591	4308106.96851	A
50	ALSA 19419M001	4677250.81990	-176770.37282	4319079.88902	A
53	AMUR 19388M001	4661499.43335	-244591.23870	4332269.89776	A
100	BIAZ 10074M002	4634456.03318	-124344.96710	4365785.46856	A
101	BIDA 00000M000	4644177.80650	-145778.30222	4354832.49406	A
113	BRZR 19387M001	4662220.97567	-220769.87963	4333309.45395	A
98	CACE 13447M001	4899866.49236	-544567.01760	4033770.21803	W
109	CANT 13438M001	4625924.29807	-307096.21579	4365771.56846	W
154	CHER 00000M000	4645880.30446	-125721.90602	4353624.38539	A
154	CREU 13432M001	4715420.11575	273178.07850	4271946.85396	W
190	EBRE 13410M001	4833519.97488	41537.41091	4147461.73170	W
180	ELGE 19353S001	4657557.38904	-202241.45435	4338991.88363	A
182	EMAZ 17001M001	4645924.19134	-276949.84687	4347759.59019	A
209	GERN 19389M001	4642811.30253	-217222.90521	4353278.89217	A
235	IGEL 19352S001	4645951.41330	-165574.48420	4352550.43208	A
240	ISPS 19484M001	4640596.46392	-206963.75770	4356391.92645	A
245	KAST 19499M001	4646949.06360	-240747.25422	4348015.00488	A
252	LARE 19440M001	4632831.93754	-279026.12025	4360314.43942	A
256	LAZK 19354S001	4666098.32414	-178186.17096	4330463.68434	A
261	LEIT 19428M001	4663520.92238	-155858.69870	4334519.89822	A
334	ORON 19427M001	4659695.76428	-130864.71410	4338948.89676	A
456	PASA 19351S001	4644909.04190	-156645.04903	4353623.08828	W
513	RID1 13448M002	4708446.81361	-199490.26529	4284089.75097	W
518	SALA 13469M001	4803054.46988	-462131.05095	4158379.08928	W
526	SCDA 10088M002	4639940.48110	-136224.92157	4359552.42811	W
418	SOPU 19386M001	4643997.89018	-255913.88699	4350063.15435	A
443	TERU 13487M001	4867391.30740	-95523.33340	4108341.69457	A
493	VITO 19385M001	4679397.68320	-218436.48692	4314898.37899	A
698	YEBE 13420M001	4848724.55405	-261631.91000	4123094.34163	W
701	ZARA 13462M001	4773803.15143	-73505.96343	4215454.10856	W

### 5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

ETRF2000 FINAL COORD. wk 2111 11-JUL-20 23:12

---

LOCAL GEODETIC DATUM: ETRF2000 EPOCH: 2020-06-24 12:00:00

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
4	ACOR 13434M001	4594489.86232	-678367.98081	4357065.86434	W
39	ALDA 19383M001	4687280.51630	-190877.11309	4308106.53737	A
50	ALSA 19419M001	4677251.19358	-176770.93888	4319079.45885	A
53	AMUR 19388M001	4661499.79976	-244591.80326	4332269.46797	A
100	BIAZ 10074M002	4634456.41654	-124345.51837	4365785.40240	A
101	BIDA 00000M000	4644178.18649	-145778.86461	4354832.06687	A
113	BRZR 19387M001	4662221.34504	-220770.44420	4333309.02441	A
98	CACE 13447M001	4899866.80104	-544567.60834	4033769.76565	W
109	CANT 13438M001	4625924.65931	-307096.77668	4365771.14068	W
154	CHER 00000M000	4645880.68679	-125722.46853	4353623.95832	A
154	CREU 13432M001	4715420.50403	273177.51001	4271946.42633	W
190	EBRE 13410M001	4833520.36267	41536.82886	4147461.29193	W
180	ELGE 19353S001	4657557.76106	-202242.01836	4338991.45469	A
182	EMAZ 17001M001	4645924.55495	-276950.40985	4347759.16122	A
209	GERN 19389M001	4642811.67376	-217223.46767	4353278.46419	A
235	IGEL 19352S001	4645951.79073	-165575.04685	4352550.00451	A
240	ISPS 19484M001	4640596.83661	-206964.31989	4356391.49878	A
245	KAST 19499M001	4646949.43161	-240747.81720	4348014.57629	A
252	LARE 19440M001	4632832.30179	-279026.68181	4360314.01145	A
256	LAZK 19354S001	4666098.69846	-178186.73581	4330463.25502	A
261	LEIT 19428M001	4663521.29970	-155859.26321	4334519.46939	A
334	ORON 19427M001	4659696.14494	-130865.27812	4338948.46854	A
456	PASA 19351S001	4644909.42048	-156645.61153	4353622.66090	W
513	RID1 13448M002	4708447.18204	-199490.83476	4284089.31806	W
518	SALA 13469M001	4803054.79750	-462131.63124	4158378.64560	W
526	SCDA 10088M002	4639940.86258	-136225.48347	4359552.00137	W
418	SOPU 19386M001	4643998.25649	-255914.44969	4350062.72580	A
443	TERU 13487M001	4867391.67582	-95523.91955	4108341.25043	A
493	VITO 19385M001	4679398.05154	-218437.05333	4314897.94813	A
698	YEBE 13420M001	4848724.90343	-261632.49466	4123093.89689	W
701	ZARA 13462M001	4773803.53019	-73506.53951	4215453.67208	W

### 5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

ETRF2014 FINAL COORD. wk 2111		11-JUL-20 23:12			
LOCAL GEODETIC DATUM: ETRF2014		EPOCH: 2020-06-24 12:00:00			
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
4	ACDR 13434M001	4594489.82011	-678368.01899	4357065.91323	W
39	ALDA 19383M001	4687280.47182	-190877.15265	4308106.58616	A
50	ALSA 19419M001	4677251.14916	-176770.97853	4319079.50766	A
53	AMUR 19388M001	4661499.75571	-244591.84273	4332269.51680	A
100	BIAZ 10074M002	4634456.37239	-124345.55839	4365785.09135	A
101	BIDA 00000M000	4644178.14230	-145778.90451	4354832.11579	A
113	BRZR 19387M001	4662221.30091	-220770.48376	4333309.07324	A
98	CACE 13447M001	4899866.75527	-544567.64577	4033769.81386	W
109	CANT 13438M001	4625924.61580	-307096.81607	4365771.18957	W
154	CHER 00000M000	4645880.64252	-125722.50849	4353624.00724	A
154	CREU 13432M001	4715420.49407	273177.46892	4271946.47535	W
190	EBRE 13410M001	4833520.31589	41536.78906	4147461.34051	W
180	ELGE 19353S001	4657557.71692	-202242.05800	4338991.50354	A
182	EMAZ 17001M001	4645924.51115	-276950.44927	4347759.21007	A
209	GERN 19389M001	4642811.62981	-217223.50731	4353278.51308	A
235	IGEL 19352S001	4645951.74659	-165575.08666	4352550.05341	A
240	ISPS 19484M001	4640596.79266	-206964.35958	4356391.54767	A
245	KAST 19499M001	4646949.38769	-240747.86674	4348014.62515	A
252	LARE 19440M001	4632832.25813	-279026.72127	4360314.06034	A
256	LAZK 19354S001	4666098.65416	-178186.77551	4330463.30387	A
261	LEIT 19428M001	4663521.25535	-155859.30300	4334519.51825	A
334	ORON 19427M001	4659696.10055	-130865.31800	4338948.51742	A
456	PASA 19351S001	4644909.37633	-156645.65139	4353622.70981	W
513	RI01 13448M002	4708447.13737	-199490.87421	4284089.36679	W
518	SALA 13469M001	4803054.75258	-462131.66936	4158378.69403	W
526	SOA 10088M002	4639940.81841	-136225.52342	4359552.05030	W
418	SOPU 19386M001	4643998.21265	-255914.48919	4350062.77466	A
443	TERU 13487M001	4867391.62913	-95523.95872	4108341.29886	A
493	VITO 19385M001	4679398.00723	-218437.09283	4314897.99692	A
698	YEBE 13420M001	4848724.85745	-261632.53332	4123093.94528	W
701	ZARA 13462M001	4773803.48443	-73506.57914	4215453.72072	W

## 6 Quality Control

### 6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGS14 solution and are given with respect the Local frame (North-East-Up).

ARA LAC 2111 WEEK FINAL COMBINATION: PRECISE ORBITS 11-JUL-20 23:12

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACOR 13434M001	7	XXXXXX	0.69	1.08	4.57
ALDA 19383M001	7	XXXXXX	1.87	1.03	3.87
ALSA 19419M001	7	XXXXXX	1.22	0.44	3.20
AMUR 19388M001	7	XXXXXX	0.69	0.56	4.01
BLAZ 10074M002	7	XXXXXX	0.48	0.55	3.75
BIDA 00000M000	7	XXXXXX	0.51	0.89	3.65
BRZR 19387M001	7	XXXXXX	1.29	1.02	2.73
CACE 13447M001	7	XXXXXX	0.32	0.80	3.88
CANT 13438M001	7	XXXXXX	1.10	0.64	3.48
CHER 00000M000	7	XXXXXX	0.79	1.69	3.33
CREU 13432M001	7	XXXXXX	2.23	1.28	4.18
EBRE 13410M001	7	XXXXXX	1.27	0.85	3.40
ELGE 19353S001	7	XXXXXX	1.18	0.77	3.25
EMAZ 17001M001	7	XXXXXX	0.47	0.76	3.46
GERN 19389M001	7	XXXXXX	0.96	1.31	2.82
IGEL 19352S001	7	XXXXXX	0.77	1.27	2.80
ISPS 19484M001	7	XXXXXX	1.28	1.53	2.96
KAST 19499M001	7	XXXXXX	1.02	1.39	4.71
LARE 19440M001	7	XXXXXX	1.68	1.34	3.73
LAZK 19354S001	7	XXXXXX	0.57	0.61	3.58
LEIT 19428M001	6	XX XXXX	0.56	0.95	3.37
ORON 19427M001	6	XX XXXX	1.09	0.65	3.78
PASA 19351S001	7	XXXXXX	0.40	0.89	4.12
RI01 13448M002	7	XXXXXX	1.30	0.80	2.68
SALA 13469M001	7	XXXXXX	0.72	0.68	1.80
SCDA 10088M002	7	XXXXXX	1.13	2.23	3.55
SOPU 19386M001	7	XXXXXX	0.78	0.99	2.95
TERU 13487M001	7	XXXXXX	0.69	0.88	2.14
VITO 19385M001	7	XXXXXX	0.73	0.51	2.66
YEBE 13420M001	7	XXXXXX	0.50	1.11	2.38
ZARA 13462M001	7	XXXXXX	0.57	0.67	3.55

Comparison of individual solutions:

ACOR 13434M001	N	0.69	-0.31	-0.20	0.80	-0.68	-0.72	1.06	-0.14
ACOR 13434M001	E	1.08	0.68	0.33	-0.14	2.34	0.37	-0.93	-0.01
ACOR 13434M001	U	4.57	1.27	1.31	1.50	-3.41	2.91	9.90	1.25
ALDA 19383M001	N	1.87	3.16	0.08	1.68	0.74	-0.96	-2.54	0.46
ALDA 19383M001	E	1.03	-0.64	-1.86	0.52	0.17	-0.34	-0.98	-1.03
ALDA 19383M001	U	3.87	-5.39	-1.99	-3.77	0.28	2.27	2.47	-5.58
ALSA 19419M001	N	1.22	1.21	1.24	0.02	-1.64	-1.79	0.28	0.20
ALSA 19419M001	E	0.44	-0.56	0.14	0.32	-0.06	0.22	-0.02	-0.81
ALSA 19419M001	U	3.20	-0.88	0.22	-5.65	1.28	2.31	-4.39	-1.62
AMUR 19388M001	N	0.69	0.31	-1.25	-0.93	0.04	0.17	-0.40	0.42
AMUR 19388M001	E	0.56	-0.25	-0.23	-0.13	1.16	0.10	0.60	0.00
AMUR 19388M001	U	4.01	-1.16	-1.26	-2.11	-0.62	0.87	-8.49	3.97
BLAZ 10074M002	N	0.48	-0.18	-0.46	-0.30	-0.16	0.75	0.56	-0.34
BLAZ 10074M002	E	0.65	-1.03	-0.38	-0.09	-0.76	-0.11	-0.77	0.32
BLAZ 10074M002	U	3.75	3.72	0.66	-1.44	-2.85	-7.65	-0.67	1.05
BIDA 00000M000	N	0.51	-0.16	-1.04	0.36	-0.05	-0.20	0.29	0.42
BIDA 00000M000	E	0.89	-0.32	-0.31	-0.47	0.96	-1.18	-1.41	-0.14
BIDA 00000M000	U	3.65	2.50	-4.77	-5.40	1.63	0.94	2.73	-3.28
BRZR 19387M001	N	1.29	0.54	-0.91	0.85	0.97	0.12	-2.67	0.16
BRZR 19387M001	E	1.02	-0.44	-1.57	0.65	-1.09	0.29	0.74	-1.17
BRZR 19387M001	U	2.73	0.99	-1.06	-2.12	-0.82	0.29	-5.92	-1.58
CACE 13447M001	N	0.32	-0.21	0.25	0.39	-0.10	0.10	0.57	-0.14
CACE 13447M001	E	0.80	1.09	1.43	-0.68	-0.18	-0.11	0.19	0.26
CACE 13447M001	U	3.88	-3.40	1.18	6.43	5.88	-0.32	-0.37	-1.04
CANT 13438M001	N	1.10	0.18	-2.15	0.38	0.78	-0.07	0.42	1.28
CANT 13438M001	E	0.64	-0.35	-1.04	-0.11	0.79	-0.43	0.47	-0.43
CANT 13438M001	U	3.48	-4.33	3.01	-4.19	1.97	-4.20	-2.19	-0.96
CHER 00000M000	N	0.79	0.15	0.72	1.54	-0.42	-0.63	-0.49	-0.09
CHER 00000M000	E	1.69	-1.20	-0.09	3.65	0.09	-0.44	-0.95	-1.11
CHER 00000M000	U	3.33	1.63	-3.22	-2.38	1.70	4.52	-4.63	-1.69
CREU 13432M001	N	2.23	-4.02	-1.11	-0.41	0.14	3.40	-0.18	0.87
CREU 13432M001	E	1.28	-1.48	0.24	-0.49	-0.42	2.47	0.58	-0.85
CREU 13432M001	U	4.18	3.38	0.61	-3.99	-8.37	0.69	0.16	2.61
EBRE 13410M001	N	1.27	-0.50	-2.05	0.06	-0.24	2.07	-0.93	0.02
EBRE 13410M001	E	0.85	-0.51	1.69	-0.46	-0.29	-0.58	0.47	-0.57
EBRE 13410M001	U	3.40	-1.66	5.17	-0.03	-1.16	2.19	-5.73	1.01
ELGE 19353S001	N	1.18	1.06	-0.42	0.63	1.47	-0.91	-1.91	0.26
ELGE 19353S001	E	0.77	-1.38	-0.17	0.27	-1.21	-0.11	0.05	-0.24
ELGE 19353S001	U	3.25	-0.13	1.29	-2.07	1.35	-2.69	-6.95	0.08
EMAZ 17001M001	N	0.47	-0.45	0.39	-0.26	0.60	0.32	0.07	0.64
EMAZ 17001M001	E	0.76	0.07	-0.27	0.46	0.84	-1.10	-0.04	-1.14
EMAZ 17001M001	U	3.46	-7.10	0.68	-1.84	0.16	-3.96	-1.04	1.01
GERN 19389M001	N	0.96	-0.34	-1.97	-0.22	-0.21	1.00	0.19	0.63
GERN 19389M001	E	1.31	-0.13	-0.75	0.65	-0.68	-1.93	1.68	-1.51
GERN 19389M001	U	2.82	2.54	0.34	-4.02	-0.79	-3.96	-2.24	-1.89
IGEL 19352S001	N	0.77	-0.78	0.39	0.56	-0.24	0.67	-1.39	-0.04
IGEL 19352S001	E	1.27	-0.36	0.13	1.59	-0.89	-1.78	-1.74	0.13
IGEL 19352S001	U	2.80	1.71	0.66	-4.68	-0.33	-1.88	-2.26	-3.60
ISPS 19484M001	N	1.28	1.53	0.95	-1.65	0.54	-0.09	-1.84	-0.51
ISPS 19484M001	E	1.53	-1.44	-1.77	-0.92	-0.69	-0.91	2.53	0.50
ISPS 19484M001	U	2.96	-2.29	-4.59	-0.89	-0.38	-1.13	-3.92	2.97
KAST 19499M001	N	1.02	1.15	-1.08	0.12	0.12	0.09	-1.83	0.65
KAST 19499M001	E	1.39	-1.55	-1.48	-0.29	0.34	-0.42	2.12	-1.46
KAST 19499M001	U	4.71	-0.83	-4.44	-5.88	-3.41	-1.23	7.45	-3.10
LARE 19440M001	N	1.68	1.04	0.21	0.53	1.70	-2.42	-2.04	1.59
LARE 19440M001	E	1.34	-1.05	0.59	1.29	-0.98	-0.59	1.65	-1.91
LARE 19440M001	U	3.73	-4.52	-1.26	-2.65	5.04	-0.71	-5.20	-1.25
LAZK 19354S001	N	0.57	-0.35	-0.46	-0.02	-0.66	0.82	0.41	-0.56
LAZK 19354S001	E	0.61	-0.22	-0.50	0.46	-0.68	-0.06	0.90	-0.66
LAZK 19354S001	U	3.58	0.92	2.64	-1.63	2.18	-5.67	-5.29	-1.19

LEIT 19428M001	N	0.56	0.31	-0.59	0.30	-1.02	-0.00	-0.02
LEIT 19428M001	E	0.95	-1.05	-0.14	1.34	-0.17	0.28	-1.23
LEIT 19428M001	U	3.37	-4.38	2.45	-2.09	-1.48	3.89	-3.16
ORDN 19427M001	N	1.09	-0.08	0.03	1.13	0.14	-2.16	-0.11
ORDN 19427M001	E	0.65	0.47	-1.16	0.01	0.18	-0.01	-0.69
ORDN 19427M001	U	3.78	-2.29	-2.15	6.38	-0.54	-1.46	-4.31
PASA 19351S001	N	0.40	0.06	-0.80	0.24	-0.10	0.05	-0.48
PASA 19351S001	E	0.89	-0.20	-0.56	1.05	-0.19	-1.49	-0.64
PASA 19351S001	U	4.12	1.64	-5.38	-4.88	5.02	-4.06	-1.94
RIO1 13448M002	N	1.30	-0.86	-1.37	1.23	-2.10	1.00	0.33
RIO1 13448M002	E	0.80	-0.61	1.22	0.36	0.39	-0.79	-0.96
RIO1 13448M002	U	2.68	1.80	-1.25	-5.21	2.12	-1.35	-1.75
SALA 13469M001	N	0.72	-0.03	-0.72	-1.03	0.83	0.09	0.40
SALA 13469M001	E	0.68	-0.19	0.03	1.58	-0.25	-0.44	-0.00
SALA 13469M001	U	1.80	-1.56	0.45	0.42	2.14	0.03	2.19
SCDA 10088M002	N	1.13	-0.56	-0.31	1.64	0.82	0.04	-1.97
SCDA 10088M002	E	2.23	0.41	-0.89	1.84	1.28	-1.70	-4.51
SCDA 10088M002	U	3.55	0.93	-2.06	-7.08	0.69	-2.90	3.26
SOPU 19386M001	N	0.78	-0.09	-0.42	-0.41	0.64	-0.45	-1.24
SOPU 19386M001	E	0.99	-0.53	-0.94	1.23	0.30	-0.99	-0.34
SOPU 19386M001	U	2.95	1.50	-2.17	-4.08	1.64	-3.51	0.43
TERU 13487M001	N	0.69	-0.22	0.03	0.05	-1.05	0.54	-0.59
TERU 13487M001	E	0.88	-0.52	-0.69	-0.19	1.74	-0.83	-0.42
TERU 13487M001	U	2.14	-0.21	-1.10	-0.21	-4.50	1.28	2.08
VITO 19385M001	N	0.73	0.96	-0.80	0.39	0.56	-0.65	-0.35
VITO 19385M001	E	0.51	0.01	-0.02	0.79	0.23	0.13	0.16
VITO 19385M001	U	2.66	0.06	-2.76	-4.87	-0.15	-0.16	-2.69
YEBE 13420M001	N	0.50	-0.21	0.07	-0.28	-0.79	0.62	0.54
YEBE 13420M001	E	1.11	-1.18	0.22	0.48	1.30	1.94	-0.48
YEBE 13420M001	U	2.38	1.96	-0.35	3.20	-1.47	4.17	-0.57
ZARA 13462M001	N	0.57	-0.50	-0.82	-0.13	0.71	0.21	-0.03
ZARA 13462M001	E	0.67	-0.37	0.43	-0.27	0.82	-0.21	-0.70
ZARA 13462M001	U	3.55	-2.91	-4.35	-6.32	-1.78	-0.23	-2.06

## 6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

LOCAL GEODETIC DATUM: IGS14  
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
4	ACOR 13434M001	I W	-0.46	-0.53	1.69
10	ALAC 13433M001	I W	-0.47	0.45	1.90
13	ALBA 13452M001	I W	0.45	-1.29	-1.56
19	ALME 13437M001	I W	-0.04	1.79	-1.16
41	BCLN 13412M001	I W	-0.77	0.59	-1.25
46	BELL 13431M001	I W	-0.59	-0.52	1.56
65	BORR 13480M001	I W	0.15	-1.93	-1.54
70	BRST 10004M004	I W	-2.53	0.52	-1.03
98	CACE 13447M001	I W	0.81	1.96	0.89
109	CANT 13438M001	I W	-0.95	1.14	1.50
110	CARG 19412M001	I W	0.16	0.34	-1.98
121	CEU1 13449M002	I W	-0.04	1.06	-3.93
135	COBA 13453M001	I W	1.21	0.92	-5.74
154	CREU 13432M001	I W	-0.42	1.92	0.02
190	EBRE 13410M001	I W	-2.82	-0.35	-1.16
208	ESCO 13435M001	I W	0.33	3.40	-3.85
219	FUNC 13911S001	I W	-1.92	-10.81	-4.41
286	HUEL 13451M001	I W	2.50	-2.42	-7.91
300	IZAN 13109M002	I W	1.49	2.02	-2.26
359	LLIV 13436M001	I W	-0.28	0.57	1.40
364	LPAL 81701M001	I W	-0.17	0.97	-1.06
366	LROC 10023M001	I W	0.76	0.46	0.37
400	MELI 19379M001	I W	1.17	-1.08	-2.91
456	PASA 19351S001	I W	-1.35	0.53	3.51
464	PDEL 13196M004	I W	4.41	-0.61	7.64
513	RIO1 13448M002	I W	-1.30	1.44	-1.97
518	SALA 13469M001	I W	1.10	1.41	1.27
526	SCOA 10088M002	I W	-5.07	-0.00	-0.01
557	SONS 13446M001	I W	-0.91	0.92	-3.46
588	TERC 13190M001	I W	4.12	-4.26	-1.66
654	VALA 13463M002	I W	0.59	-0.17	0.53
658	VALE 13439M001	I W	-0.41	0.86	-1.33
669	VIGO 13450M001	I W	0.28	-0.58	6.80
698	YEBE 13420M001	I W	1.24	0.63	5.37
701	ZARA 13462M001	I W	-1.36	-1.04	3.30
710	ZIMM 14001M004	I W	0.09	1.17	11.82
84	MALA 13443M001	I W	0.99	0.50	0.59
	RMS / COMPONENT		1.72	2.30	3.75
	MEAN		-0.00	0.00	0.00
	MIN		-5.07	-10.81	-7.91
	MAX		4.41	3.40	11.82

NUMBER OF PARAMETERS : 3  
NUMBER OF COORDINATES : 111  
RMS OF TRANSFORMATION : 2.73 MM

BARYCENTER COORDINATES:

LATITUDE : 40 6 47.82  
LONGITUDE : - 4 54 27.69  
HEIGHT : -47.728 KM

PARAMETERS:

TRANSLATION IN N : 0.00 +- 0.45 MM  
TRANSLATION IN E : 0.00 +- 0.45 MM  
TRANSLATION IN U : 0.00 +- 0.45 MM

### 6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          15183141
NUMBER OF UNKNOWN               199763
NUMBER OF DEGREES OF FREEDOM    14983378
PHASE MEASUREMENTS SIGMA       0.00100
SAMPLING INTERVAL (SECONDS)     180
VARIANCE FACTOR                 2.306555700045769

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")
      X          Y          Z          X          Y          Z          Scale (ppm)
-----
  1  0.00211    -0.0127 -0.0136  0.0115  0.0004 -0.0006 -0.0003  0.00020
  2  0.00231    -0.0110 -0.0106  0.0127  0.0002 -0.0006 -0.0003  0.00003
  3  0.00254     0.0075 -0.0011 -0.0044  0.0002  0.0002  0.0001 -0.00057
  4  0.00266     0.0127 -0.0159 -0.0138  0.0004  0.0006 -0.0004 -0.00053
  5  0.00261    -0.0069 -0.0371  0.0155  0.0007 -0.0005 -0.0010 -0.00114
  6  0.00235     0.0013 -0.0006  0.0001 -0.0000  0.0000 -0.0000 -0.00008
  7  0.00199     0.0033 -0.0030 -0.0034  0.0000  0.0002 -0.0001 -0.00017
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
  1  0.00147      2182458      2.16          2210992          3          888          27649          0
  2  0.00144      2139243      2.08          2169162          3          885          29037          0
  3  0.00155      2035423      2.40          2062936          3          843          26673          0
  4  0.00156      2146220      2.43          2176856          3          879          29760          0
  5  0.00157      2124717      2.46          2154842          3          894          29234          0
  6  0.00156      2152910      2.44          2182878          3          891          29080          0
  7  0.00146      2197163      2.14          2225475          3          891          27424          0
```

## 7 Equipment

### 7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__ FIRMWARE___
ACOR  A  1 P 20:173:00000 20:179:86370 LEICA GR50 -----
ALDA  A  1 P 20:173:00000 20:179:86370 LEICA GR10 -----
ALSA  A  1 P 20:173:00000 20:179:86370 LEICA GR50 -----
AMUR  A  1 P 20:173:00000 20:179:86370 LEICA GR10 -----
BIAZ  A  1 P 20:173:00000 20:179:82770 TRI SP90M -----
BIDA  A  1 P 20:173:00000 20:179:86370 LEICA GR10 -----
BRZR  A  1 P 20:173:00000 20:179:86370 LEICA GR30 -----
CACE  A  1 P 20:173:00000 20:179:86370 TRIMBLE NETR9 -----
CANT  A  1 P 20:173:00000 20:179:86370 LEICA GR10 -----
CHER  A  1 P 20:173:00000 20:179:86370 LEICA GRX1200+GNSS -----
CREU  A  1 P 20:173:00000 20:179:86370 LEICA GR50 -----
EBRE  A  1 P 20:173:00000 20:179:86370 LEICA GR50 -----
ELGE  A  1 P 20:173:00000 20:179:86370 LEICA GR30 -----
EMAZ  A  1 P 20:173:00000 20:179:86370 LEICA GR30 -----
GERN  A  1 P 20:173:00000 20:179:86370 LEICA GR30 -----
IGEL  A  1 P 20:173:00000 20:179:86370 LEICA GR30 -----
ISPS  A  1 P 20:173:00000 20:179:86370 TRIMBLE NETR9 -----
KAST  A  1 P 20:173:00000 20:179:86370 LEICA GR30 -----
LARE  A  1 P 20:173:00000 20:179:86370 LEICA GRX1200GGPRO -----
LAZK  A  1 P 20:173:00000 20:179:86370 LEICA GR30 -----
LEIT  A  1 P 20:173:00000 20:179:86370 LEICA GR50 -----
ORON  A  1 P 20:173:00000 20:179:86370 LEICA GR50 -----
PASA  A  1 P 20:173:00000 20:179:86370 LEICA GR30 -----
RIO1  A  1 P 20:173:00000 20:179:86370 LEICA GR25 -----
SALA  A  1 P 20:173:00000 20:179:86370 LEICA GRX1200+GNSS -----
SCOA  A  1 P 20:173:00000 20:179:86370 LEICA GR25 -----
SOPU  A  1 P 20:173:00000 20:179:86370 LEICA GR30 -----
TERU  A  1 P 20:173:00000 20:179:86370 LEICA GRX1200GGPRO -----
VITO  A  1 P 20:173:00000 20:179:86370 LEICA GR10 -----
YEBE  A  1 P 20:173:00000 20:179:86370 TRIMBLE NETR9 -----
ZARA  A  1 P 20:173:00000 20:179:86370 TRIMBLE NETR9 -----
```

### 7.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__
ACOR  A  1 P 20:173:00000 20:179:86370 LEIAT504 LEIS -----
ALDA  A  1 P 20:173:00000 20:179:86370 LEIAS10 NONE -----
ALSA  A  1 P 20:173:00000 20:179:86370 LEIAR10 NONE -----
AMUR  A  1 P 20:173:00000 20:179:86370 LEIAS10 NONE -----
BIAZ  A  1 P 20:173:00000 20:179:82770 LEIAR25 LEIT -----
```

```

BIDA A 1 P 20:173.00000 20:179:86370 LEIAS10 NONE -----
BRZR A 1 P 20:173.00000 20:179:86370 LEIAS10 NONE -----
CACE A 1 P 20:173.00000 20:179:86370 TRM29659.00 NONE -----
CANT A 1 P 20:173.00000 20:179:86370 LEIAR25_R4 LEIT 25066
CHER A 1 P 20:173.00000 20:179:86370 LEIAX1203+GNSS NONE -----
CREU A 1 P 20:173.00000 20:179:86370 LEIAR25_R4 NONE 26357
EBRE A 1 P 20:173.00000 20:179:86370 LEIAR25_R4 NONE 26359
ELGE A 1 P 20:173.00000 20:179:86370 LEIAR25_R4 LEIT -----
EMAZ A 1 P 20:173.00000 20:179:86370 LEIAS10 NONE -----
GERN A 1 P 20:173.00000 20:179:86370 LEIAS10 NONE -----
IGEL A 1 P 20:173.00000 20:179:86370 LEIAR20 LEIM -----
ISPS A 1 P 20:173.00000 20:179:86370 TRM59900.00 SCIS -----
KAST A 1 P 20:173.00000 20:179:86370 LEIAS10 NONE -----
LARE A 1 P 20:173.00000 20:179:86370 LEIAT504 NONE -----
LAZK A 1 P 20:173.00000 20:179:86370 LEIAR25_R4 LEIT -----
LEIT A 1 P 20:173.00000 20:179:86370 LEIAR10 NONE -----
ORDN A 1 P 20:173.00000 20:179:86370 LEIAR10 NONE -----
PASA A 1 P 20:173.00000 20:179:86370 LEIAR20 LEIM 73034
RID1 A 1 P 20:173.00000 20:179:86370 LEIAR25_R4 LEIT 25138
SALA A 1 P 20:173.00000 20:179:86370 LEIAR25 NONE -----
SCDA A 1 P 20:173.00000 20:179:86370 TRM55971.00 NONE -----
SOPU A 1 P 20:173.00000 20:179:86370 LEIAS10 NONE -----
TERU A 1 P 20:173.00000 20:179:86370 LEIAT504GG LEIS -----
VITO A 1 P 20:173.00000 20:179:86370 LEIAS10 NONE -----
YEBE A 1 P 20:173.00000 20:179:86370 TRM29659.00 NONE -----
ZARA A 1 P 20:173.00000 20:179:86370 TRM29659.00 NONE -----

```

### 7.3 Eccentricities

```

*
*SITE PT SOLN T DATA_START_ DATA_END_ AXE ARP->BENCHMARK(M) -----
ACOR A 1 P 20:173.00000 20:179:86370 UNE 3.0460 0.0000 0.0000
ALDA A 1 P 20:173.00000 20:179:86370 UNE 0.0000 0.0000 0.0000
ALSA A 1 P 20:173.00000 20:179:86370 UNE 0.0000 0.0000 0.0000
AMUR A 1 P 20:173.00000 20:179:86370 UNE 0.0000 0.0000 0.0000
BIAZ A 1 P 20:173.00000 20:179:82770 UNE 0.0000 0.0000 0.0000
BIDA A 1 P 20:173.00000 20:179:86370 UNE 0.0000 0.0000 0.0000
BRZR A 1 P 20:173.00000 20:179:86370 UNE 0.0771 0.0000 0.0000
CACE A 1 P 20:173.00000 20:179:86370 UNE 0.0600 0.0000 0.0000
CANT A 1 P 20:173.00000 20:179:86370 UNE 3.0490 0.0000 0.0000
CHER A 1 P 20:173.00000 20:179:86370 UNE 0.0000 0.0000 0.0000
CREU A 1 P 20:173.00000 20:179:86370 UNE 0.0770 0.0000 0.0000
EBRE A 1 P 20:173.00000 20:179:86370 UNE 0.0770 0.0000 0.0000
ELGE A 1 P 20:173.00000 20:179:86370 UNE 0.0000 0.0000 0.0000
EMAZ A 1 P 20:173.00000 20:179:86370 UNE 0.0350 0.0000 0.0000
GERN A 1 P 20:173.00000 20:179:86370 UNE 0.0771 0.0000 0.0000
IGEL A 1 P 20:173.00000 20:179:86370 UNE 0.0000 0.0000 0.0000
ISPS A 1 P 20:173.00000 20:179:86370 UNE 0.0350 0.0000 0.0000
KAST A 1 P 20:173.00000 20:179:86370 UNE 0.0350 0.0000 0.0000
LARE A 1 P 20:173.00000 20:179:86370 UNE 0.0000 0.0000 0.0000
LAZK A 1 P 20:173.00000 20:179:86370 UNE 0.0000 0.0000 0.0000
LEIT A 1 P 20:173.00000 20:179:86370 UNE 0.0000 0.0000 0.0000
ORDN A 1 P 20:173.00000 20:179:86370 UNE 0.0000 0.0000 0.0000
PASA A 1 P 20:173.00000 20:179:86370 UNE 0.0000 0.0000 0.0000
RID1 A 1 P 20:173.00000 20:179:86370 UNE 0.0606 0.0000 0.0000
SALA A 1 P 20:173.00000 20:179:86370 UNE 0.0600 0.0000 0.0000
SCDA A 1 P 20:173.00000 20:179:86370 UNE 0.0000 0.0000 0.0000
SOPU A 1 P 20:173.00000 20:179:86370 UNE 0.0771 0.0000 0.0000
TERU A 1 P 20:173.00000 20:179:86370 UNE 0.0600 0.0000 0.0000
VITO A 1 P 20:173.00000 20:179:86370 UNE 0.0000 0.0000 0.0000
YEBE A 1 P 20:173.00000 20:179:86370 UNE 0.0000 0.0000 0.0000
ZARA A 1 P 20:173.00000 20:179:86370 UNE 3.2590 0.0000 0.0000

```

## 8 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

```

2020-07-05 23:09 UTC | LARE1730.200 | RECEIVER FIRM. VERS. | 8.71 -> 8.71/3.822
2020-07-06 23:08 UTC | LARE1740.200 | RECEIVER FIRM. VERS. | 8.71 -> 8.71/3.822
2020-07-07 23:01 UTC | LARE1750.200 | RECEIVER FIRM. VERS. | 8.71 -> 8.71/3.822
2020-07-08 23:07 UTC | LARE1760.200 | RECEIVER FIRM. VERS. | 8.71 -> 8.71/3.822
2020-07-09 23:03 UTC | LARE1770.200 | RECEIVER FIRM. VERS. | 8.71 -> 8.71/3.822
2020-07-10 23:21 UTC | LARE1780.200 | RECEIVER FIRM. VERS. | 8.71 -> 8.71/3.822
2020-07-11 23:11 UTC | LARE1790.200 | RECEIVER FIRM. VERS. | 8.71 -> 8.71/3.822

```

## 9 References

C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. [etrs89.ensg.ign.fr/memo-V8.pdf](https://etrs89.ensg.ign.fr/memo-V8.pdf)



EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. [epncb.oma.be/documentation/guidelines/guidelines\\_analysis\\_centres.pdf](https://epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf)


Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. [etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf](https://etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf)




## 10 Cumulative Time Series

Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.







3 ) AMUR




4 ) BIAZ




5 ) BIDA




6 ) CACE




7 ) CANT




8 ) CHER




9 ) EBRE




10 ) ELGE




11 ) EMAZ



12 ) IGEL




13 ) ISPS




14 ) KAST







15 ) LAZK




16 ) LEIT




17 ) ORON




18 ) PASA




19 ) RIO1




20 ) SALA



21 ) SOPU




22 ) TERU



23 ) VITO





24 ) ZARA