

ARA-DAC Weekly Analysis Result: 2112 (GFA)

Technical Report

GPS Week: 2112 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus


Report generated on 2020/07/19 at 02:38:51



1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites



GM 2020 Jul 19 02:38:43

Fig.1: Computed Sites for GPS Week2112 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences:0.002 m.
 - sampling (for ambiguity resolution): 30 s
 - sampling (for final processing): 180 s
 - Systems: GPS+GLONASS observations are used (Galileo also used if available from GPSW 1986 on)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I14 file and individual calibrations from EPNC_14.ATX. EPN_A class sites (CRD + VEL) IGS14 used to define the reference frame (from GPSW 1934). If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
 - 3 deg elev. cutoff; elevation dependent weighting
 - VMF1 mapping function. ZPD parameters are estimated using the VMF1 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Wideline (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Wideline (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

5.1 IGS14

The Reference Frame considered in this section is IGS14, release C2085.

```

ARA LAC 2112 WEEK FINAL COMBINATION: PRECISE ORBITS                18-JUL-20 22:52
-----
LOCAL GEODETIC DATUM: IGS14                EPOCH: 2020-07-01 12:00:00
-----
NUM STATION NAME          X (M)          Y (M)          Z (M)          FLAG
-----
  4 ACRD 13434M001        4594489.54758      -678367.42361    4357066.29721    W
 39 ALDA 19383M001        4687280.14193      -190876.54619    4308106.96676    A
 50 ALSA 19419M001        4677250.81956      -176770.37346    4319079.88917    A
 53 AMUR 19388M001        4661499.43451      -244591.23896    4332269.89798    A
100 BIAZ 10074M002        4634456.03586      -124344.95644    4365785.46981    A
101 BIDA 00000M000        4644177.80708      -145778.30267    4354832.49516    A
113 BRZR 19387M001        4662220.97716      -220769.88013    4333309.45570    A
 98 CACE 13447M001        4899866.49069      -544567.01780    4033770.21771    W
109 CANT 13438M001        4625924.29972      -307096.21544    4365771.57013    W
154 CHER 00000M000        4645880.30497      -125721.90580    4353624.38530    A
154 CREU 13432M001        4715420.11742      273178.07925    4271946.85612    W
190 EBRE 13410M001        4833519.97559      41537.41173    4147461.73390    W
180 ELGE 19353S001        4657557.38982      -202241.45420    4338991.88423    A
182 EMAZ 17001M001        4645924.19074      -276949.84698    4347759.58973    A
209 GERN 19389M001        4642811.30282      -217222.90575    4353278.89290    A
235 IGEL 19352S001        4645951.41434      -165574.48375    4352550.43185    A
240 ISPS 19484M001        4640596.46392      -206963.75763    4356391.92715    A
245 KAST 19499M001        4646949.06315      -240747.25409    4348015.00573    A
252 LARE 19440M001        4632831.93847      -279026.12022    4360314.43956    A
256 LAZK 19354S001        4666098.32528      -178186.17117    4330463.68483    A
261 LEIT 19428M001        4663520.92084      -155858.69866    4334519.89667    A
334 ORDN 19427M001        4659695.76276      -130864.71416    4338948.89523    A
456 PASA 19351S001        4644909.04248      -156645.04871    4353623.08882    W
513 RID1 13448M002        4708446.81302      -199490.26491    4284089.75093    W
518 SALA 13469M001        4803054.46825      -462131.05022    4158379.08945    W
526 SCDA 10088M002        4639940.48053      -136224.92161    4359552.42801    W
418 SOPU 19386M001        4643997.89025      -255913.88664    4350063.15370    A
443 TERU 13487M001        4867391.30965      -95523.33409    4108341.69632    A
493 VITO 19385M001        4679397.68461      -218436.48742    4314898.37994    A
698 YEBE 13420M001        4848724.55477      -261631.91067    4123094.34303    W
701 ZARA 13462M001        4773803.15084      -73505.96320    4215454.10803    W
    
```

5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

ETRF2000 FINAL COORD. wk 2112                18-JUL-20 22:52
-----
LOCAL GEODETIC DATUM: ETRF2000            EPOCH: 2020-07-01 12:00:00
-----
NUM STATION NAME          X (M)          Y (M)          Z (M)          FLAG
-----
  4 ACRD 13434M001        4594489.86334      -678367.98228    4357065.86692    W
 39 ALDA 19383M001        4687280.51332      -190877.11375    4308106.53538    A
 50 ALSA 19419M001        4677251.19344      -176770.93989    4319079.45876    A
 53 AMUR 19388M001        4661499.80112      -244591.80389    4332269.46795    A
100 BIAZ 10074M002        4634456.41942      -124345.51809    4365785.04341    A
101 BIDA 00000M000        4644178.18727      -145778.86543    4354832.06773    A
113 BRZR 19387M001        4662221.34673      -220770.44508    4333309.02592    A
 98 CACE 13447M001        4899866.79952      -544567.60893    4033769.76508    W
109 CANT 13438M001        4625924.66115      -307096.77670    4365771.14211    W
154 CHER 00000M000        4645880.68750      -125722.46868    4353623.95799    A
154 CREU 13432M001        4715420.54233      273177.51038    4271946.42825    W
190 EBRE 13410M001        4833520.36359      41536.82930    4147461.29388    W
180 ELGE 19353S001        4657557.76204      -202242.01859    4338991.45505    A
182 EMAZ 17001M001        4645924.55454      -276950.41033    4347759.16052    A
209 GERN 19389M001        4642811.67424      -217223.46858    4353278.46468    A
235 IGEL 19352S001        4645951.79197      -165575.04677    4352550.00404    A
240 ISPS 19484M001        4640596.83681      -206964.32040    4356391.49924    A
245 KAST 19499M001        4646949.43135      -240747.81744    4348014.57690    A
252 LARE 19440M001        4632832.30291      -279026.68215    4360314.01135    A
256 LAZK 19354S001        4666098.69980      -178186.73640    4330463.25527    A
261 LEIT 19428M001        4663521.29835      -155859.26355    4334519.46760    A
334 ORDN 19427M001        4659696.14362      -130865.27855    4338948.46677    A
456 PASA 19351S001        4644909.42126      -156645.61159    4353622.66120    W
513 RID1 13448M002        4708447.18164      -199490.83476    4284089.31778    W
518 SALA 13469M001        4803054.79603      -462131.63089    4158378.64552    W
526 SCDA 10088M002        4639940.86221      -136225.48388    4359552.00103    W
418 SOPU 19386M001        4643998.25676      -255914.44971    4350062.72491    A
443 TERU 13487M001        4867391.67826      -95523.92062    4108341.25193    A
493 VITO 19385M001        4679398.05314      -218437.05421    4314897.94884    A
698 YEBE 13420M001        4848724.90433      -261632.49572    4123093.89804    W
701 ZARA 13462M001        4773803.52980      -73506.53966    4215453.67130    W
    
```

5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

ETRF2014 FINAL COORD. wk 2112                                18-JUL-20 22:52
-----
LOCAL GEODETIC DATUM: ETRF2014          EPOCH: 2020-07-01 12:00:00
NUM STATION NAME          X (M)          Y (M)          Z (M)          FLAG
4  ACRD 13434M001         4594489.82114      -678368.02045    4357065.91582    W
39 ALDA 19383M001         4687280.46884      -190877.15330    4308106.58418    A
50 ALSA 19419M001         4677251.14902      -176770.97954    4319079.50758    A
53 AMUR 19388M001         4661499.75707      -244591.84336    4332269.51679    A
100 BIAZ 10074M002         4634456.37527      -124345.55809    4365785.09237    A
101 BIDA 00000M000         4644178.14308      -145778.90532    4354832.11666    A
113 BRZR 19387M001         4662221.30260      -220770.48462    4333309.07476    A
98 CACE 13447M001         4899866.75376      -544567.64635    4033769.81329    W
109 CANT 13438M001         4625924.61764      -307096.81609    4365771.19101    W
154 CHER 00000M000         4645880.64324      -125722.50864    4353624.00692    A
154 CREU 13432M001         4715420.49597      273177.46930    4271946.47728    W
190 EBRE 13410M001         4833520.31681        41536.78950    4147461.34247    W
180 ELGE 19353S001         4657557.71790      -202242.05822    4338991.50391    A
182 EMAZ 17001M001         4645924.51075      -276950.44975    4347759.20938    A
209 GERN 19389M001         4642811.63030      -217223.50822    4353278.51358    A
235 IGEL 19352S001         4645951.74783      -165575.08658    4352550.05295    A
240 ISPS 19484M001         4640596.79286      -206964.36008    4356391.54814    A
245 KAST 19499M001         4646949.38743      -240747.85698    4348014.62577    A
252 LARE 19440M001         4632832.25925      -279026.72161    4360314.06025    A
256 LAZK 19354S001         4666098.65550      -178186.77608    4330463.30413    A
261 LEIT 19428M001         4663521.25401      -155859.30332    4334519.51647    A
334 ORDN 19427M001         4659696.09923      -130865.31843    4338948.51566    A
456 PASA 19351S001         4644909.37711      -156645.65143    4353622.71012    W
513 RIO1 13448M002         4708447.13697      -199490.87420    4284089.36652    W
518 SALA 13469M001         4803054.75112      -462131.66900    4158378.69396    W
526 SOGA 10088M002         4639940.81804      -136225.52383    4359552.04997    W
418 SOPU 19386M001         4643998.21292      -255914.48921    4350062.77378    A
443 TERU 13487M001         4867391.63158      -95523.95979    4108341.30037    A
493 VITO 19385M001         4679398.00883      -218437.09370    4314897.99764    A
698 YEBE 13420M001         4848724.85836      -261632.53437    4123093.94643    W
701 ZARA 13462M001         4773803.48404      -73506.57929    4215453.71995    W

```

6 Quality Control

6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGS14 solution and are given with respect the Local frame (North-East-Up).

ARA LAC 2112 WEEK FINAL COMBINATION: PRECISE ORBITS 18-JUL-20 22:52

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACOR 13434M001	7	XXXXXX	0.85	0.56	2.51
ALDA 19383M001	7	XXXXXX	1.51	0.85	3.07
ALSA 19419M001	6	XXXXXX	0.75	0.70	2.00
AMUR 19388M001	7	XXXXXX	0.38	0.90	3.33
BLAZ 10074M002	7	XXXXXX	0.63	0.53	4.14
BIDA 00000M000	7	XXXXXX	0.69	1.12	5.27
BRZR 19387M001	7	XXXXXX	0.75	0.92	3.60
CACE 13447M001	7	XXXXXX	0.72	0.49	2.81
CANT 13438M001	7	XXXXXX	0.78	0.69	4.04
CHER 00000M000	7	XXXXXX	1.02	1.19	3.41
CREU 13432M001	7	XXXXXX	1.79	0.45	5.62
EBRE 13410M001	7	XXXXXX	1.24	0.93	4.22
ELGE 19353S001	7	XXXXXX	1.09	0.87	3.24
EMAZ 17001M001	7	XXXXXX	1.60	0.88	2.86
GERN 19389M001	7	XXXXXX	0.93	1.06	3.33
IGEL 19352S001	7	XXXXXX	0.32	0.67	2.64
ISPS 19484M001	7	XXXXXX	1.21	1.35	5.43
KAST 19499M001	7	XXXXXX	1.09	1.13	6.84
LARE 19440M001	7	XXXXXX	1.51	0.72	3.43
LAZK 19354S001	7	XXXXXX	0.84	0.47	3.46
LEIT 19428M001	6	XXXXXX	0.57	0.61	3.18
ORON 19427M001	6	XXXXXX	0.52	0.58	1.89
PASA 19351S001	7	XXXXXX	0.46	0.64	4.76
RI01 13448M002	7	XXXXXX	0.86	0.57	4.34
SALA 13469M001	7	XXXXXX	1.30	0.77	3.22
SCOA 10088M002	7	XXXXXX	1.91	1.20	4.61
SOPU 19386M001	7	XXXXXX	1.23	1.31	3.66
TERU 13487M001	7	XXXXXX	0.79	0.97	4.24
VITO 19385M001	7	XXXXXX	0.82	1.13	1.57
YEBE 13420M001	7	XXXXXX	1.02	0.84	1.75
ZARA 13462M001	7	XXXXXX	0.72	0.84	3.61

Comparison of individual solutions:

ACOR 13434M001	N	0.85	-1.21	-0.40	1.36	-0.56	0.29	-0.63	0.23
ACOR 13434M001	E	0.56	0.98	0.27	-0.73	-0.04	-0.01	0.51	0.17
ACOR 13434M001	U	2.51	3.32	-2.08	-2.47	1.84	-1.34	-3.06	1.30
ALDA 19383M001	N	1.51	1.36	-0.19	-2.73	0.03	-0.09	1.02	1.82
ALDA 19383M001	E	0.85	-0.45	0.42	0.98	-0.73	-0.71	-1.37	0.27
ALDA 19383M001	U	3.07	0.28	2.50	-2.30	2.34	-5.22	-1.79	-2.98
ALSA 19419M001	N	0.75	0.15	0.59	-1.21	-0.29	-0.01	0.97	
ALSA 19419M001	E	0.70	0.71	0.62	-0.45	-0.63	-0.69	-0.71	
ALSA 19419M001	U	2.00	1.12	-1.17	0.21	2.29	-3.42	0.61	
AMUR 19388M001	N	0.38	0.31	0.55	-0.09	0.05	-0.03	0.35	0.58
AMUR 19388M001	E	0.90	0.43	-0.41	-0.72	-0.67	-0.34	-0.42	1.81
AMUR 19388M001	U	3.33	-0.36	4.43	-2.20	-3.91	-3.93	0.12	-3.36
BLAZ 10074M002	N	0.63	-0.19	-0.20	0.77	-0.63	0.17	0.28	1.11
BLAZ 10074M002	E	0.53	0.67	-0.53	-0.07	-0.57	0.31	0.29	0.65
BLAZ 10074M002	U	4.14	2.35	4.43	-6.41	2.66	-4.47	-0.72	-3.02
BIDA 00000M000	N	0.69	-0.68	-0.54	0.71	-0.65	1.02	0.27	-0.31
BIDA 00000M000	E	1.12	1.31	0.14	0.42	-0.16	-0.24	-2.26	0.61
BIDA 00000M000	U	5.27	1.17	2.83	-10.90	1.86	-3.66	4.43	-1.31
BRZR 19387M001	N	0.75	0.30	-1.03	-0.11	1.30	-0.74	-0.08	0.04
BRZR 19387M001	E	0.92	1.25	0.66	-0.68	-1.04	-0.87	-0.89	-0.08
BRZR 19387M001	U	3.60	-1.11	7.52	-1.27	-2.29	-2.25	-2.76	-0.58
CACE 13447M001	N	0.72	-0.04	0.05	0.03	-0.36	-0.17	0.79	-1.52
CACE 13447M001	E	0.49	0.70	-0.33	-0.46	0.34	0.08	-0.46	0.53
CACE 13447M001	U	2.81	2.66	0.53	0.24	5.16	-3.57	0.12	-0.70
CANT 13438M001	N	0.78	0.31	0.03	-0.35	1.29	-0.98	0.40	0.78
CANT 13438M001	E	0.69	-0.22	-0.69	-0.99	-0.07	0.04	-0.67	0.94
CANT 13438M001	U	4.04	0.96	0.85	7.53	-0.14	-4.40	-4.47	0.40
CHER 00000M000	N	1.02	0.18	-0.86	-1.78	0.83	-0.54	0.37	1.09
CHER 00000M000	E	1.19	0.95	-0.49	1.69	-0.48	-1.10	-0.59	1.64
CHER 00000M000	U	3.41	-1.20	2.87	3.62	3.81	-4.91	-2.86	0.05
CREU 13432M001	N	1.79	1.22	1.83	0.94	0.04	-3.22	0.84	-1.57
CREU 13432M001	E	0.45	-0.65	-0.13	0.48	0.22	0.43	-0.41	-0.40
CREU 13432M001	U	5.62	5.73	-0.46	-8.94	1.84	-1.22	6.50	-5.41
EBRE 13410M001	N	1.24	0.91	-0.42	-0.25	2.51	-0.92	-1.05	-0.09
EBRE 13410M001	E	0.93	0.19	-0.20	-0.20	0.76	-1.87	0.93	0.34
EBRE 13410M001	U	4.22	5.68	-0.88	-3.60	4.61	-6.13	0.11	1.47
ELGE 19353S001	N	1.09	-0.44	0.04	-0.55	1.32	-0.66	-0.20	2.10
ELGE 19353S001	E	0.87	0.10	0.00	-0.16	-1.51	-0.41	-0.30	1.42
ELGE 19353S001	U	3.24	4.42	1.54	-1.23	-2.56	-3.99	-2.83	3.01
EMAZ 17001M001	N	1.60	0.50	-0.23	-1.57	0.83	-1.36	0.09	3.18
EMAZ 17001M001	E	0.88	0.38	-1.10	-0.84	-0.06	0.41	-1.28	0.88
EMAZ 17001M001	U	2.86	0.81	5.05	0.86	-3.80	-0.96	-2.63	-0.19
GERN 19389M001	N	0.93	0.53	0.33	-1.94	0.97	-0.14	-0.05	-0.27
GERN 19389M001	E	1.06	-0.18	-1.01	-0.50	-1.35	0.81	-0.83	1.51
GERN 19389M001	U	3.33	3.22	2.77	-5.73	-3.31	-1.13	-0.76	1.71
IGEL 19352S001	N	0.32	-0.29	0.15	-0.16	0.52	-0.07	-0.26	-0.39
IGEL 19352S001	E	0.67	-0.29	-0.96	0.11	-0.46	0.31	-0.91	0.72
IGEL 19352S001	U	2.64	1.62	2.09	-4.19	-3.47	0.97	-1.97	0.49
ISPS 19484M001	N	1.21	1.60	-1.44	-0.72	1.19	-0.34	0.47	-1.35
ISPS 19484M001	E	1.35	0.15	-0.38	-0.40	-2.99	0.40	0.45	1.14
ISPS 19484M001	U	5.43	-3.09	6.95	-8.19	-5.90	1.39	3.11	2.32
KAST 19499M001	N	1.09	0.28	0.53	-2.14	1.31	0.28	-0.34	-0.52
KAST 19499M001	E	1.13	-0.95	1.45	0.14	0.20	-0.14	-2.13	-0.09
KAST 19499M001	U	6.84	0.03	11.21	-11.23	-0.99	3.26	-3.90	-1.59
LARE 19440M001	N	1.51	1.36	0.53	-1.33	-0.83	-1.31	0.14	2.70
LARE 19440M001	E	0.72	-0.79	-0.52	-0.55	-0.27	-0.87	0.22	1.02
LARE 19440M001	U	3.43	-2.71	1.32	7.33	-0.79	-0.73	-1.93	-1.73
LAZK 19354S001	N	0.84	-0.65	-0.80	1.73	0.34	-0.23	0.00	-0.13
LAZK 19354S001	E	0.47	0.02	0.08	-0.62	-0.26	0.02	-0.26	-0.90
LAZK 19354S001	U	3.46	-0.84	2.82	3.10	-2.48	-5.13	2.29	-3.96

LEIT 19428M001	N	0.57	-0.78	-0.42	0.65	0.46	-0.10	0.42
LEIT 19428M001	E	0.61	0.83	-0.05	-0.61	-0.81	-0.24	-0.32
LEIT 19428M001	U	3.18	-3.16	3.49	4.01	0.10	-1.88	-2.98
ORON 19427M001	N	0.52	0.15	-0.21	-0.59	0.90	-0.27	0.25
ORON 19427M001	E	0.58	0.72	-0.27	0.20	-0.55	-0.66	-0.56
ORON 19427M001	U	1.89	-1.09	1.98	1.22	-0.43	-3.22	0.81
PASA 19351S001	N	0.46	-0.13	0.13	0.31	0.31	-0.68	-0.69
PASA 19351S001	E	0.64	0.28	-0.06	-0.04	-1.54	-0.13	-0.11
PASA 19351S001	U	4.76	0.65	2.23	-5.73	-3.84	5.62	-6.19
RIO1 13448M002	N	0.86	-0.08	-0.49	0.32	1.19	-0.58	0.14
RIO1 13448M002	E	0.57	0.36	0.22	-0.10	-0.56	-0.05	-1.11
RIO1 13448M002	U	4.34	-5.13	4.53	4.04	4.68	-2.83	-3.92
SALA 13469M001	N	1.30	0.52	-0.23	-2.01	2.07	0.50	-0.10
SALA 13469M001	E	0.77	0.20	0.74	-0.05	0.28	-1.56	0.43
SALA 13469M001	U	3.22	0.71	-3.55	2.92	5.07	1.07	-1.52
SCDA 10088M002	N	1.91	0.32	-0.23	2.40	1.53	-3.46	-0.44
SCDA 10088M002	E	1.20	1.17	-1.00	1.31	0.87	-0.79	-1.55
SCDA 10088M002	U	4.61	1.68	3.86	-3.49	0.18	-9.66	0.70
SOPU 19386M001	N	1.23	1.39	-0.75	-1.13	0.71	-1.86	1.14
SOPU 19386M001	E	1.31	-1.55	-0.62	-0.05	-0.14	0.60	-1.83
SOPU 19386M001	U	3.66	3.51	3.00	-3.57	-3.13	-2.17	-3.55
TERU 13487M001	N	0.79	0.94	-0.38	0.30	0.73	0.24	-0.95
TERU 13487M001	E	0.97	-0.14	0.15	1.47	-0.84	-1.44	0.80
TERU 13487M001	U	4.24	7.86	-0.79	-4.41	-4.17	1.68	-2.42
VITO 19385M001	N	0.82	-0.37	-0.64	-0.35	1.26	0.12	0.70
VITO 19385M001	E	1.13	0.63	-0.33	-0.52	-1.43	-0.49	-0.49
VITO 19385M001	U	1.57	-1.52	0.70	-2.58	1.06	-0.26	-0.04
YEBE 13420M001	N	1.02	-0.65	-1.01	-0.54	-0.27	0.57	1.10
YEBE 13420M001	E	0.84	-0.00	1.36	-1.00	1.02	0.09	0.06
YEBE 13420M001	U	1.75	3.79	-0.56	-0.89	-0.32	0.95	-1.01
ZARA 13462M001	N	0.72	0.64	-0.16	0.51	0.51	-1.08	-0.67
ZARA 13462M001	E	0.84	0.96	-0.34	-0.08	0.65	0.39	-1.53
ZARA 13462M001	U	3.61	1.29	-0.77	-0.40	0.25	-1.53	-8.14

6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

LOCAL GEODETIC DATUM: IGS14
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
4	ACOR 13434M001	I W	-1.70	0.91	-0.90
10	ALAC 13433M001	I W	-0.12	0.26	0.26
13	ALBA 13452M001	I W	0.39	-1.40	-1.37
19	ALME 13437M001	I W	-0.20	2.95	3.86
41	BCLN 13412M001	I W	-1.33	0.41	-0.61
46	BELL 13431M001	I W	-0.76	-0.98	0.06
65	BORR 13480M001	I W	0.91	-1.86	-1.52
70	BRST 10004M004	I W	-1.30	1.06	3.14
98	CACE 13447M001	I W	0.32	2.66	2.37
109	CANT 13438M001	I W	-0.86	1.00	-0.84
110	CARG 19412M001	I W	-0.12	0.81	-0.75
121	CEU1 13449M002	I W	0.46	-0.43	-1.85
135	COBA 13453M001	I W	1.32	0.39	-2.17
154	CREU 13432M001	I W	-0.70	1.39	-2.65
190	EBRE 13410M001	I W	-3.76	-0.86	-3.10
208	ESCO 13435M001	I W	-0.11	3.60	-4.31
219	FUNC 13911S001	I W	-1.70	-9.91	-4.61
286	HUEL 13451M001	I W	2.94	-1.96	-7.99
300	IZAN 13109M002	I W	1.75	1.26	-1.01
359	LLIV 13436M001	I W	0.61	0.88	0.95
364	LPAL 81701M001	I W	0.41	-0.77	0.69
366	LROC 10023M001	I W	1.48	-0.10	2.36
400	MELI 19379M001	I W	1.76	-0.89	-4.52
456	PASA 19351S001	I W	-1.08	0.51	2.69
464	PDEL 13196M004	I W	2.51	-1.23	6.44
513	RID1 13448M002	I W	-1.35	1.46	-1.50
518	SALA 13469M001	I W	0.21	1.19	2.43
526	SCOA 10088M002	I W	-5.03	0.43	0.42
557	SONS 13446M001	I W	-0.85	0.80	-2.64
588	TERC 13190M001	I W	5.43	-3.88	-0.37
654	VALA 13463M002	I W	1.07	-0.38	2.62
658	VALE 13439M001	I W	-0.61	1.16	-1.47
669	VIGO 13450M001	I W	-0.41	1.20	1.90
698	YEBE 13420M001	I W	0.99	1.59	3.87
701	ZARA 13462M001	I W	-1.01	-0.87	4.07
710	ZIMM 14001M004	I W	-0.62	-0.17	4.85
84	MALA 13443M001	I W	1.07	-0.22	1.18
	RMS / COMPONENT		1.79	2.21	3.01
	MEAN		0.00	0.00	-0.00
	MIN		-5.03	-9.91	-7.99
	MAX		5.43	3.60	6.44

NUMBER OF PARAMETERS : 3
NUMBER OF COORDINATES : 111
RMS OF TRANSFORMATION : 2.39 MM

BARYCENTER COORDINATES:

LATITUDE : 40 6 47.82
LONGITUDE : - 4 54 27.69
HEIGHT : -47.728 KM

PARAMETERS:

TRANSLATION IN N : 0.00 +- 0.39 MM
TRANSLATION IN E : 0.00 +- 0.39 MM
TRANSLATION IN U : -0.00 +- 0.39 MM

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          15028630
NUMBER OF UNKNOWN              196217
NUMBER OF DEGREES OF FREEDOM    14832413
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)      180
VARIANCE FACTOR                  2.323219686177699

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")      Scale (ppm)
      X          Y          Z          X          Y          Z
-----
  1  0.00226     -0.0118 -0.0132  0.0102  0.0003 -0.0005 -0.0003  0.00039
  2  0.00225     -0.0058 -0.0276  0.0001  0.0005 -0.0001 -0.0008  0.00033
  3  0.00278     0.0022 -0.0198 -0.0042  0.0004  0.0002 -0.0005 -0.00023
  4  0.00241     0.0194  0.0232 -0.0175 -0.0004  0.0008  0.0007 -0.00043
  5  0.00241     0.0136 -0.0163 -0.0179  0.0004  0.0007 -0.0004 -0.00021
  6  0.00225     -0.0088 -0.0099  0.0159  0.0001 -0.0006 -0.0003 -0.00058
  7  0.00216     -0.0081  0.0048  0.0085 -0.0002 -0.0004  0.0001  0.00018
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
  1  0.00145      2177800    2.11          2205685      3          885      27003      0
  2  0.00144      2158319    2.06          2187297      3          888      28093      0
  3  0.00161      2115770    2.59          2145613      3          888      28958      0
  4  0.00158      2096227    2.51          2126056      3          864      28968      0
  5  0.00161      2120314    2.61          2151164      3          870      29983      0
  6  0.00148      2162312    2.20          2190476      3          879      27288      0
  7  0.00146      1996493    2.14          2022339      3          837      25012      0
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__ FIRMWARE__
ACOR  A   1 P 20:180:00000 20:186:86370 LEICA GR50      -----
ALDA  A   1 P 20:180:00000 20:186:86370 LEICA GR10      -----
ALSA  A   1 P 20:180:00000 20:185:86370 LEICA GR50      -----
AMUR  A   1 P 20:180:00000 20:186:86370 LEICA GR10      -----
BIAZ  A   1 P 20:180:00000 20:186:79170 TRI SP90M      -----
BIDA  A   1 P 20:180:00000 20:186:86370 LEICA GR10      -----
BRZR  A   1 P 20:180:00000 20:186:86370 LEICA GR30      -----
CACE  A   1 P 20:180:00000 20:186:86370 TRIMBLE NETR9  -----
CANT  A   1 P 20:180:00000 20:186:86370 LEICA GR10      -----
CHER  A   1 P 20:180:00000 20:186:86370 LEICA GRX1200+GNSS -----
CREU  A   1 P 20:180:00000 20:186:86370 LEICA GR50      -----
EBRE  A   1 P 20:180:00000 20:186:86370 LEICA GR50      -----
ELGE  A   1 P 20:180:00000 20:186:86370 LEICA GR30      -----
EMAZ  A   1 P 20:180:00000 20:186:86370 LEICA GR30      -----
GERN  A   1 P 20:180:00000 20:186:86370 LEICA GR30      -----
IGEL  A   1 P 20:180:00000 20:186:86370 LEICA GR30      -----
ISPS  A   1 P 20:180:00000 20:186:86370 TRIMBLE NETR9  -----
KAST  A   1 P 20:180:00000 20:186:86370 LEICA GR30      -----
LARE  A   1 P 20:180:00000 20:186:86370 LEICA GRX1200GGPRD -----
LAZK  A   1 P 20:180:00000 20:186:86370 LEICA GR30      -----
LEIT  A   1 P 20:180:00000 20:185:86370 LEICA GR50      -----
ORON  A   1 P 20:180:00000 20:185:86370 LEICA GR50      -----
PASA  A   1 P 20:180:00000 20:186:86370 LEICA GR30      -----
RIO1  A   1 P 20:180:00000 20:186:86370 LEICA GR25      -----
SALA  A   1 P 20:180:00000 20:186:86370 LEICA GRX1200+GNSS -----
SCOA  A   1 P 20:180:00000 20:186:86370 LEICA GR25      -----
SOPU  A   1 P 20:180:00000 20:186:86370 LEICA GR30      -----
TERU  A   1 P 20:180:00000 20:186:86370 LEICA GRX1200GGPRD -----
VITO  A   1 P 20:180:00000 20:186:86370 LEICA GR10      -----
YEBE  A   1 P 20:180:00000 20:186:86370 TRIMBLE NETR9  -----
ZARA  A   1 P 20:180:00000 20:186:86370 TRIMBLE NETR9  -----
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__
ACOR  A   1 P 20:180:00000 20:186:86370 LEIAT504      LEIS -----
ALDA  A   1 P 20:180:00000 20:186:86370 LEIAS10      NONE -----
ALSA  A   1 P 20:180:00000 20:185:86370 LEIAR10      NONE -----
AMUR  A   1 P 20:180:00000 20:186:86370 LEIAS10      NONE -----
BIAZ  A   1 P 20:180:00000 20:186:79170 LEIAR25      LEIT -----
```

BIDA	A	1	P	20:180:00000	20:186:86370	LEIAS10	NONE	----
BRZR	A	1	P	20:180:00000	20:186:86370	LEIAS10	NONE	----
CACE	A	1	P	20:180:00000	20:186:86370	TRM29659.00	NONE	----
CANT	A	1	P	20:180:00000	20:186:86370	LEIAR25_R4	LEIT	25066
CHER	A	1	P	20:180:00000	20:186:86370	LEIAX1203+GNSS	NONE	----
CREU	A	1	P	20:180:00000	20:186:86370	LEIAR25_R4	NONE	26357
EBRE	A	1	P	20:180:00000	20:186:86370	LEIAR25_R4	NONE	26359
ELGE	A	1	P	20:180:00000	20:186:86370	LEIAR25_R4	LEIT	----
EMAZ	A	1	P	20:180:00000	20:186:86370	LEIAS10	NONE	----
GERN	A	1	P	20:180:00000	20:186:86370	LEIAS10	NONE	----
IGEL	A	1	P	20:180:00000	20:186:86370	LEIAR20	LEIM	----
ISPS	A	1	P	20:180:00000	20:186:86370	TRM59900.00	SCIS	----
KAST	A	1	P	20:180:00000	20:186:86370	LEIAS10	NONE	----
LARE	A	1	P	20:180:00000	20:186:86370	LEIAT504	NONE	----
LAZK	A	1	P	20:180:00000	20:186:86370	LEIAR25_R4	LEIT	----
LEIT	A	1	P	20:180:00000	20:185:86370	LEIAR10	NONE	----
ORDN	A	1	P	20:180:00000	20:185:86370	LEIAR10	NONE	----
PASA	A	1	P	20:180:00000	20:186:86370	LEIAR20	LEIM	73034
RID1	A	1	P	20:180:00000	20:186:86370	LEIAR25_R4	LEIT	25138
SALA	A	1	P	20:180:00000	20:186:86370	LEIAR25	NONE	----
SCDA	A	1	P	20:180:00000	20:186:86370	TRM55971.00	NONE	----
SOPU	A	1	P	20:180:00000	20:186:86370	LEIAS10	NONE	----
TERU	A	1	P	20:180:00000	20:186:86370	LEIAT504GG	LEIS	----
VITO	A	1	P	20:180:00000	20:186:86370	LEIAS10	NONE	----
YEBE	A	1	P	20:180:00000	20:186:86370	TRM29659.00	NONE	----
ZARA	A	1	P	20:180:00000	20:186:86370	TRM29659.00	NONE	----

7.3 Eccentricities

* SITE	PT	SOLN	T	DATA_START_	DATA_END_	AXE	ARP->BENCHMARK(M)	NORTH_	EAST_
ACOR	A	1	P	20:180:00000	20:186:86370	UNE	3.0460	0.0000	0.0000
ALDA	A	1	P	20:180:00000	20:186:86370	UNE	0.0000	0.0000	0.0000
ALSA	A	1	P	20:180:00000	20:185:86370	UNE	0.0000	0.0000	0.0000
AMUR	A	1	P	20:180:00000	20:186:86370	UNE	0.0000	0.0000	0.0000
BIAZ	A	1	P	20:180:00000	20:186:79170	UNE	0.0000	0.0000	0.0000
BIDA	A	1	P	20:180:00000	20:186:86370	UNE	0.0000	0.0000	0.0000
BRZR	A	1	P	20:180:00000	20:186:86370	UNE	0.0771	0.0000	0.0000
CACE	A	1	P	20:180:00000	20:186:86370	UNE	0.0600	0.0000	0.0000
CANT	A	1	P	20:180:00000	20:186:86370	UNE	3.0490	0.0000	0.0000
CHER	A	1	P	20:180:00000	20:186:86370	UNE	0.0000	0.0000	0.0000
CREU	A	1	P	20:180:00000	20:186:86370	UNE	0.0770	0.0000	0.0000
EBRE	A	1	P	20:180:00000	20:186:86370	UNE	0.0770	0.0000	0.0000
ELGE	A	1	P	20:180:00000	20:186:86370	UNE	0.0000	0.0000	0.0000
EMAZ	A	1	P	20:180:00000	20:186:86370	UNE	0.0350	0.0000	0.0000
GERN	A	1	P	20:180:00000	20:186:86370	UNE	0.0771	0.0000	0.0000
IGEL	A	1	P	20:180:00000	20:186:86370	UNE	0.0000	0.0000	0.0000
ISPS	A	1	P	20:180:00000	20:186:86370	UNE	0.0350	0.0000	0.0000
KAST	A	1	P	20:180:00000	20:186:86370	UNE	0.0350	0.0000	0.0000
LARE	A	1	P	20:180:00000	20:186:86370	UNE	0.0000	0.0000	0.0000
LAZK	A	1	P	20:180:00000	20:186:86370	UNE	0.0000	0.0000	0.0000
LEIT	A	1	P	20:180:00000	20:185:86370	UNE	0.0000	0.0000	0.0000
ORON	A	1	P	20:180:00000	20:185:86370	UNE	0.0000	0.0000	0.0000
PASA	A	1	P	20:180:00000	20:186:86370	UNE	0.0000	0.0000	0.0000
RID1	A	1	P	20:180:00000	20:186:86370	UNE	0.0606	0.0000	0.0000
SALA	A	1	P	20:180:00000	20:186:86370	UNE	0.0600	0.0000	0.0000
SCDA	A	1	P	20:180:00000	20:186:86370	UNE	0.0000	0.0000	0.0000
SOPU	A	1	P	20:180:00000	20:186:86370	UNE	0.0771	0.0000	0.0000
TERU	A	1	P	20:180:00000	20:186:86370	UNE	0.0600	0.0000	0.0000
VITO	A	1	P	20:180:00000	20:186:86370	UNE	0.0000	0.0000	0.0000
YEBE	A	1	P	20:180:00000	20:186:86370	UNE	0.0000	0.0000	0.0000
ZARA	A	1	P	20:180:00000	20:186:86370	UNE	3.2590	0.0000	0.0000

8 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

2020-07-12	23:01	UTC		LARE1800.200		RECEIVER FIRM. VERS.		8.71	->	8.71/3.822
2020-07-13	23:08	UTC		LARE1810.200		RECEIVER FIRM. VERS.		8.71	->	8.71/3.822
2020-07-14	23:08	UTC		LARE1820.200		RECEIVER FIRM. VERS.		8.71	->	8.71/3.822
2020-07-15	23:06	UTC		LARE1830.200		RECEIVER FIRM. VERS.		8.71	->	8.71/3.822
2020-07-16	23:05	UTC		LARE1840.200		RECEIVER FIRM. VERS.		8.71	->	8.71/3.822
2020-07-17	23:00	UTC		LARE1850.200		RECEIVER FIRM. VERS.		8.71	->	8.71/3.822
2020-07-18	22:51	UTC		LARE1860.200		RECEIVER FIRM. VERS.		8.71	->	8.71/3.822

9 References


C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. etrs89.ensg.ign.fr/memo-V8.pdf

EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf


Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf

10 Cumulative Time Series


Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.




1) ACOR




2) ALDA




3) AMUR




4) BIAZ




5) BIDA






6) CACE




7) CANT




8) CHER







12) IGEL




13) ISPS




14) KAST




15) LAZK




16) LEIT




17) ORON




18) PASA




19) RIO1




20) SALA




21) SOPU



22) TERU



23) VITO



24) ZARA