

ARA-DAC Weekly Analysis Result: 2121 (GFA)

Technical Report

GPS Week: 2121 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus


Report generated on 2020/09/21 at 11:55:56



1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites



GM 2020 Sep 21 11:55:48

Fig.1: Computed Sites for GPS Week2121 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences: 0.002 m.
 - sampling (for ambiguity resolution): 30 s
 - sampling (for final processing): 180 s
 - Systems: GPS+GLONASS observations are used (Galileo also used if available from GPSW 1986 on)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I14 file and individual calibrations from EPNC_14.ATX. EPN_A class sites (CRD + VEL) IGS14 used to define the reference frame (from GPSW 1934). If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
 - 3 deg elev. cutoff; elevation dependent weighting
 - VMF1 mapping function. ZPD parameters are estimated using the VMF1 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Wideline (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Wideline (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

5.1 IGS14

The Reference Frame considered in this section is IGS14, release C2085.

ARA LAC 2121 WEEK FINAL COMBINATION: PRECISE ORBITS						21-SEP-20 08:50

LOCAL GEODETIC DATUM: IGS14		EPOCH: 2020-09-02 12:00:00				
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	
4	ACOR	13434M001	4594489.54358	-678367.41964	4357066.29776	W
39	ALDA	19383M001	4687280.14347	-190876.54328	4308106.96643	A
50	ALSA	19419M001	4677250.81591	-176770.36984	4319079.88825	A
53	AMUR	19388M001	4661499.43322	-244591.23539	4332269.90053	A
100	BLAZ	10074M002	4634456.03513	-124344.95378	4365785.47338	A
101	BIDA	00000M000	4644177.80629	-145778.30010	4354832.49793	A
113	BRZR	19387M001	4662220.97430	-220769.87633	4333309.45662	A
98	CACE	13447M001	4899866.49101	-544567.01420	4033770.22035	W
109	CANT	13438M001	4625924.29700	-307096.21183	4365771.57122	W
154	CHER	00000M000	4645880.00397	-125721.88686	4353624.10002	A
154	CREU	13432M001	4715420.11447	273178.08280	4271946.85650	W
190	EBRE	13410M001	4833519.97246	41537.41570	4147461.73207	W
180	ELGE	19353S001	4657557.38763	-202241.45134	4338991.88614	A
182	EMAZ	17001M001	4645924.19153	-276949.84351	4347759.59335	A
209	GERN	19389M001	4642811.30242	-217222.90172	4353278.89777	A
235	IGEL	19352S001	4645951.41256	-165574.48080	4352550.43492	A
240	ISPS	19484M001	4640596.46628	-206963.75291	4356391.93157	A
245	KAST	19499M001	4646949.06232	-240747.25128	4348015.00860	A
256	LAZK	19354S001	4666098.32033	-178186.16834	4330463.68360	A
261	LEIT	19428M001	4663520.91848	-155858.69452	4334519.89833	A
334	ORON	19427M001	4659695.76122	-130864.71142	4338948.89770	A
456	PASA	19351S001	4644909.04206	-156645.04599	4353623.09184	W
513	RIDI	13448M002	4708446.81107	-199490.26192	4284089.75234	W
518	SALA	13469M001	4803054.46958	-462131.04616	4158379.09336	W
526	SCDA	10088M002	4639940.48171	-136224.91976	4359552.43196	W
418	SOPU	19386M001	4643997.89913	-255913.88402	4350063.15763	A
443	TERU	13487M001	4867391.30731	-95523.32817	4108341.69552	A
493	VITO	19385M001	4679397.68461	-218436.48301	4314898.38329	A
698	YEBE	13420M001	4848724.55293	-261631.90706	4123094.34461	W
701	ZARA	13462M001	4773803.15014	-73505.96045	4215454.10950	W

5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

ETRF2000 FINAL COORD. wk 2121						21-SEP-20 08:50

LOCAL GEODETIC DATUM: ETRF2000		EPOCH: 2020-09-02 12:00:00				
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	
4	ACOR	13434M001	4594489.85981	-678367.98156	4357065.86360	W
39	ALDA	19383M001	4687280.51561	-190877.11427	4308106.53119	A
50	ALSA	19419M001	4677251.19056	-176770.93970	4319079.45398	A
53	AMUR	19388M001	4661499.80056	-244591.80372	4332269.46664	A
100	BLAZ	10074M002	4634456.41953	-124345.51884	4365785.04313	A
101	BIDA	00000M000	4644178.18729	-145778.86628	4354832.06665	A
113	BRZR	19387M001	4662221.34462	-220770.44468	4333309.02298	A
98	CACE	13447M001	4899866.80020	-544567.60879	4033769.76381	W
109	CANT	13438M001	4625924.65915	-307096.77646	4365771.13934	W
154	CHER	00000M000	4645880.38733	-125722.45317	4353623.66885	A
154	CREU	13432M001	4715420.54042	273177.51037	4271946.42479	W
190	EBRE	13410M001	4833520.36126	41536.82969	4147461.28819	W
180	ELGE	19353S001	4657557.76062	-202242.01914	4338991.45310	A
182	EMAZ	17001M001	4645924.55605	-276950.41025	4347759.16028	A
209	GERN	19389M001	4642811.67461	-217223.46795	4353278.46570	A
235	IGEL	19352S001	4645951.79099	-165575.04723	4352550.00325	A
240	ISPS	19484M001	4640596.83995	-206964.31887	4356391.49980	A
245	KAST	19499M001	4646949.43127	-240747.81802	4348014.57590	A
256	LAZK	19354S001	4666098.69563	-178186.73699	4330463.25018	A
261	LEIT	19428M001	4663521.29679	-155859.26283	4334519.46540	A
334	ORON	19427M001	4659696.14289	-130865.27924	4338948.46538	A
456	PASA	19351S001	4644909.42165	-156645.61228	4353622.66036	W
513	RIDI	13448M002	4708447.18043	-199490.83521	4284089.31532	W
518	SALA	13469M001	4803054.79685	-462131.63026	4158378.64554	W
526	SCDA	10088M002	4639940.86421	-136225.48545	4359552.00113	W
418	SOPU	19386M001	4643998.25638	-255914.45048	4350062.72498	A
443	TERU	13487M001	4867391.67661	-95523.91826	4108341.24726	A
493	VITO	19385M001	4679398.05389	-218437.05322	4314897.94832	A
698	YEBE	13420M001	4848724.90308	-261632.49561	4123093.89573	W
701	ZARA	13462M001	4773803.52987	-73506.54042	4215453.66890	W

5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

ETRF2014 FINAL COORD. wk 2121		21-SEP-20 08:50			
LOCAL GEODETIC DATUM: ETRF2014		EPOCH: 2020-09-02 12:00:00			
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
4	ACDR 13434M001	4594489.81864	-678368.01975	4357065.91428	W
39	ALDA 19383M001	4687280.47217	-190877.15372	4308106.58175	A
50	ALSA 19419M001	4677251.14718	-176770.97924	4319079.50457	A
53	AMUR 19388M001	4661499.75754	-244591.84310	4332269.51725	A
100	BIAZ 10074M002	4634456.37640	-124345.55873	4365785.09388	A
101	BIDA 00000M000	4644178.14413	-145778.90605	4354832.11735	A
113	BRZR 19387M001	4662221.30152	-220770.48413	4333309.07359	A
98	CACE 13447M001	4899866.75552	-544567.64619	4033769.81372	W
109	CANT 13438M001	4625924.61666	-307096.81577	4365771.19003	W
154	CHER 00000M000	4645880.34409	-125722.49300	4353623.71957	A
154	CREU 13432M001	4715420.49509	273177.46951	4271946.47558	W
190	EBRE 13410M001	4833520.31554	41536.79007	4147461.33850	W
180	ELGE 19353S001	4657557.71751	-202242.05867	4338991.50374	A
182	EMAZ 17001M001	4645924.51329	-276950.44958	4347759.21092	A
209	GERN 19389M001	4642811.63169	-217223.50749	4353278.51637	A
235	IGEL 19352S001	4645951.74788	-165575.08693	4352550.05394	A
240	ISPS 19484M001	4640596.79702	-206964.35846	4356391.55049	A
245	KAST 19499M001	4646949.38838	-240747.85747	4348014.62656	A
256	LAZK 19354S001	4666098.65236	-178186.77657	4330463.30081	A
261	LEIT 19428M001	4663521.25348	-155859.30249	4334519.51604	A
334	ORON 19427M001	4659696.09953	-130865.31900	4338948.51605	A
456	PASA 19351S001	4644909.37852	-156645.65201	4353622.71106	W
513	RI01 13448M002	4708447.13680	-199490.87455	4284089.36582	W
518	SALA 13469M001	4803054.75300	-462131.66833	4158378.69570	W
526	SOA 10088M002	4639940.82107	-136225.52527	4359552.05185	W
418	SOPU 19386M001	4643998.21356	-255914.48989	4350062.77563	A
443	TERU 13487M001	4867391.63100	-95523.95730	4108341.29740	A
493	VITO 19385M001	4679398.01061	-218437.09261	4314897.99889	A
698	YEBE 13420M001	4848724.85818	-261632.53417	4123093.94584	W
701	ZARA 13462M001	4773803.48517	-73506.57991	4215453.71930	W

6 Quality Control

6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGS14 solution and are given with respect the Local frame (North-East-Up).

ARA LAC 2121 WEEK FINAL COMBINATION: PRECISE ORBITS 21-SEP-20 08:50

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACOR 13434M001	7	XXXXXX	1.58	0.80	3.52
ALDA 19383M001	7	XXXXXX	1.95	1.07	4.22
ALSA 19419M001	7	XXXXXX	3.44	1.23	5.28
AMUR 19388M001	7	XXXXXX	0.55	0.66	3.58
BLAZ 10074M002	7	XXXXXX	1.76	1.63	3.76
BIDA 00000M000	7	XXXXXX	1.23	0.99	2.52
BRZR 19387M001	7	XXXXXX	0.78	0.87	2.09
CACE 13447M001	7	XXXXXX	0.72	0.33	2.75
CANT 13438M001	7	XXXXXX	0.64	0.72	4.12
CHER 00000M000	5	XXXX	0.40	0.61	3.51
CREU 13432M001	7	XXXXXX	0.96	0.38	3.42
EBRE 13410M001	7	XXXXXX	0.62	1.47	3.62
ELGE 19353S001	7	XXXXXX	0.63	0.73	2.85
EMAZ 17001M001	7	XXXXXX	0.57	1.02	2.39
GERN 19389M001	7	XXXXXX	0.45	0.66	8.03
IGEL 19352S001	7	XXXXXX	0.85	0.80	2.15
ISPS 19484M001	7	XXXXXX	1.08	1.51	5.02
KAST 19499M001	7	XXXXXX	0.64	1.11	3.42
LAZK 19354S001	7	XXXXXX	0.89	0.98	5.76
LEIT 19428M001	7	XXXXXX	0.69	1.79	4.50
ORDN 19427M001	7	XXXXXX	0.57	0.74	2.33
PASA 19351S001	7	XXXXXX	0.63	0.37	4.75
RI01 13448M002	7	XXXXXX	0.49	0.73	2.45
SALA 13469M001	7	XXXXXX	0.57	0.40	2.24
SCDA 10088M002	7	XXXXXX	1.19	1.49	2.89
SOPU 19386M001	7	XXXXXX	0.61	1.67	3.07
TERU 13487M001	7	XXXXXX	0.68	0.43	2.59
VITD 19385M001	7	XXXXXX	0.48	0.92	2.94
YEBE 13420M001	7	XXXXXX	0.82	0.84	2.27
ZARA 13462M001	7	XXXXXX	1.34	0.50	2.81

Comparison of individual solutions:

ACOR 13434M001	N	1.58	-0.99	-0.60	1.88	1.48	-2.72	0.71	0.31
ACOR 13434M001	E	0.80	0.29	0.55	-0.31	-0.33	1.78	0.05	-0.14
ACOR 13434M001	U	3.52	2.90	-2.75	-2.69	-1.98	-1.19	4.02	5.46
ALDA 19383M001	N	1.95	1.26	-0.01	2.30	2.22	0.47	-2.82	1.71
ALDA 19383M001	E	1.07	0.16	-0.40	-0.53	-1.37	-1.60	0.77	-1.18
ALDA 19383M001	U	4.22	-1.21	6.74	0.60	1.21	7.11	2.06	-1.86
ALSA 19419M001	N	3.44	0.79	0.98	2.07	2.09	1.08	-7.61	1.25
ALSA 19419M001	E	1.23	-0.87	0.16	-0.07	-2.13	0.05	1.83	-0.61
ALSA 19419M001	U	5.28	-1.72	-0.53	1.70	1.52	-3.08	-10.61	6.08
AMUR 19388M001	N	0.55	0.48	-0.29	-0.81	-0.19	-0.36	0.08	0.84
AMUR 19388M001	E	0.66	0.51	-0.79	-0.64	-0.30	-0.61	0.84	-0.35
AMUR 19388M001	U	3.58	4.28	-4.21	0.07	-0.30	-4.44	3.90	-2.46
BLAZ 10074M002	N	1.76	3.99	0.94	-0.78	-0.88	0.16	-0.59	0.21
BLAZ 10074M002	E	1.63	3.39	1.79	0.05	-0.73	0.32	-0.73	-0.02
BLAZ 10074M002	U	3.76	-0.66	-8.16	3.20	0.30	1.68	-2.16	-0.49
BIDA 00000M000	N	1.23	1.74	-0.30	-0.30	0.31	-1.47	-1.15	1.53
BIDA 00000M000	E	0.99	-0.08	0.90	1.25	-0.24	1.00	-1.55	-0.34
BIDA 00000M000	U	2.52	-0.24	0.72	-4.86	-3.31	1.11	0.21	1.29
BRZR 19387M001	N	0.78	-0.15	0.85	-0.11	0.13	0.59	-1.55	0.40
BRZR 19387M001	E	0.87	-0.27	0.84	-1.47	-0.26	1.09	-0.46	-0.34
BRZR 19387M001	U	2.09	-2.90	-2.03	0.69	1.50	0.40	-0.01	-3.27
CACE 13447M001	N	0.72	-1.38	-0.32	0.36	0.18	-0.08	0.40	0.90
CACE 13447M001	E	0.33	-0.04	0.04	0.32	0.42	0.40	0.32	0.34
CACE 13447M001	U	2.75	1.98	-1.94	4.54	-2.79	-0.51	-2.79	1.04
CANT 13438M001	N	0.64	-0.67	-1.07	-0.06	-0.13	-0.22	0.72	0.54
CANT 13438M001	E	0.72	-0.74	0.58	-0.42	-0.56	-1.14	-0.35	-0.57
CANT 13438M001	U	4.12	-3.58	0.17	-2.49	1.72	6.06	-6.50	-1.01
CHER 00000M000	N	0.40			0.67	0.20	-0.22	-0.32	0.06
CHER 00000M000	E	0.61			1.08	-0.28	0.20	0.23	-0.39
CHER 00000M000	U	3.51			-4.21	-1.38	4.80	-2.33	-1.08
CREU 13432M001	N	0.96	-0.84	-0.81	0.18	-1.30	0.41	1.49	-0.06
CREU 13432M001	E	0.38	0.40	0.23	-0.23	-0.20	-0.69	-0.04	0.24
CREU 13432M001	U	3.42	-4.93	3.02	1.49	2.59	1.22	-4.26	-2.82
EBRE 13410M001	N	0.62	-1.02	-0.35	-0.71	0.14	0.06	0.45	0.62
EBRE 13410M001	E	1.47	-3.05	-0.41	0.20	1.11	1.21	0.47	-0.70
EBRE 13410M001	U	3.62	-3.07	6.71	-1.96	-2.02	0.82	-3.71	1.30
ELGE 19353S001	N	0.63	-0.56	0.43	0.48	0.96	-0.09	-0.39	-0.78
ELGE 19353S001	E	0.73	0.70	0.28	-0.11	-0.89	0.41	-1.29	-0.00
ELGE 19353S001	U	2.85	4.62	-1.66	-1.39	-2.66	-1.17	0.49	-3.73
EMAZ 17001M001	N	0.57	-0.50	0.96	-0.59	-0.20	-0.62	-0.14	-0.05
EMAZ 17001M001	E	1.02	-1.25	-0.04	0.43	-1.15	-1.60	-0.31	0.70
EMAZ 17001M001	U	2.39	-0.42	-0.58	-5.56	0.56	1.32	-0.35	-0.86
GERN 19389M001	N	0.45	-0.11	-0.79	0.53	0.50	0.05	-0.23	0.07
GERN 19389M001	E	0.66	0.05	0.67	0.47	-1.30	-0.16	-0.31	-0.36
GERN 19389M001	U	8.03	16.08	-0.64	-8.96	-3.04	-5.72	-0.71	-2.24
IGEL 19352S001	N	0.85	-0.61	-0.50	0.06	0.48	0.77	1.12	-1.27
IGEL 19352S001	E	0.80	0.64	0.72	-0.22	-0.12	-0.06	-1.70	-0.05
IGEL 19352S001	U	2.15	3.47	-2.01	-1.28	-1.47	-2.23	-0.88	-1.43
ISPS 19484M001	N	1.08	0.53	-0.31	0.72	-0.20	-1.32	-1.17	1.73
ISPS 19484M001	E	1.51	-0.32	0.45	-2.26	-1.15	1.79	1.73	-0.84
ISPS 19484M001	U	5.02	3.71	-4.91	-7.16	4.60	1.04	2.96	-5.55
KAST 19499M001	N	0.64	-0.12	1.40	0.10	-0.12	0.04	-0.69	-0.02
KAST 19499M001	E	1.11	1.67	0.65	-1.70	-1.10	-0.24	0.19	-0.09
KAST 19499M001	U	3.42	3.57	-1.96	1.00	-1.36	-2.04	4.19	-5.38
LAZK 19354S001	N	0.89	0.08	0.60	-0.59	1.18	0.38	-1.52	0.41
LAZK 19354S001	E	0.98	-0.02	-2.01	0.81	-0.55	0.67	0.18	-0.51
LAZK 19354S001	U	5.76	-12.62	0.63	1.01	1.33	-1.81	1.48	5.56
LEIT 19428M001	N	0.69	0.49	-0.33	-0.22	-0.00	-0.55	1.44	-0.28
LEIT 19428M001	E	1.79	-0.30	-0.63	-1.15	-0.20	-1.59	3.67	-1.19
LEIT 19428M001	U	4.50	1.39	0.95	5.16	-1.85	-0.80	-9.38	0.12
ORDN 19427M001	N	0.57	-0.09	0.12	-0.26	0.47	-0.16	1.08	-0.68

ORDN 19427M001	E	0.74	-0.51	-0.51	-0.35	-0.80	0.44	1.11	-0.75
ORDN 19427M001	U	2.33	3.71	-1.73	0.97	-0.58	-2.02	-1.49	-2.86
PASA 19351S001	N	0.63	-0.93	-0.19	0.68	0.61	0.56	-0.38	-0.44
PASA 19351S001	E	0.37	-0.34	0.15	-0.02	-0.35	0.46	-0.60	-0.03
PASA 19351S001	U	4.75	9.51	-1.42	-4.13	-2.73	-0.56	-2.91	-3.11
RID1 13448M002	N	0.49	-0.25	-0.57	0.10	-0.36	0.22	0.84	0.43
RID1 13448M002	E	0.73	-1.00	0.99	-0.26	-0.30	-0.31	-0.97	0.17
RID1 13448M002	U	2.45	-0.88	-1.33	-0.12	-1.32	-3.91	-0.22	4.04
SALA 13469M001	N	0.57	-0.91	-0.11	0.85	0.06	-0.08	0.55	-0.27
SALA 13469M001	E	0.40	-0.29	0.45	-0.33	0.06	0.57	-0.02	0.47
SALA 13469M001	U	2.24	-1.97	-1.17	2.98	2.02	-2.12	0.16	2.72
SCDA 10088M002	N	1.19	-1.41	-1.53	0.11	0.89	0.26	0.22	1.80
SCDA 10088M002	E	1.49	-1.32	-1.49	1.46	-0.41	1.83	1.79	-0.65
SCDA 10088M002	U	2.89	0.38	0.27	-5.56	-0.17	2.02	-3.63	1.34
SOPU 19386M001	N	0.61	-0.56	0.90	0.54	-0.66	0.16	-0.51	0.36
SOPU 19386M001	E	1.67	2.36	0.47	-2.87	0.57	-0.22	0.33	-1.50
SOPU 19386M001	U	3.07	5.51	-2.05	-0.11	-3.23	-2.18	-0.25	-2.59
TERU 13487M001	N	0.68	0.14	0.95	0.05	-0.43	-1.30	-0.00	-0.04
TERU 13487M001	E	0.43	-0.10	-0.31	0.21	-0.66	-0.38	0.52	-0.32
TERU 13487M001	U	2.59	-2.28	2.13	-0.63	0.68	-1.87	-3.00	4.13
VITO 19385M001	N	0.48	-0.40	0.05	-0.53	0.19	0.35	-0.39	0.77
VITO 19385M001	E	0.92	1.33	0.15	-0.41	0.16	-0.19	-1.11	-1.34
VITO 19385M001	U	2.94	1.44	-2.68	4.42	-0.89	-4.02	0.82	-2.31
YEBE 13420M001	N	0.82	-0.77	-0.18	1.35	0.20	-0.55	-0.09	1.11
YEBE 13420M001	E	0.84	-0.73	0.52	0.84	0.51	0.79	-0.95	0.95
YEBE 13420M001	U	2.27	1.64	-4.22	2.19	2.11	-1.09	0.25	0.09
ZARA 13462M001	N	1.34	-1.40	-0.44	-2.08	1.43	1.16	0.83	0.43
ZARA 13462M001	E	0.50	0.05	-0.52	-0.09	-1.09	0.00	-0.10	0.13
ZARA 13462M001	U	2.81	1.75	-1.63	2.40	-4.37	0.38	-2.81	-2.96

6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

LOCAL GEODETIC DATUM: IGS14
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
4	ACOR 13434M001	I W	-2.20	0.99	1.70
10	ALAC 13433M001	I W	-0.08	0.48	3.40
13	ALBA 13452M001	I W	0.90	-0.97	0.19
19	ALME 13437M001	I W	0.08	1.62	-2.06
41	BCLN 13412M001	I W	-0.16	-1.42	-4.18
46	BELL 13431M001	I W	-1.68	-2.37	4.06
65	BORR 13480M001	I W	0.62	-2.29	-2.61
70	BRST 10004M004	I W	-2.17	1.68	-1.62
98	CACE 13447M001	I W	1.17	2.27	0.73
109	CANT 13438M001	I W	-0.73	0.77	0.49
110	CARG 19412M001	I W	-0.18	-0.84	-0.94
121	CEU1 13449M002	I W	-0.42	0.28	-0.93
135	COBA 13453M001	I W	0.03	0.53	-0.91
154	CREU 13432M001	I W	-0.01	1.30	-0.89
190	EBRE 13410M001	I W	-1.58	-1.33	0.39
208	ESCO 13435M001	I W	0.30	1.56	-4.45
286	HUEL 13451M001	I W	4.40	-3.32	-7.83
300	IZAN 31309M002	I W	0.96	-0.22	4.18
359	LLIV 13436M001	I W	0.77	0.28	0.04
364	LPAL 81701M001	I W	-1.78	0.52	2.75
366	LROC 10023M001	I W	0.23	0.86	-1.03
400	MELI 19379M001	I W	1.81	-1.19	-3.65
456	PASA 19351S001	I W	-0.85	0.95	0.81
513	RID1 13448M002	I W	-0.97	1.79	-0.96
518	SALA 13469M001	I W	0.13	0.36	-0.22
526	SCOA 10088M002	I W	-4.48	1.59	-3.45
557	SONS 13446M001	I W	-1.10	-0.82	2.51
588	TERC 31909M001	I W	5.57	-3.37	-3.17
654	VALA 13463M002	I W	0.65	-0.49	1.08
658	VALE 13439M001	I W	-0.33	0.83	-0.63
669	VIGO 13450M001	I W	-0.46	0.22	7.13
698	YEBE 13420M001	I W	1.28	1.32	4.43
701	ZARA 13462M001	I W	0.21	-0.43	3.48
710	ZIMM 14001M004	I W	-1.35	-0.17	-0.86
84	MALA 13443M001	I W	1.40	-0.93	3.01
	RMS / COMPONENT		1.76	1.43	3.02
	MEAN		-0.00	-0.00	0.00
	MIN		-4.48	-3.37	-7.83
	MAX		5.57	2.27	7.13

NUMBER OF PARAMETERS : 3
NUMBER OF COORDINATES : 105
RMS OF TRANSFORMATION : 2.18 MM

BARYCENTER COORDINATES:

LATITUDE : 40 19 0.07
LONGITUDE : - 3 55 28.24
HEIGHT : -38.454 KM

PARAMETERS:

TRANSLATION IN N : 0.00 +- 0.37 MM
TRANSLATION IN E : 0.00 +- 0.37 MM
TRANSLATION IN U : 0.00 +- 0.37 MM

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          14847697
NUMBER OF UNKNOWN               188188
NUMBER OF DEGREES OF FREEDOM    14659509
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)     180
VARIANCE FACTOR                  2.150414396164925

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")      Scale (ppm)
      X          Y          Z          X          Y          Z
-----
 1  0.00267    -0.0083 -0.0042  0.0064  0.0001 -0.0004 -0.0001  0.00029
 2  0.00215     0.0196 -0.0030 -0.0207  0.0003  0.0009  0.0001 -0.00036
 3  0.00202     0.0035 -0.0072 -0.0110  0.0002  0.0003 -0.0001  0.00069
 4  0.00192    -0.0130  0.0030  0.0159 -0.0001 -0.0007  0.0001  0.00005
 5  0.00198     0.0005 -0.0018  0.0077  0.0000 -0.0002 -0.0001 -0.00072
 6  0.00221    -0.0128 -0.0007  0.0077 -0.0000 -0.0004 -0.0001  0.00055
 7  0.00208     0.0093 -0.0263 -0.0155  0.0006  0.0006 -0.0006  0.00015
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
 1  0.00150    2058829    2.26                2085720      3      849    26045    0
 2  0.00143    2059539    2.06                2088087      3      855    27696    0
 3  0.00156    2088531    2.42                2116969      3      864    27577    0
 4  0.00146    2113287    2.12                2140645      3      858    26503    0
 5  0.00143    2084262    2.04                2110823      3      858    25706    0
 6  0.00145    2117604    2.11                2146415      3      867    27947    0
 7  0.00141    2132330    2.00                2159038      3      870    25841    0
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__ FIRMWARE____
ACOR  A  1 P 20:243:00000 20:249:86370 LEICA GR50      -----
ALDA  A  1 P 20:243:00000 20:249:86370 LEICA GR10      -----
ALSA  A  1 P 20:243:00000 20:249:86370 LEICA GR50      -----
AMUR  A  1 P 20:243:00000 20:249:86370 LEICA GR10      -----
BIAZ  A  1 P 20:243:21450 20:249:86370 TRI SP90M      -----
BIDA  A  1 P 20:243:00000 20:249:86370 LEICA GR10      -----
BRZR  A  1 P 20:243:00000 20:249:86370 LEICA GR30      -----
CACE  A  1 P 20:243:00000 20:249:86370 TRIMBLE NETR9  -----
CANT  A  1 P 20:243:00000 20:249:86370 LEICA GR10      -----
CHER  A  1 P 20:245:39810 20:249:77400 LEICA GR30      -----
CREU  A  1 P 20:243:00000 20:249:86370 LEICA GR50      -----
EBRE  A  1 P 20:243:00000 20:249:86370 LEICA GR50      -----
ELGE  A  1 P 20:243:00000 20:249:86370 LEICA GR30      -----
EMAZ  A  1 P 20:243:00000 20:249:86370 LEICA GR30      -----
GERN  A  1 P 20:243:00000 20:249:86370 LEICA GR30      -----
IGEL  A  1 P 20:243:00000 20:249:86370 LEICA GR30      -----
ISPS  A  1 P 20:243:00000 20:249:86370 TRIMBLE NETR9  -----
KAST  A  1 P 20:243:00000 20:249:86370 LEICA GR30      -----
LAZK  A  1 P 20:243:00000 20:249:86370 LEICA GR30      -----
LEIT  A  1 P 20:243:00000 20:249:86370 LEICA GR50      -----
ORON  A  1 P 20:243:00000 20:249:86370 LEICA GR50      -----
PASA  A  1 P 20:243:00000 20:249:86370 LEICA GR30      -----
RIO1  A  1 P 20:243:00000 20:249:86370 LEICA GR25      -----
SALA  A  1 P 20:243:00000 20:249:86370 LEICA GRX1200+GNSS -----
SCOA  A  1 P 20:243:00000 20:249:86370 LEICA GR25      -----
SOPU  A  1 P 20:243:00000 20:249:86370 LEICA GR30      -----
TERU  A  1 P 20:243:00000 20:249:86370 LEICA GRX1200GGPRO -----
VITO  A  1 P 20:243:00000 20:249:86370 LEICA GR10      -----
YEBE  A  1 P 20:243:00000 20:249:86370 TRIMBLE NETR9  -----
ZARA  A  1 P 20:243:00000 20:249:86370 TRIMBLE NETR9  -----
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__
ACOR  A  1 P 20:243:00000 20:249:86370 LEIAT504      LEIS -----
ALDA  A  1 P 20:243:00000 20:249:86370 LEIAS10      NONE -----
ALSA  A  1 P 20:243:00000 20:249:86370 LEIAR10      NONE -----
AMUR  A  1 P 20:243:00000 20:249:86370 LEIAS10      NONE -----
BIAZ  A  1 P 20:243:21450 20:249:86370 LEIAR25      LEIT -----
BIDA  A  1 P 20:243:00000 20:249:86370 LEIAS10      NONE -----
```

BRZR	A	1	P	20:243:00000	20:249:86370	LEIAS10	NONE	----
CACE	A	1	P	20:243:00000	20:249:86370	TRM29659.00	NONE	----
CANT	A	1	P	20:243:00000	20:249:86370	LEIAR25_R4	LEIT	25066
CHER	A	1	P	20:245:39810	20:249:77400	LEIAR10	NONE	----
CREU	A	1	P	20:243:00000	20:249:86370	LEIAR25_R4	NONE	26357
EBRE	A	1	P	20:243:00000	20:249:86370	LEIAR25_R4	NONE	26359
ELGE	A	1	P	20:243:00000	20:249:86370	LEIAR25_R4	LEIT	----
EMAZ	A	1	P	20:243:00000	20:249:86370	LEIAS10	NONE	----
GERN	A	1	P	20:243:00000	20:249:86370	LEIAS10	NONE	----
IGEL	A	1	P	20:243:00000	20:249:86370	LEIAR20	LEIM	----
ISPS	A	1	P	20:243:00000	20:249:86370	TRM59900.00	SCIS	----
KAST	A	1	P	20:243:00000	20:249:86370	LEIAS10	NONE	----
LAZK	A	1	P	20:243:00000	20:249:86370	LEIAR25_R4	LEIT	----
LEIT	A	1	P	20:243:00000	20:249:86370	LEIAR10	NONE	----
ORDN	A	1	P	20:243:00000	20:249:86370	LEIAR10	NONE	----
PASA	A	1	P	20:243:00000	20:249:86370	LEIAR20	LEIM	73034
RIO1	A	1	P	20:243:00000	20:249:86370	LEIAR25_R4	LEIT	25138
SALA	A	1	P	20:243:00000	20:249:86370	LEIAR25	NONE	----
SCOA	A	1	P	20:243:00000	20:249:86370	TRM55971.00	NONE	----
SOPU	A	1	P	20:243:00000	20:249:86370	LEIAS10	NONE	----
TERU	A	1	P	20:243:00000	20:249:86370	LEIAT504GG	LEIS	----
VITO	A	1	P	20:243:00000	20:249:86370	LEIAS10	NONE	----
YEBE	A	1	P	20:243:00000	20:249:86370	TRM29659.00	NONE	----
ZARA	A	1	P	20:243:00000	20:249:86370	TRM29659.00	NONE	----

7.3 Eccentricities

*SITE	PT	SOLN	T	DATA_START_	DATA_END_	AXE	UP_	NORTH_	EAST_
							ARB->BENCHMARK(M)		
ACOR	A	1	P	20:243:00000	20:249:86370	UNE	3.0460	0.0000	0.0000
ALDA	A	1	P	20:243:00000	20:249:86370	UNE	0.0000	0.0000	0.0000
ALSA	A	1	P	20:243:00000	20:249:86370	UNE	0.0000	0.0000	0.0000
AMUR	A	1	P	20:243:00000	20:249:86370	UNE	0.0000	0.0000	0.0000
BIAZ	A	1	P	20:243:21450	20:249:86370	UNE	0.0000	0.0000	0.0000
BIDA	A	1	P	20:243:00000	20:249:86370	UNE	0.0000	0.0000	0.0000
BRZR	A	1	P	20:243:00000	20:249:86370	UNE	0.0771	0.0000	0.0000
CACE	A	1	P	20:243:00000	20:249:86370	UNE	0.0600	0.0000	0.0000
CANT	A	1	P	20:243:00000	20:249:86370	UNE	3.0490	0.0000	0.0000
CHER	A	1	P	20:245:39810	20:249:77400	UNE	0.0000	0.0000	0.0000
CREU	A	1	P	20:243:00000	20:249:86370	UNE	0.0770	0.0000	0.0000
EBRE	A	1	P	20:243:00000	20:249:86370	UNE	0.0770	0.0000	0.0000
ELGE	A	1	P	20:243:00000	20:249:86370	UNE	0.0000	0.0000	0.0000
EMAZ	A	1	P	20:243:00000	20:249:86370	UNE	0.0350	0.0000	0.0000
GERN	A	1	P	20:243:00000	20:249:86370	UNE	0.0771	0.0000	0.0000
IGEL	A	1	P	20:243:00000	20:249:86370	UNE	0.0000	0.0000	0.0000
ISPS	A	1	P	20:243:00000	20:249:86370	UNE	0.0350	0.0000	0.0000
KAST	A	1	P	20:243:00000	20:249:86370	UNE	0.0350	0.0000	0.0000
LAZK	A	1	P	20:243:00000	20:249:86370	UNE	0.0000	0.0000	0.0000
LEIT	A	1	P	20:243:00000	20:249:86370	UNE	0.0000	0.0000	0.0000
ORDN	A	1	P	20:243:00000	20:249:86370	UNE	0.0000	0.0000	0.0000
PASA	A	1	P	20:243:00000	20:249:86370	UNE	0.0000	0.0000	0.0000
RIO1	A	1	P	20:243:00000	20:249:86370	UNE	0.0606	0.0000	0.0000
SALA	A	1	P	20:243:00000	20:249:86370	UNE	0.0600	0.0000	0.0000
SCOA	A	1	P	20:243:00000	20:249:86370	UNE	0.0000	0.0000	0.0000
SOPU	A	1	P	20:243:00000	20:249:86370	UNE	0.0771	0.0000	0.0000
TERU	A	1	P	20:243:00000	20:249:86370	UNE	0.0600	0.0000	0.0000
VITO	A	1	P	20:243:00000	20:249:86370	UNE	0.0000	0.0000	0.0000
YEBE	A	1	P	20:243:00000	20:249:86370	UNE	0.0000	0.0000	0.0000
ZARA	A	1	P	20:243:00000	20:249:86370	UNE	3.2590	0.0000	0.0000

8 References



C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. etrs89.ensg.ign.fr/memo-V8.pdf


EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf

Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf


9 Cumulative Time Series

Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.









3) AMUR







4) BIAZ




5) BIDA









15) LAZK




16) LEIT




17) ORON




18) PASA




19) RIO1




20) SALA




21) SOPU



22) TERU



23) VITO



24) ZARA