

ARA-DAC Weekly Analysis Result: 2208 (GFA)

Technical Report

GPS Week: 2208 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus


Report generated on 2022/05/22 at 12:39:15



1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites



GM 2022 May 22 12:39:06

Fig.1: Computed Sites for GPS Week2208 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences: 0.002 m.
 - sampling (for ambiguity resolution): 30 s
 - sampling (for final processing): 180 s
 - Systems: GPS+GLONASS observations are used (Galileo also used if available from GPSW 1986 on)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I14 file and individual calibrations from EPNC_14.ATX. EPN_A class sites (CRD + VEL) IGb14 used to define the reference frame (from GPSW 1934). If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
 - 3 deg elev. cutoff; elevation dependent weighting
 - VMF1 mapping function. ZPD parameters are estimated using the VMF1 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Widelane (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Widelane (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

5.1 IGB14

The Reference Frame considered in this section is IGB14, release C2130.

ARA LAC 2208 WEEK FINAL COMBINATION: PRECISE ORBITS 22-MAY-22 09:54

LOCAL GEODETIC DATUM: IGB14 EPOCH: 2022-05-04 12:00:00

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
4	ACOR 13434M001	4594489.52853	-678367.38233	4357066.31662	W
39	ALDA 19383M001	4687280.12477	-190876.51177	4308106.99961	A
50	ALSA 19419M001	4677250.79709	-176770.33733	4319079.90967	A
53	AMUR 19388M001	4661499.41478	-244591.20245	4332269.91740	A
100	BLAZ 10074M002	4634456.01290	-124344.92115	4365785.49041	A
101	BIDA 00000M000	4644177.78521	-145778.26913	4354832.51670	A
113	BRZR 19387M001	4662220.95393	-220769.84279	4333309.47377	A
116	CANT 13438M001	4625924.27904	-307096.17941	4365771.58824	W
154	CHER 00000M000	4645879.98418	-125721.86442	4353624.11849	A
204	EBRE 13410M001	4833519.95146	41537.44698	4147461.75230	W
180	ELGE 19353S001	4657557.35669	-202241.41481	4338991.91921	A
182	EMAZ 17001M001	4645924.17256	-276949.81049	4347759.61205	A
209	GERN 19389M001	4642811.28145	-217222.86845	4353278.91068	A
257	HOND 15012M002	4640529.27366	-145676.92914	4358781.78440	A
235	IGEL 19352S001	4645951.38747	-165574.44793	4352550.45044	A
240	ISPS 19484M001	4640596.44161	-206963.72319	4356391.94771	A
245	KAST 19499M001	4646949.04038	-240747.21630	4348015.02737	A
256	LAKZ 19354S001	4666098.30239	-178186.13604	4330463.70442	A
261	LEIT 19428M001	4663520.89881	-155858.66311	4334519.91956	A
334	ORON 19427M001	4659695.74131	-130864.67952	4338948.91646	A
345	PAS2 19351S001	4644909.01999	-156645.01311	4353623.10936	A
493	PASA 19351S001	4644909.02025	-156645.01309	4353623.10942	W
558	SALA 13469M001	4803054.45411	-462131.01542	4158379.11493	W
566	SCDA 10088M002	4639940.46396	-136224.88674	4359552.44942	W
418	SOPU 19386M001	4643997.86798	-255913.85136	4350063.17457	A
443	TERU 13487M001	4867391.27614	-95523.28934	4108341.71274	A
493	VITO 19385M001	4679397.66695	-218436.44937	4314898.40366	A

5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

ETRF2000 FINAL COORD. wk 2208 22-MAY-22 09:54

LOCAL GEODETIC DATUM: ETRF2000 EPOCH: 2022-05-04 12:00:00

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
4	ACOR 13434M001	4594489.85869	-678367.97647	4357065.86145	W
39	ALDA 19383M001	4687280.51378	-190877.11546	4308106.54330	A
50	ALSA 19419M001	4677251.18874	-176770.93983	4319079.45438	A
53	AMUR 19388M001	4661499.79874	-244591.80334	4332269.46251	A
100	BLAZ 10074M002	4634456.41481	-124345.51860	4365785.03936	A
101	BIDA 00000M000	4644178.18355	-145778.86775	4354832.06456	A
113	BRZR 19387M001	4662221.34102	-220770.44370	4333309.01914	A
116	CANT 13438M001	4625924.65753	-307096.77640	4365771.13547	W
154	CHER 00000M000	4645880.38499	-125722.45318	4353623.66647	A
204	EBRE 13410M001	4833520.35801	41536.82748	4147461.28689	W
180	ELGE 19353S001	4657557.74659	-202242.01514	4338991.46521	A
182	EMAZ 17001M001	4645924.55355	-276950.40970	4347759.15803	A
209	GERN 19389M001	4642811.67051	-217223.46713	4353278.45770	A
257	HOND 15012M002	4640529.67231	-145676.52735	4358781.33256	A
235	IGEL 19352S001	4645951.78310	-165575.04682	4352549.99789	A
240	ISPS 19484M001	4640596.83222	-206964.32159	4356391.49506	A
245	KAST 19499M001	4646949.42603	-240747.81552	4348014.57374	A
256	LAKZ 19354S001	4666098.69472	-178186.73726	4330463.25003	A
261	LEIT 19428M001	4663521.29431	-155859.26398	4334519.46568	A
334	ORON 19427M001	4659696.14035	-130865.27987	4338948.46323	A
345	PAS2 19351S001	4644909.41684	-156645.61185	4353622.65701	A
493	PASA 19351S001	4644909.41710	-156645.61183	4353622.65707	W
558	SALA 13469M001	4803054.79694	-462131.63291	4158378.64538	W
566	SCDA 10088M002	4639940.86388	-136225.48485	4359551.99775	W
418	SOPU 19386M001	4643998.25184	-255914.45028	4350062.72098	A
443	TERU 13487M001	4867391.66216	-95523.91314	4108341.24272	A
493	VITO 19385M001	4679398.05294	-218437.05223	4314897.94764	A

5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

ETRF2014 FINAL COORD. wk 2208 22-MAY-22 09:54

 LOCAL GEODETIC DATUM: ETRF2014 EPOCH: 2022-05-04 12:00:00

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
4	ACDR 13434M001	4594489.81807	-678368.01403	4357065.91296	W
39	ALDA 19383M001	4687280.47078	-190877.15434	4308106.59468	A
50	ALSA 19419M001	4677251.14579	-176770.97881	4319079.50579	A
53	AMUR 19388M001	4661499.75618	-244591.84215	4332269.51394	A
100	BIAZ 10074M002	4634456.37214	-124345.55794	4365785.09093	A
101	BIDA 00000M000	4644178.14084	-145778.90698	4354832.11609	A
113	BRZR 19387M001	4662221.29838	-220770.48259	4333309.07058	A
116	CANT 13438M001	4625924.61553	-307096.81514	4365771.18698	W
154	CHER 00000M000	4645880.34220	-125722.49247	4353623.71801	A
204	EBRE 13410M001	4833520.31260	41536.78841	4147461.33801	W
180	ELGE 19353S001	4657557.70393	-202242.05411	4338991.51667	A
182	EMAZ 17001M001	4645924.51126	-276950.44846	4347759.20949	A
209	GERN 19389M001	4642811.62805	-217223.50611	4353278.50920	A
257	HOND 15012M002	4640529.62964	-145676.56659	4358781.38410	A
235	IGEL 19352S001	4645951.74044	-165575.08597	4352550.04940	A
240	ISPS 19484M001	4640596.78976	-206964.36062	4356391.54657	A
245	KAST 19499M001	4646949.38360	-240747.85440	4348014.62522	A
256	LAZK 19354S001	4666098.65189	-178186.77628	4330463.30148	A
261	LEIT 19428M001	4663521.25144	-155859.30309	4334519.51715	A
334	ORON 19427M001	4659696.09743	-130865.31908	4338948.51472	A
345	PAS2 19351S001	4644909.37416	-156645.65104	4353622.70854	A
493	PASA 19351S001	4644909.37442	-156645.65102	4353622.70860	W
558	SALA 13469M001	4803054.75350	-462131.67035	4158378.69634	W
566	SCDA 10088M002	4639940.82118	-136225.52413	4359552.04930	W
418	SOPU 19386M001	4643998.20949	-255914.48912	4350062.77246	A
443	TERU 13487M001	4867391.61687	-95523.95159	4108341.29366	A
493	VITO 19385M001	4679398.01011	-218437.09106	4314897.99903	A

6 Quality Control

6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGB14 solution and are given with respect to the Local frame (North-East-Up).

ARA LAC 2208 WEEK FINAL COMBINATION: PRECISE ORBITS 22-MAY-22 09:54

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACOR 13434M001	7	XXXXXX	0.89	0.96	3.53
ALDA 19383M001	7	XXXXXX	1.40	0.94	3.15
ALSA 19419M001	7	XXXXXX	1.69	0.65	4.58
AMUR 19388M001	7	XXXXXX	0.64	0.74	1.79
BLAZ 10074M002	7	XXXXXX	0.44	1.23	2.98
BIDA 00000M000	7	XXXXXX	0.97	0.81	2.09
BRZR 19387M001	7	XXXXXX	1.03	1.05	3.72
CANT 13438M001	7	XXXXXX	0.65	0.44	1.49
CHER 00000M000	7	XXXXXX	1.78	0.79	3.77
EBRE 13410M001	7	XXXXXX	0.85	1.09	4.27
ELGE 19353S001	7	XXXXXX	0.94	0.71	3.09
EMAZ 17001M001	7	XXXXXX	1.16	0.52	2.01
GERN 19389M001	7	XXXXXX	0.57	1.36	1.92
HOND 15012M002	7	XXXXXX	0.58	0.81	2.71
IGEL 19352S001	7	XXXXXX	0.59	0.36	1.61
ISPS 19484M001	7	XXXXXX	1.01	1.34	4.24
KAST 19499M001	7	XXXXXX	0.71	0.46	2.16
LAZK 19354S001	7	XXXXXX	0.73	0.50	3.66
LEIT 19428M001	7	XXXXXX	1.15	0.58	4.02
ORON 19427M001	7	XXXXXX	0.64	0.39	2.42
PAS2 19351S001	6	XX XXX	0.32	0.53	2.05
PASA 19351S001	7	XXXXXX	0.37	0.71	2.18
SALA 13469M001	7	XXXXXX	0.33	0.29	1.17
SCOA 10088M002	7	XXXXXX	0.98	0.73	1.32
SOPU 19386M001	7	XXXXXX	0.56	0.69	2.93
TERU 13487M001	7	XXXXXX	0.71	0.55	2.07
VITO 19385M001	7	XXXXXX	0.66	0.92	1.60

Comparison of individual solutions:

ACOR 13434M001	N	0.89	1.19	0.45	0.50	1.36	0.12	-0.52	-0.87
ACOR 13434M001	E	0.96	0.46	-0.30	0.75	-1.00	-0.85	1.57	-0.73
ACOR 13434M001	U	3.53	-0.94	5.83	3.58	1.61	0.11	-4.95	0.01
ALDA 19383M001	N	1.40	2.88	0.15	-0.61	-0.15	-0.01	-1.69	-0.52
ALDA 19383M001	E	0.94	-1.94	0.32	0.13	0.20	0.74	-0.11	0.92
ALDA 19383M001	U	3.15	-0.30	-0.92	-5.60	-0.17	-0.17	5.16	-0.64
ALSA 19419M001	N	1.69	1.24	0.49	-1.87	-1.45	0.85	-1.77	2.43
ALSA 19419M001	E	0.65	-0.03	0.98	0.23	-0.02	-0.60	0.66	-0.85
ALSA 19419M001	U	4.58	-4.33	-7.75	-1.25	1.44	3.73	5.42	0.28
AMUR 19388M001	N	0.64	-0.15	0.61	-0.29	-0.22	-0.53	-1.29	0.00
AMUR 19388M001	E	0.74	-0.85	-1.26	0.34	-0.22	0.62	0.16	0.61
AMUR 19388M001	U	1.79	0.15	3.14	0.24	1.52	-1.37	-1.68	-1.49
BLAZ 10074M002	N	0.44	-0.30	0.31	-0.17	-0.48	-0.14	-0.75	-0.41
BLAZ 10074M002	E	1.23	-1.17	-2.34	0.12	0.13	0.57	0.77	1.14
BLAZ 10074M002	U	2.98	4.87	-1.22	-0.73	1.45	-1.78	3.51	-3.15
BIDA 00000M000	N	0.97	-0.13	1.33	-1.44	0.35	-0.97	-0.82	-0.02
BIDA 00000M000	E	0.81	-1.13	-0.20	0.55	-1.08	-0.04	0.30	1.01
BIDA 00000M000	U	2.09	0.69	0.44	2.77	2.20	-0.16	0.47	-3.57
BRZR 19387M001	N	1.03	0.07	0.38	-1.08	-0.36	-1.23	-0.83	1.67
BRZR 19387M001	E	1.05	-0.41	-1.51	1.12	-0.13	-1.39	1.01	-0.09
BRZR 19387M001	U	3.72	2.71	-4.24	7.07	-0.16	1.04	-2.04	-1.56
CANT 13438M001	N	0.65	1.31	-0.51	-0.15	0.21	-0.43	-0.19	-0.50
CANT 13438M001	E	0.44	0.45	0.26	0.21	-0.31	-0.48	0.48	-0.54
CANT 13438M001	U	1.49	2.99	1.52	-1.11	0.16	0.08	0.71	0.58
CHER 00000M000	N	1.78	-1.49	-1.79	-3.57	0.13	-0.55	0.23	0.66
CHER 00000M000	E	0.79	0.86	-0.36	-1.40	-0.31	0.45	0.35	0.70
CHER 00000M000	U	3.77	4.44	0.72	7.07	3.00	-2.04	0.69	-1.12
EBRE 13410M001	N	0.85	-0.73	0.50	1.04	1.43	-0.12	0.49	-0.36
EBRE 13410M001	E	1.09	1.03	0.98	0.62	-0.81	0.37	-1.98	-0.18
EBRE 13410M001	U	4.27	1.17	-4.02	6.76	-4.73	-2.32	-0.05	4.31
ELGE 19353S001	N	0.94	1.09	-0.66	-1.70	-0.68	0.14	-0.16	0.48
ELGE 19353S001	E	0.71	-0.74	-1.35	0.65	-0.41	0.20	0.21	-0.02
ELGE 19353S001	U	3.09	2.29	-6.26	1.61	1.41	2.77	0.80	0.11
EMAZ 17001M001	N	1.16	-0.04	-1.50	-1.97	-0.07	0.69	0.69	1.00
EMAZ 17001M001	E	0.52	-0.63	-0.46	0.71	0.19	-0.60	0.27	-0.18
EMAZ 17001M001	U	2.01	-0.49	4.14	0.77	0.08	1.90	-1.64	0.09
GERN 19389M001	N	0.57	-0.72	-0.61	-0.71	-0.18	0.05	-0.04	0.73
GERN 19389M001	E	1.36	-1.07	-0.99	-2.24	0.34	0.82	1.75	0.24
GERN 19389M001	U	1.92	-1.78	-2.86	1.83	1.25	1.53	1.79	0.59
HOND 15012M002	N	0.58	0.58	0.17	-1.09	-0.50	-0.30	0.17	0.28
HOND 15012M002	E	0.81	-0.49	-1.01	-0.21	0.30	0.86	0.08	1.35
HOND 15012M002	U	2.71	-1.21	-4.45	-1.19	-0.50	-2.79	0.75	3.55
IGEL 19352S001	N	0.59	1.03	-0.51	-0.58	-0.50	-0.31	0.04	0.34
IGEL 19352S001	E	0.36	0.31	-0.26	0.35	-0.26	0.04	0.50	0.39
IGEL 19352S001	U	1.61	-2.66	-0.66	1.75	-1.85	-0.47	0.24	1.10
ISPS 19484M001	N	1.01	-0.55	-1.91	0.56	0.27	1.16	-0.65	-0.27
ISPS 19484M001	E	1.34	-0.88	-1.61	-2.04	0.87	0.66	0.34	1.38
ISPS 19484M001	U	4.24	-2.06	3.60	1.68	3.51	-4.27	-5.23	5.46
KAST 19499M001	N	0.71	0.67	0.45	0.47	-1.05	-0.70	-0.70	-0.28
KAST 19499M001	E	0.46	0.18	-1.06	-0.10	-0.08	-0.08	-0.19	0.19
KAST 19499M001	U	2.16	1.76	-1.11	4.17	-1.22	-1.82	-0.37	1.12
LAZK 19354S001	N	0.73	0.96	-0.46	-0.39	-0.35	0.41	-1.01	0.80
LAZK 19354S001	E	0.50	0.24	-1.01	0.08	0.06	0.06	0.54	0.36
LAZK 19354S001	U	3.66	-1.81	-5.29	-4.08	3.72	3.98	1.51	-0.76
LEIT 19428M001	N	1.15	-0.52	-1.46	-0.50	-1.08	0.79	1.65	0.85
LEIT 19428M001	E	0.58	-0.61	-0.79	0.02	0.72	0.45	-0.20	0.54
LEIT 19428M001	U	4.02	-2.02	-3.22	-0.32	1.42	0.40	6.90	-5.72
ORON 19427M001	N	0.64	-0.22	-0.62	-0.85	-0.27	0.32	0.45	0.97
ORON 19427M001	E	0.39	0.06	-0.41	-0.22	-0.02	0.46	-0.26	0.65
ORON 19427M001	U	2.42	-1.42	-4.86	-0.08	-0.15	2.96	-0.20	0.82
PAS2 19351S001	N	0.32	-0.18	0.20		0.40	-0.09	-0.50	0.11
PAS2 19351S001	E	0.53	-0.44	-0.52		0.45	0.66	0.14	0.56
PAS2 19351S001	U	2.05	-4.15	-0.66		-1.59	0.42	0.71	0.28
PASA 19351S001	N	0.37	-0.15	0.17	-0.61	0.50	0.06	-0.35	-0.18

PASA 19351S001	E	0.71	-0.33	-0.68	-0.48	0.38	0.51	0.13	1.35
PASA 19351S001	U	2.18	-4.32	-1.30	-1.25	-1.37	0.08	0.66	2.04
SALA 13469M001	N	0.33	0.21	-0.46	0.30	-0.01	0.06	-0.57	-0.04
SALA 13469M001	E	0.29	-0.24	0.06	-0.18	-0.46	-0.36	0.17	0.17
SALA 13469M001	U	1.17	-0.62	-0.13	-1.64	-0.81	-1.45	0.54	1.45
SCDA 10088M002	N	0.98	-0.82	-0.53	-1.42	-0.96	1.32	0.22	0.25
SCDA 10088M002	E	0.73	-0.23	-1.36	-0.32	-0.45	0.31	0.25	0.90
SCDA 10088M002	U	1.32	1.56	-2.24	-0.11	-0.17	0.42	1.62	0.30
SOPU 19386M001	N	0.56	-0.84	0.31	-0.19	-0.85	-0.08	-0.09	0.57
SOPU 19386M001	E	0.69	-0.24	-0.23	-0.96	-0.84	0.64	-0.25	0.81
SOPU 19386M001	U	2.93	0.92	2.12	-1.72	4.92	-0.99	-3.82	1.85
TERU 13487M001	N	0.71	-0.35	-0.29	0.35	-0.08	1.09	1.20	-0.25
TERU 13487M001	E	0.55	-0.91	0.58	-0.04	-0.47	0.60	-0.22	0.12
TERU 13487M001	U	2.07	-1.16	2.83	-1.17	-2.73	-2.26	-0.20	1.55
VITO 19385M001	N	0.66	0.58	-0.40	-0.34	-0.76	-0.96	-0.31	0.64
VITO 19385M001	E	0.92	-0.17	-1.76	-0.08	-0.60	-0.15	1.06	0.68
VITO 19385M001	U	1.60	0.14	-3.38	-0.97	0.47	0.69	1.52	0.15

6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

LOCAL GEODETIC DATUM: Igb14
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
4	ACOR 13434M001	I W	-1.24	1.17	-1.01
12	ALAC 13433M001	I W	0.23	-0.17	1.93
15	ALBA 13452M001	I W	1.46	-2.13	-1.36
21	ALME 13437M001	I W	-1.44	-0.67	6.65
47	BCLN 13412M001	I W	-0.21	-3.63	3.39
71	BORR 13480M001	I W	-1.86	-0.19	0.70
116	CANT 13438M001	I W	0.14	0.30	0.02
143	COBA 13453M001	I W	1.61	0.20	-3.59
204	EBRE 13410M001	I W	-3.51	0.49	0.73
316	IZAN 31309M002	I W	1.15	2.18	-2.98
432	MELI 19379M001	I W	2.41	0.33	-0.33
493	PASA 19351S001	I W	-0.19	-0.94	1.43
558	SALA 13469M001	I W	1.23	0.96	-4.90
566	SCDA 10088M002	I W	-0.33	-1.09	-5.41
599	SONS 13446M001	I W	0.56	3.19	4.73
RMS / COMPONENT			1.54	1.65	3.41
MEAN			-0.00	-0.00	0.00
MIN			-3.51	-3.63	-5.41
MAX			2.41	3.19	6.65

NUMBER OF PARAMETERS : 3
NUMBER OF COORDINATES : 45
RMS OF TRANSFORMATION : 2.36 MM

BARYCENTER COORDINATES:

LATITUDE : 39 33 19.86
LONGITUDE : - 3 34 9.67
HEIGHT : -25.362 KM

PARAMETERS:

TRANSLATION IN N : -0.00 +- 0.61 MM
TRANSLATION IN E : 0.00 +- 0.61 MM
TRANSLATION IN U : -0.00 +- 0.61 MM

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          14900597
NUMBER OF UNKNOWN              165743
NUMBER OF DEGREES OF FREEDOM    14734854
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)      180
VARIANCE FACTOR                  1.840237625742985

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")
      X          Y          Z          X          Y          Z          Scale (ppm)
-----
 1  0.00168      -0.0068 -0.0223  0.0042  0.0005 -0.0002 -0.0006  0.00019
 2  0.00256      -0.0111 -0.0509  0.0165  0.0010 -0.0006 -0.0013  -0.00076
 3  0.00165       0.0063 -0.0100 -0.0003  0.0003  0.0001 -0.0001  -0.00074
 4  0.00161      -0.0093  0.0169  0.0161 -0.0004 -0.0006  0.0004  -0.00048
 5  0.00169       0.0005  0.0045  0.0020 -0.0001 -0.0000  0.0001  -0.00022
 6  0.00198       0.0069  0.0197 -0.0071 -0.0003  0.0003  0.0006  0.00014
 7  0.00153       0.0014  0.0050 -0.0088 -0.0001  0.0002  0.0001  0.00084
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
 1  0.00139      2113200  1.93          2138656  3          774  24685  0
 2  0.00139      2084810  1.94          2109987  3          768  24412  0
 3  0.00133      2068476  1.78          2092164  3          765  22926  0
 4  0.00130      2041719  1.70          2065063  3          750  22597  0
 5  0.00134      2136386  1.79          2160852  3          768  23701  0
 6  0.00137      2117147  1.88          2141315  3          765  23406  0
 7  0.00134      2168553  1.80          2192560  3          774  23236  0
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__ FIRMWARE____
ACOR  A  1 P 22:121:00000 22:127:86370 LEICA GR50      -----
ALDA  A  1 P 22:121:00000 22:127:86370 LEICA GR10      -----
ALSA  A  1 P 22:121:00000 22:127:86370 LEICA GR50      -----
AMUR  A  1 P 22:121:00000 22:127:86370 LEICA GR10      -----
BIAZ  A  1 P 22:121:00000 22:127:82770 SPECTRA SP90M   -----
BIDA  A  1 P 22:121:00000 22:127:86370 LEICA GR10      -----
BRZR  A  1 P 22:121:00000 22:127:86370 LEICA GR30      -----
CANT  A  1 P 22:121:00000 22:127:86370 LEICA GR10      -----
CHER  A  1 P 22:121:00000 22:127:86370 LEICA GR30      -----
EBRE  A  1 P 22:121:00000 22:127:86370 LEICA GR50      -----
ELGE  A  1 P 22:121:00000 22:127:86370 LEICA GR30      -----
EMAZ  A  1 P 22:121:00000 22:127:86370 LEICA GR30      -----
GERN  A  1 P 22:121:00000 22:127:86370 LEICA GR30      -----
HOND  A  1 P 22:121:00000 22:127:86370 LEICA GR50      -----
IGEL  A  1 P 22:121:00000 22:127:86370 LEICA GR30      -----
ISPS  A  1 P 22:121:00000 22:127:86370 TRIMBLE NETR9   -----
KAST  A  1 P 22:121:00000 22:127:86370 LEICA GR30      -----
LAZK  A  1 P 22:121:00000 22:127:86370 LEICA GR30      -----
LEIT  A  1 P 22:121:00000 22:127:86370 LEICA GR50      -----
ORON  A  1 P 22:121:00000 22:127:86370 LEICA GR50      -----
PAS2  A  1 P 22:121:00030 22:127:86370 STONEX SC2200   -----
PASA  A  1 P 22:121:00000 22:127:86370 LEICA GR30      -----
SALA  A  1 P 22:121:00000 22:127:86370 LEICA GR50      -----
SCDA  A  1 P 22:121:00000 22:127:86370 LEICA GR50      -----
SOPU  A  1 P 22:121:00000 22:127:86370 LEICA GR30      -----
TERU  A  1 P 22:121:00000 22:127:86370 LEICA GR50      -----
VITO  A  1 P 22:121:00000 22:127:86370 LEICA GR10      -----
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__
ACOR  A  1 P 22:121:00000 22:127:86370 LEIAT504      LEIS  -----
ALDA  A  1 P 22:121:00000 22:127:86370 LEIAS10      NONE  -----
ALSA  A  1 P 22:121:00000 22:127:86370 LEIAR10      NONE  -----
AMUR  A  1 P 22:121:00000 22:127:86370 LEIAS10      NONE  -----
BIAZ  A  1 P 22:121:00000 22:127:82770 LEIAR25      LEIT  -----
BIDA  A  1 P 22:121:00000 22:127:86370 LEIAS10      NONE  -----
BRZR  A  1 P 22:121:00000 22:127:86370 LEIAS10      NONE  -----
CANT  A  1 P 22:121:00000 22:127:86370 LEIAR25_R4   LEIT  25066
CHER  A  1 P 22:121:00000 22:127:86370 LEIAR10      NONE  -----
```

```

EBRE A 1 P 22:121:00000 22:127:86370 LEIAR25_R4 NONE 26359
ELGE A 1 P 22:121:00000 22:127:86370 LEIAR25_R4 LEIT -----
EMAZ A 1 P 22:121:00000 22:127:86370 LEIAS10 NONE -----
GERN A 1 P 22:121:00000 22:127:86370 LEIAS10 NONE -----
HOND A 1 P 22:121:00000 22:127:86370 LEIAR20 LEIM 41012
IGEL A 1 P 22:121:00000 22:127:86370 LEIAR20 LEIM 43011
ISPS A 1 P 22:121:00000 22:127:86370 TRM59900.00 SCIS -----
KAST A 1 P 22:121:00000 22:127:86370 LEIAS10 NONE -----
LAZK A 1 P 22:121:00000 22:127:86370 LEIAR25_R4 LEIT -----
LEIT A 1 P 22:121:00000 22:127:86370 LEIAR10 NONE -----
ORON A 1 P 22:121:00000 22:127:86370 LEIAR10 NONE -----
PAS2 A 1 P 22:121:00030 22:127:86370 LEIAR20 LEIM 73034
PASA A 1 P 22:121:00000 22:127:86370 LEIAR20 LEIM 73034
SALA A 1 P 22:121:00000 22:127:86370 LEIAR25 NONE -----
SCDA A 1 P 22:121:00000 22:127:86370 TRM55971.00 NONE -----
SOPU A 1 P 22:121:00000 22:127:86370 LEIAS10 NONE -----
TERU A 1 P 22:121:00000 22:127:86370 LEIAR20 LEIM 49044
VITO A 1 P 22:121:00000 22:127:86370 LEIAS10 NONE -----
    
```

7.3 Eccentricities

```

*
*SITE PT SOLN T DATA_START_ DATA_END_ AXE ARP->BENCHMARK(M) UP_ NORTH_ EAST_
ACOR A 1 P 22:121:00000 22:127:86370 UNE 3.0460 0.0000 0.0000
ALDA A 1 P 22:121:00000 22:127:86370 UNE 0.0000 0.0000 0.0000
ALSA A 1 P 22:121:00000 22:127:86370 UNE 0.0000 0.0000 0.0000
AMUR A 1 P 22:121:00000 22:127:86370 UNE 0.0000 0.0000 0.0000
BIAZ A 1 P 22:121:00000 22:127:82770 UNE 0.0000 0.0000 0.0000
BIDA A 1 P 22:121:00000 22:127:86370 UNE 0.0000 0.0000 0.0000
BRZR A 1 P 22:121:00000 22:127:86370 UNE 0.0771 0.0000 0.0000
CANT A 1 P 22:121:00000 22:127:86370 UNE 3.0490 0.0000 0.0000
CHER A 1 P 22:121:00000 22:127:86370 UNE 0.0000 0.0000 0.0000
EBRE A 1 P 22:121:00000 22:127:86370 UNE 0.0770 0.0000 0.0000
ELGE A 1 P 22:121:00000 22:127:86370 UNE 0.0000 0.0000 0.0000
EMAZ A 1 P 22:121:00000 22:127:86370 UNE 0.0350 0.0000 0.0000
GERN A 1 P 22:121:00000 22:127:86370 UNE 0.0771 0.0000 0.0000
HOND A 1 P 22:121:00000 22:127:86370 UNE 0.0771 0.0000 0.0000
IGEL A 1 P 22:121:00000 22:127:86370 UNE 0.0000 0.0000 0.0000
ISPS A 1 P 22:121:00000 22:127:86370 UNE 0.0350 0.0000 0.0000
KAST A 1 P 22:121:00000 22:127:86370 UNE 0.0350 0.0000 0.0000
LAZK A 1 P 22:121:00000 22:127:86370 UNE 0.0000 0.0000 0.0000
LEIT A 1 P 22:121:00000 22:127:86370 UNE 0.0000 0.0000 0.0000
ORON A 1 P 22:121:00000 22:127:86370 UNE 0.0000 0.0000 0.0000
PAS2 A 1 P 22:121:00030 22:127:86370 UNE 0.0000 0.0000 0.0000
PASA A 1 P 22:121:00000 22:127:86370 UNE 0.0000 0.0000 0.0000
SALA A 1 P 22:121:00000 22:127:86370 UNE 0.0600 0.0000 0.0000
SCDA A 1 P 22:121:00000 22:127:86370 UNE 0.0000 0.0000 0.0000
SOPU A 1 P 22:121:00000 22:127:86370 UNE 0.0771 0.0000 0.0000
TERU A 1 P 22:121:00000 22:127:86370 UNE 0.0600 0.0000 0.0000
VITO A 1 P 22:121:00000 22:127:86370 UNE 0.0000 0.0000 0.0000
    
```

8 References


C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. etrs89.ensg.ign.fr/memo-V8.pdf

EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf


Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf

9 Cumulative Time Series


Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.




1) ACOR




2) ALDA




3) AMUR




4) BIAZ




5) BIDA




6) CACE




7) CANT




8) CHER




9) EBRE




10) ELGE




11) EMAZ






12) HOND




13) IGEL




14) ISPS







18) PAS2




19) PASA




20) RIO1




21) SCOA




22) SOPU



23) TERU



24) YEBE



25) ZARA