

# ARA-DAC Weekly Analysis Result: 2220 (GFA)

## Technical Report

**GPS Week: 2220 (GFA)**

<http://geolabpasaia.org/gnss/ARA-euref/>

**ARA-DAC details:**

Contact person: J. Zurutuza

Contact mail: [geodesia@aranzadi.eus](mailto:geodesia@aranzadi.eus)


Report generated on 2022/08/14 at 15:23:07



# 1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

# 2 Map of Computed Sites



2022 Aug 14 15:22:57

Fig.1: Computed Sites for GPS Week2220 (GFA)

### 3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase,  $L_1$  and  $L_2$ ; a priori sigma of single differences: 0.002 m.
  - sampling (for ambiguity resolution): 30 s
  - sampling (for final processing): 180 s
  - Systems: GPS+GLONASS observations are used (Galileo also used if available from GPSW 1986 on)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV\_COD.I14 file and individual calibrations from EPNC\_14.ATX. EPN\_A class sites (CRD + VEL) IGb14 used to define the reference frame (from GPSW 1934). If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
  - 3 deg elev. cutoff; elevation dependent weighting
  - VMF1 mapping function. ZPD parameters are estimated using the VMF1 mapping function.
  - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

### 4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3\*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
  - Code-Based Widelane (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
  - Phase-Based Widelane ( $L_5$ ) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
  - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
  - Direct  $L_1/L_2$  AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.



## 5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

### 5.1 IGB14

The Reference Frame considered in this section is IGB14, release C2130.

ARA LAC 2220 WEEK FINAL COMBINATION: PRECISE ORBITS 14-AUG-22 13:01

-----

LOCAL GEODETIC DATUM: IGB14 EPOCH: 2022-07-27 12:00:00

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
4	ACOR 13434M001	4594489.52369	-678367.37780	4357066.31930	W
100	BIAZ 10074M002	4634456.00758	-124344.91653	4365785.49166	A
101	BIDA 00000M000	4644177.78142	-145778.26404	4354832.52142	A
113	BRZR 19387M001	4662220.95276	-220769.83976	4333309.48039	A
104	CACE 13447M001	4899866.47161	-544566.97767	4033770.24396	W
116	CANT 13438M001	4625924.27648	-307096.17657	4365771.59443	W
154	CHER 00000M000	4645879.98158	-125721.85008	4353624.12456	A
162	CREU 13432M001	4715420.09365	273178.12010	4271946.88541	W
180	ELGE 19353S001	4657557.35498	-202241.41002	4338991.92583	A
209	GERN 19389M001	4642811.27924	-217222.86629	4353278.91939	A
257	HOND 15012M002	4640529.27154	-145676.92386	4358761.78928	A
235	IGEL 19352S001	4645951.38511	-165574.44407	4352550.45590	A
240	ISPS 19484M001	4640596.44101	-206963.71697	4356391.95328	A
256	LAZK 19354S001	4666098.30152	-178186.13076	4330463.71052	A
345	PASZ 19351S001	4644909.01919	-156645.00874	4353623.11435	A
493	PASA 19351S001	4644909.01948	-156645.00882	4353623.11461	W
553	RI01 13448M002	4708446.78996	-199490.22622	4284089.77406	W
558	SALA 13469M001	4803054.45202	-462131.01065	4158379.11871	W
566	SC0A 10088M002	4639940.45760	-136224.87950	4359552.45819	W
418	SOPU 19386M001	4643997.86597	-255913.84705	4350063.17926	A
443	TERU 13487M001	4867391.27674	-95523.28469	4108341.71679	A
752	YEBE 13420M001	4848724.52641	-261631.86722	4123094.36288	A
755	ZARA 13462M001	4773803.12888	-73505.92319	4215454.13186	W

### 5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

ETRF2000 FINAL COORD. wk 2220 14-AUG-22 13:01

-----

LOCAL GEODETIC DATUM: ETRF2000 EPOCH: 2022-07-27 12:00:00

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
4	ACOR 13434M001	4594489.85577	-678367.97639	4357065.86123	W
100	BIAZ 10074M002	4634456.41191	-124345.51844	4365785.03774	A
101	BIDA 00000M000	4644178.18215	-145778.86714	4354832.06640	A
113	BRZR 19387M001	4662221.34217	-220770.44516	4333309.02287	A
104	CACE 13447M001	4899866.79622	-544567.61089	4033769.76217	W
116	CANT 13438M001	4625924.65722	-307096.77802	4365771.13878	W
154	CHER 00000M000	4645880.38480	-125722.45331	4353623.66966	A
162	CREU 13432M001	4715420.54202	273177.51038	4271946.42994	W
180	ELGE 19353S001	4657557.74721	-202242.01483	4338991.46894	A
209	GERN 19389M001	4642811.67063	-217223.46944	4353278.46353	A
257	HOND 15012M002	4640529.67258	-145676.52654	4358761.33457	A
235	IGEL 19352S001	4645951.78311	-165575.04744	4352550.00047	A
240	ISPS 19484M001	4640596.83396	-206964.31984	4356391.49774	A
256	LAZK 19354S001	4666098.69620	-178186.73648	4330463.25324	A
345	PASZ 19351S001	4644909.41842	-156645.61195	4353622.65912	A
493	PASA 19351S001	4644909.41871	-156645.61203	4353622.65938	W
553	RI01 13448M002	4708447.17835	-199490.83686	4284089.31296	W
558	SALA 13469M001	4803054.79686	-462131.63275	4158378.64616	W
566	SC0A 10088M002	4639940.85992	-136225.48208	4359552.00365	W
418	SOPU 19386M001	4643998.25212	-255914.45045	4350062.72279	A
443	TERU 13487M001	4867391.66507	-95523.91314	4108341.24377	A
752	YEBE 13420M001	4848724.89444	-261632.49404	4123093.88921	A
755	ZARA 13462M001	4773803.52826	-73506.54091	4215453.66697	W

### 5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

ETRF2014 FINAL COORD. wk 2220 14-AUG-22 13:01

-----

LOCAL GEODETIC DATUM: ETRF2014 EPOCH: 2022-07-27 12:00:00

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
4	ACOR 13434M001	4594489.81522	-678368.01386	4357065.91285	W
100	BIAZ 10074M002	4634456.36930	-124345.55771	4365785.08942	A

101	BIDA	0000M000	4644178.13950	-145778.90629	4354832.11805	A
113	BRZR	19387M001	4662221.29959	-220770.48397	4333309.07442	A
104	CACE	13447M001	4899866.75197	-544567.64752	4033769.81297	W
116	CANT	13438M001	4625924.61529	-307096.81668	4365771.19040	W
154	CHER	0000M000	4645880.34207	-125722.49253	4353623.72132	A
162	CREU	13432M001	4715420.49707	273177.47007	4271946.48167	W
180	ELGE	19353S001	4657557.70462	-202242.05373	4338991.52052	A
209	GERN	19389M001	4642811.62824	-217223.50835	4353278.51515	A
257	HOND	15012M002	4640529.62998	-145676.56571	4358781.38622	A
235	IGEL	19352S001	4645951.74052	-165575.08651	4352550.05210	A
240	ISPS	19484M001	4640596.79156	-206964.35879	4356391.54937	A
256	LAZK	19354S001	4666098.65344	-178186.77542	4330463.30480	A
345	PAS2	19351S001	4644909.37581	-156645.65107	4353622.71076	A
493	PASA	19351S001	4644909.37610	-156645.65115	4353622.71102	W
553	RI01	13448M002	4708447.13520	-199490.87555	4284089.36439	W
558	SALA	13469M001	4803054.75348	-462131.67009	4158378.69723	W
566	SC0A	10088M002	4639940.81729	-136225.52129	4359552.05531	W
418	SOPU	19386M001	4643998.20984	-255914.48921	4350062.77438	A
443	TERU	13487M001	4867391.61982	-95523.95150	4108341.29482	A
752	YEBE	13420M001	4848724.84995	-261632.53190	4123093.94023	A
755	ZARA	13462M001	4773803.48397	-73506.57976	4215453.71828	W

## 6 Quality Control

### 6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGB14 solution and are given with respect to the Local frame (North-East-Up).

ARA LAC 2220 WEEK FINAL COMBINATION: PRECISE ORBITS 14-AUG-22 13:01

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACDR 13434M001	7	XXXXXX	0.76	0.47	2.85
BIAZ 10074M002	7	XXXXXX	0.77	0.83	2.86
BIDA 00000M000	7	XXXXXX	0.81	0.79	3.46
BRZR 19387M001	7	XXXXXX	0.63	0.65	2.82
CACE 13447M001	7	XXXXXX	1.37	0.50	2.73
CANT 13438M001	7	XXXXXX	0.81	0.65	3.78
CHER 00000M000	7	XXXXXX	0.74	1.10	2.93
CREU 13432M001	1	X	0.60	0.11	1.10
ELGE 19353S001	7	XXXXXX	0.46	0.81	3.67
GERN 19389M001	7	XXXXXX	0.69	0.62	3.30
HOND 15012M002	7	XXXXXX	0.94	0.61	2.68
IGEL 19352S001	6	XXXXXX	1.09	0.70	2.09
ISPS 19484M001	7	XXXXXX	0.94	1.12	3.89
LAZK 19354S001	7	XXXXXX	1.05	0.75	5.94
PAS2 19351S001	7	XXXXXX	0.66	0.81	2.41
PASA 19351S001	7	XXXXXX	0.65	0.78	2.22
RIO1 13448M002	7	XXXXXX	1.09	0.59	2.66
SALA 13469M001	7	XXXXXX	0.72	0.58	2.67
SCDA 10088M002	1	X	0.19	0.98	1.68
SOPU 19386M001	7	XXXXXX	0.44	1.12	1.97
TERU 13487M001	7	XXXXXX	0.91	1.19	4.61
YEBE 13420M001	2	XX	0.54	1.29	5.59
ZARA 13462M001	7	XXXXXX	0.63	0.70	2.08

Comparison of individual solutions:

ACDR 13434M001	N	0.76	-0.06	-0.94	-0.35	-0.45	-0.14	-0.70	1.33
ACDR 13434M001	E	0.47	0.40	-0.29	-0.28	0.21	-0.27	-0.05	-0.93
ACDR 13434M001	U	2.85	0.42	-1.87	-1.03	-4.31	2.68	3.28	2.71
BIAZ 10074M002	N	0.77	-0.05	-0.34	-0.77	0.39	1.12	-0.35	-1.15
BIAZ 10074M002	E	0.83	-0.57	-0.84	1.58	-0.39	-0.30	0.28	0.55
BIAZ 10074M002	U	2.86	2.66	1.77	-2.63	-1.11	-1.42	-1.25	5.21
BIDA 00000M000	N	0.81	0.47	0.98	-1.50	-0.22	-0.09	-0.41	-0.52
BIDA 00000M000	E	0.79	-1.21	-0.05	0.80	-0.29	0.51	1.13	-0.02
BIDA 00000M000	U	3.46	3.40	-3.90	4.41	1.58	-3.74	0.80	2.93
BRZR 19387M001	N	0.63	0.21	0.47	-0.80	0.08	0.31	0.34	-1.13
BRZR 19387M001	E	0.65	0.49	-0.30	0.32	-0.91	-0.37	-0.45	0.97
BRZR 19387M001	U	2.82	-0.05	0.11	4.99	-1.23	-2.90	-2.44	-2.63
CACE 13447M001	N	1.37	-1.84	0.19	-0.41	-0.89	-0.97	0.31	2.41
CACE 13447M001	E	0.50	0.06	-0.14	0.26	-0.79	0.17	0.68	-0.53
CACE 13447M001	U	2.73	-2.32	0.80	1.56	0.48	-1.76	1.94	-5.40
CANT 13438M001	N	0.81	0.98	-0.78	-1.19	-0.76	-0.01	-1.03	-0.62
CANT 13438M001	E	0.65	-0.77	0.15	0.89	-0.08	0.67	0.65	-0.51
CANT 13438M001	U	3.78	-0.29	6.85	-1.90	2.93	-3.33	-3.90	0.64
CHER 00000M000	N	0.74	-0.93	0.35	0.95	-0.25	0.40	-0.48	-0.99
CHER 00000M000	E	1.10	-1.32	-1.37	0.70	0.18	1.09	1.23	0.68
CHER 00000M000	U	2.93	5.15	1.17	-1.90	0.49	-3.48	-0.91	2.58
CREU 13432M001	N	0.60							0.60
CREU 13432M001	E	0.11							0.11
CREU 13432M001	U	1.10							-1.10
ELGE 19353S001	N	0.46	-0.49	-0.04	0.15	-0.11	0.81	-0.16	-0.56
ELGE 19353S001	E	0.81	0.78	-0.86	0.65	-1.16	0.84	-0.01	-0.43
ELGE 19353S001	U	3.67	-0.54	4.06	0.27	-2.61	-6.18	-2.78	3.33
GERN 19389M001	N	0.69	0.75	-0.89	-0.47	-0.22	1.01	-0.24	-0.39
GERN 19389M001	E	0.62	-0.54	-0.54	-0.68	0.31	1.03	0.20	-0.16
GERN 19389M001	U	3.30	-0.88	0.84	-0.37	-2.32	5.02	-5.41	-1.92
HOND 15012M002	N	0.94	-1.33	-0.70	-0.87	-0.12	1.38	0.57	0.24
HOND 15012M002	E	0.61	-0.80	0.20	1.09	-0.60	0.02	-0.13	0.15
HOND 15012M002	U	2.68	-1.54	-4.89	-3.52	1.12	1.51	0.65	0.61
IGEL 19352S001	N	1.09	-0.55	-0.15	-1.09	-0.39	2.06	0.23	
IGEL 19352S001	E	0.70	-0.85	-0.17	1.15	-0.34	-0.32	0.40	
IGEL 19352S001	U	2.09	-2.04	0.88	1.61	0.46	-2.76	-2.56	
ISPS 19484M001	N	0.94	-1.09	0.67	-0.94	-0.44	1.57	-0.06	-0.27
ISPS 19484M001	E	1.12	-0.63	-0.60	1.12	-0.32	1.60	-1.57	0.63
ISPS 19484M001	U	3.89	-2.60	2.10	-5.62	4.12	2.69	-4.87	0.22
LAZK 19354S001	N	1.05	1.04	1.04	-0.66	-0.19	0.46	-0.12	-1.93
LAZK 19354S001	E	0.75	-1.00	-0.38	0.87	-0.93	0.16	0.48	0.60
LAZK 19354S001	U	5.94	6.77	1.94	-10.57	4.73	-0.98	-2.76	-4.44
PAS2 19351S001	N	0.66	0.10	0.44	-0.77	-1.04	0.86	0.09	0.03
PAS2 19351S001	E	0.81	-0.78	-0.55	1.41	-0.33	-0.09	0.78	-0.55
PAS2 19351S001	U	2.41	-0.64	-1.56	-0.42	0.13	1.23	-5.32	1.44
PASA 19351S001	N	0.65	0.10	0.18	-0.84	-0.97	0.91	0.19	0.07
PASA 19351S001	E	0.78	-0.93	-0.43	1.32	-0.33	-0.18	0.75	-0.36
PASA 19351S001	U	2.22	-1.36	-2.10	0.42	0.31	1.20	-4.50	1.17
RIO1 13448M002	N	1.09	1.32	-1.99	-0.30	0.86	0.05	-0.52	-0.57
RIO1 13448M002	E	0.59	-0.47	0.55	-0.61	-0.37	0.28	0.52	0.82
RIO1 13448M002	U	2.66	-4.02	2.87	2.18	-0.15	0.51	3.30	-1.46
SALA 13469M001	N	0.72	-0.52	-0.45	-0.36	-0.56	1.35	0.39	-0.45
SALA 13469M001	E	0.58	-0.19	-1.10	0.09	-0.13	-0.35	0.64	0.47
SALA 13469M001	U	2.67	2.54	-1.58	-0.65	0.14	4.29	-3.76	0.95
SCDA 10088M002	N	0.19							0.19
SCDA 10088M002	E	0.98							-0.98
SCDA 10088M002	U	1.68							1.68
SOPU 19386M001	N	0.44	-0.41	-0.10	0.13	-0.27	0.85	0.04	-0.43
SOPU 19386M001	E	1.12	-0.26	-1.22	1.31	-1.20	1.49	0.37	-0.73
SOPU 19386M001	U	1.97	2.36	0.49	-2.51	-1.24	-0.20	-1.44	-2.74
TERU 13487M001	N	0.91	0.87	1.04	-0.06	-0.24	-0.77	1.43	0.69
TERU 13487M001	E	1.19	-1.63	-0.25	0.12	-0.04	-0.15	-0.80	2.26
TERU 13487M001	U	4.61	-4.44	-4.84	-6.27	0.90	-1.14	6.54	0.44
YEBE 13420M001	N	0.54							-0.02
YEBE 13420M001	E	1.29							0.82
YEBE 13420M001	U	5.59							-5.44
ZARA 13462M001	N	0.63	0.98	0.19	0.47	-0.65	0.48	-0.18	-0.71
ZARA 13462M001	E	0.70	-0.31	-0.21	-0.23	0.46	0.87	-0.72	1.13
ZARA 13462M001	U	2.08	-0.87	-0.81	-3.51	0.21	2.38	2.44	-0.76

## 6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

LOCAL GEODETIC DATUM: Igb14  
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
4	ACOR 13434M001	I W	-3.02	1.98	0.76
12	ALAC 13433M001	I W	0.68	-0.92	3.32
15	ALBA 13452M001	I W	2.26	-1.13	-5.76
21	ALME 13437M001	I W	-1.24	0.11	4.92
47	BCLN 13412M001	I W	-0.24	-3.96	-2.45
52	BELL 13431M001	I W	0.09	-1.03	5.78
71	BORR 13480M001	I W	0.32	-1.85	-5.04
76	BRST 10004M004	I W	-3.25	0.58	1.54
104	CACE 13447M001	I W	0.44	1.61	3.24
116	CANT 13438M001	I W	-2.55	1.87	-2.23
117	CARG 19412M001	I W	1.66	2.40	-2.34
122	CASE 13494M001	I W	-1.38	-0.42	3.73
128	CEU1 13449M002	I W	1.20	-1.63	-0.77
143	COBA 13453M001	I W	2.42	0.43	-2.37
162	CREU 13432M001	I W	-2.88	-0.25	-7.61
222	ESCO 13435M001	I W	-1.22	1.13	-3.44
299	HUEL 13451M001	I W	6.71	3.55	-3.22
316	IZAN 31309M002	I W	1.01	2.18	6.66
385	LLIV 13436M001	I W	1.35	-0.61	1.98
421	MAS1 31303M002	I W	2.80	1.29	3.48
432	MELI 19379M001	I W	5.34	-2.03	-0.85
493	PASA 19351S001	I W	-0.95	-0.92	-1.75
553	RID1 13448M002	I W	-1.52	1.28	-0.93
558	SALA 13469M001	I W	0.66	0.71	-5.64
566	SCDA 10088M002	I W	-7.48	-3.73	-6.56
574	SFER 13402M004	I W	2.72	-2.59	-0.39
599	SONS 13446M001	I W	-2.56	0.74	7.82
700	VALA 13463M002	I W	0.97	-0.88	-0.41
704	VALE 13439M001	I W	-1.08	4.28	-0.35
715	VIGO 13450M001	I W	1.00	0.39	6.56
755	ZARA 13462M001	I W	-0.18	-1.16	2.05
764	ZIMM 14001M004	I W	-2.07	-1.43	0.28
	RMS / COMPONENT		2.67	1.91	4.04
	MEAN		0.00	-0.00	-0.00
	MIN		-7.48	-3.96	-7.61
	MAX		6.71	4.28	7.82

NUMBER OF PARAMETERS : 3  
NUMBER OF COORDINATES : 96  
RMS OF TRANSFORMATION : 3.00 MM

BARYCENTER COORDINATES:

LATITUDE : 40 5 24.21  
LONGITUDE : - 3 13 1.12  
HEIGHT : -31.222 KM

PARAMETERS:

TRANSLATION IN N : 0.01 +- 0.53 MM  
TRANSLATION IN E : 0.01 +- 0.53 MM  
TRANSLATION IN U : -0.00 +- 0.53 MM

### 6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
* STATISTICAL PARAMETER----- VALUE(S)-----
NUMBER OF OBSERVATIONS          13173497
NUMBER OF UNKNOWN               158128
NUMBER OF DEGREES OF FREEDOM    13015369
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)      180
VARIANCE FACTOR                  2.244743751246835

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")      Scale (ppm)
      X          Y          Z          X          Y          Z
-----
 1  0.00209      0.0063 -0.0267 -0.0105  0.0005  0.0004 -0.0007  0.00013
 2  0.00202     -0.0097 -0.0260  0.0036  0.0006 -0.0003 -0.0006  0.00058
 3  0.00183      0.0125 -0.0007 -0.0185  0.0000  0.0007  0.0000  0.00034
 4  0.00172      0.0074  0.0115 -0.0069 -0.0002  0.0003  0.0003 -0.00027
 5  0.00210      0.0040  0.0035  0.0006 -0.0001  0.0001  0.0001 -0.00060
 6  0.00208     -0.0043  0.0269  0.0075 -0.0006 -0.0003  0.0007 -0.00007
 7  0.00221     -0.0093  0.0072  0.0080 -0.0002 -0.0004  0.0001  0.00031
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
 1  0.00147      1836366  2.17  1858631  3  642  21626  0
 2  0.00153      1824256  2.34  1847370  3  642  22475  0
 3  0.00146      1811969  2.13  1835720  3  642  23112  0
 4  0.00147      1865800  2.16  1889061  3  645  22619  0
 5  0.00153      1889445  2.33  1912682  3  654  22586  0
 6  0.00152      1902113  2.31  1924990  3  666  22214  0
 7  0.00149      1881598  2.23  1905043  3  648  22800  0
```

## 7 Equipment

### 7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ FIRMWARE___
ACOR A 1 P 22:205:00000 22:211:86370 LEICA GR50 -----
BIAZ A 1 P 22:205:00000 22:211:86370 SPECTRA SP90M -----
BIDA A 1 P 22:205:00000 22:211:86370 LEICA GR10 -----
BRZR A 1 P 22:205:00000 22:211:86370 LEICA GR30 -----
CACE A 1 P 22:205:00000 22:211:86370 TRIMBLE NETR9 -----
CANT A 1 P 22:205:00000 22:211:86370 LEICA GR10 -----
CHER A 1 P 22:205:00000 22:211:86370 LEICA GR30 -----
CREU A 1 P 22:207:00000 22:207:86370 LEICA GR50 -----
ELGE A 1 P 22:205:00000 22:211:86370 LEICA GR30 -----
GERN A 1 P 22:205:00000 22:211:86370 LEICA GR30 -----
HOND A 1 P 22:205:00000 22:211:86370 LEICA GR50 -----
IGEL A 1 P 22:205:00000 22:210:86370 LEICA GR30 -----
ISPS A 1 P 22:205:00000 22:211:86370 TRIMBLE NETR9 -----
LAZK A 1 P 22:205:00000 22:211:86370 LEICA GR30 -----
PAS2 A 1 P 22:205:00030 22:211:86370 STONEX SC2200 -----
PASA A 1 P 22:205:00000 22:211:86370 LEICA GR30 -----
RIO1 A 1 P 22:205:00000 22:211:86370 LEICA GR25 -----
SALA A 1 P 22:205:00000 22:211:86370 LEICA GR50 -----
SCOA A 1 P 22:205:00000 22:205:86370 LEICA GR50 -----
SOPU A 1 P 22:205:00000 22:211:86370 LEICA GR30 -----
TERU A 1 P 22:205:00000 22:211:86370 LEICA GR50 -----
YEBE A 1 P 22:210:00000 22:211:86370 LEICA GR50 -----
ZARA A 1 P 22:205:00000 22:211:86370 TRIMBLE NETR9 -----
```

### 7.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__
ACOR A 1 P 22:205:00000 22:211:86370 LEIAT504 LEIS -----
BIAZ A 1 P 22:205:00000 22:211:86370 LEIAR25 LEIT -----
BIDA A 1 P 22:205:00000 22:211:86370 LEIAS10 NONE -----
BRZR A 1 P 22:205:00000 22:211:86370 LEIAS10 NONE -----
CACE A 1 P 22:205:00000 22:211:86370 TRM29659.00 NONE -----
CANT A 1 P 22:205:00000 22:211:86370 LEIAR25.R4 LEIT 25066
CHER A 1 P 22:205:00000 22:211:86370 LEIAR10 NONE -----
CREU A 1 P 22:207:00000 22:207:86370 LEIAR25.R4 NONE 26357
ELGE A 1 P 22:205:00000 22:211:86370 LEIAR25.R4 LEIT -----
GERN A 1 P 22:205:00000 22:211:86370 LEIAS10 NONE -----
HOND A 1 P 22:205:00000 22:211:86370 LEIAR20 LEIM 41012
IGEL A 1 P 22:205:00000 22:210:86370 LEIAR20 LEIM 43011
ISPS A 1 P 22:205:00000 22:211:86370 TRM59900.00 SCIS -----
```

```

LAZK A 1 P 22:205:00000 22:211:86370 LEIAR25.R4 LEIT -----
PAS2 A 1 P 22:205:00030 22:211:86370 LEIAR20 LEIM 73034
PASA A 1 P 22:205:00000 22:211:86370 LEIAR20 LEIM 73034
RI01 A 1 P 22:205:00000 22:211:86370 LEIAR25.R4 LEIT 25138
SALA A 1 P 22:205:00000 22:211:86370 LEIAR25 NONE -----
SCOA A 1 P 22:205:00000 22:205:86370 TRM55971.00 NONE -----
SOPU A 1 P 22:205:00000 22:211:86370 LEIAS10 NONE -----
TERU A 1 P 22:205:00000 22:211:86370 LEIAR20 LEIM 49044
YEBE A 1 P 22:210:00000 22:211:86370 LEIAR20 LEIM 49016
ZARA A 1 P 22:205:00000 22:211:86370 TRM29659.00 NONE -----

```

### 7.3 Eccentricities

```

*
*SITE PT SOLN T DATA_START_ DATA_END_ AXE UP_ NORTH_ EAST_
* ARP->BENCHMARK(M)
ACOR A 1 P 22:205:00000 22:211:86370 UNE 3.0460 0.0000 0.0000
BIAZ A 1 P 22:205:00000 22:211:86370 UNE 0.0000 0.0000 0.0000
BIDA A 1 P 22:205:00000 22:211:86370 UNE 0.0000 0.0000 0.0000
BRZR A 1 P 22:205:00000 22:211:86370 UNE 0.0771 0.0000 0.0000
CACE A 1 P 22:205:00000 22:211:86370 UNE 0.0600 0.0000 0.0000
CANT A 1 P 22:205:00000 22:211:86370 UNE 3.0490 0.0000 0.0000
CHER A 1 P 22:205:00000 22:211:86370 UNE 0.0000 0.0000 0.0000
CREU A 1 P 22:207:00000 22:207:86370 UNE 0.0770 0.0000 0.0000
ELGE A 1 P 22:205:00000 22:211:86370 UNE 0.0000 0.0000 0.0000
GERN A 1 P 22:205:00000 22:211:86370 UNE 0.0771 0.0000 0.0000
HOND A 1 P 22:205:00000 22:211:86370 UNE 0.0771 0.0000 0.0000
IGEL A 1 P 22:205:00000 22:210:86370 UNE 0.0000 0.0000 0.0000
ISPS A 1 P 22:205:00000 22:211:86370 UNE 0.0350 0.0000 0.0000
LAZK A 1 P 22:205:00000 22:211:86370 UNE 0.0000 0.0000 0.0000
PAS2 A 1 P 22:205:00030 22:211:86370 UNE 0.0000 0.0000 0.0000
PASA A 1 P 22:205:00000 22:211:86370 UNE 0.0000 0.0000 0.0000
RI01 A 1 P 22:205:00000 22:211:86370 UNE 0.0606 0.0000 0.0000
SALA A 1 P 22:205:00000 22:211:86370 UNE 0.0600 0.0000 0.0000
SCOA A 1 P 22:205:00000 22:205:86370 UNE 0.0000 0.0000 0.0000
SOPU A 1 P 22:205:00000 22:211:86370 UNE 0.0771 0.0000 0.0000
TERU A 1 P 22:205:00000 22:211:86370 UNE 0.0600 0.0000 0.0000
YEBE A 1 P 22:210:00000 22:211:86370 UNE 0.0600 0.0000 0.0000
ZARA A 1 P 22:205:00000 22:211:86370 UNE 3.2590 0.0000 0.0000

```

## 8 References



C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. [etrs89.ensg.ign.fr/memo-V8.pdf](http://etrs89.ensg.ign.fr/memo-V8.pdf)

EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. [epncb.oma.be/documentation/guidelines/guidelines\\_analysis\\_centres.pdf](http://epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf)


Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. [etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf](http://etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf)

## 9 Cumulative Time Series


Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.









3 ) AMUR




4 ) BIAZ




5 ) BIDA




6 ) CACE




7 ) CANT




8 ) CHER




9 ) EBRE




10 ) ELGE




11 ) EMAZ




12 ) HOND




13 ) IGEL




14 ) ISPS



15 ) LARE







16 ) LAZK




17 ) LEIT









21 ) SCOA




22 ) SOPU



23 ) TERU



24 ) YEBE



25 ) ZARA