

ARA-DAC Weekly Analysis Result: 2227 (GFA)

Technical Report

GPS Week: 2227 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus


Report generated on 2022/10/02 at 13:25:41



1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites



GM 2022 Oct 02 13:25:31

Fig.1: Computed Sites for GPS Week2227 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences: 0.002 m.
 - sampling (for ambiguity resolution): 30 s
 - sampling (for final processing): 180 s
 - Systems: GPS+GLONASS observations are used (Galileo also used if available from GPSW 1986 on)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I14 file and individual calibrations from EPNC_14.ATX. EPN_A class sites (CRD + VEL) IGb14 used to define the reference frame (from GPSW 1934). If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
 - 3 deg elev. cutoff; elevation dependent weighting
 - VMF1 mapping function. ZPD parameters are estimated using the VMF1 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Wideline (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Wideline (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

5.1 IGB14

The Reference Frame considered in this section is IGB14, release C2130.

```

ARA LAC 2227 WEEK FINAL COMBINATION: PRECISE ORBITS          02-OCT-22 11:02
-----
LOCAL GEODETIC DATUM: IGB14          EPOCH: 2022-09-14 12:00:00
-----
NUM STATION NAME          X (M)          Y (M)          Z (M)          FLAG
-----
  4 ACRD 13434M001        4594489.52301      -678367.37600    4357066.32150    W
100 BIAZ 10074M002        4634456.01011      -124344.91522    4365785.49699    A
101 BIDA 00000M000        4644177.78314      -145778.26253    4354832.52300    A
113 BRZR 19387M001        4662220.95230      -220769.83824    4333309.47833    A
104 CACE 13447M001        4899866.47113      -544566.97520    4033770.24595    W
116 CANT 13438M001        4625924.27438      -307096.17413    4365771.59654    W
154 CHER 00000M000        4645879.98191      -125721.84930    4353624.12399    A
162 CREU 13432M001        4715420.08610      273178.12221    4271946.87822    W
180 ELGE 19353S001        4657557.35676      -202241.40909    4338991.92817    A
209 GERN 19389M001        4642811.27770      -217222.86496    4353278.92042    A
257 HOND 15012M002        4640529.27209      -145676.92196    4358761.79187    A
235 IGEL 19352S001        4645951.38434      -165574.44249    4352550.45951    A
240 ISFS 19484M001        4640596.43700      -206963.71482    4356391.95494    A
256 LAZK 19354S001        4666098.30216      -178186.12979    4330463.71115    A
345 PAS2 19351S001        4644909.01859      -156645.00659    4353623.11567    A
493 PASA 19351S001        4644909.01881      -156645.00661    4353623.11599    W
553 RIO1 13448M002        4708446.79081      -199490.22323    4284089.77912    W
558 SALA 13469M001        4803054.44985      -462131.00837    4158379.11978    W
566 SODA 10088M002        4639940.45892      -136224.87977    4359552.45857    W
418 SODU 19386M001        4643997.86619      -255913.84558    4350063.18161    A
443 TERU 13487M001        4867391.27436      -95523.28171    4108341.71740    A
752 YEBE 13420M001        4848724.52548      -261631.86488    4213094.36576    A
755 ZARA 13462M001        4773803.12710      -73505.92153    4215454.13400    W

```

5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

ETRF2000 FINAL COORD. wk 2227          02-OCT-22 11:02
-----
LOCAL GEODETIC DATUM: ETRF2000        EPOCH: 2022-09-14 12:00:00
-----
NUM STATION NAME          X (M)          Y (M)          Z (M)          FLAG
-----
  4 ACRD 13434M001        4594489.85621      -678367.97718    4357065.86174    W
100 BIAZ 10074M002        4634456.41585      -124345.51974    4365785.04039    A
101 BIDA 00000M000        4644178.18526      -145778.86824    4354832.06630    A
113 BRZR 19387M001        4662221.34306      -220770.44626    4333309.01912    A
104 CACE 13447M001        4899866.79683      -544567.61115    4033769.76237    W
116 CANT 13438M001        4625924.65644      -307096.77819    4365771.13921    W
154 CHER 00000M000        4645880.38654      -125722.45514    4353623.66742    A
162 CREU 13432M001        4715420.53605      273177.50985    4271946.42107    W
180 ELGE 19353S001        4657557.75035      -202242.01652    4338991.46960    A
209 GERN 19389M001        4642811.67045      -217223.47072    4353278.46288    A
257 HOND 15012M002        4640529.67453      -145676.52725    4358781.33548    A
235 IGEL 19352S001        4645951.78372      -165575.04847    4352550.00240    A
240 ISFS 19484M001        4640596.83132      -206964.32030    4356391.49772    A
256 LAZK 19354S001        4666098.69821      -178186.73813    4330463.25218    A
345 PAS2 19351S001        4644909.41921      -156645.61242    4353622.65876    A
493 PASA 19351S001        4644909.41943      -156645.61244    4353622.65908    W
553 RIO1 13448M002        4708447.18054      -199490.83651    4284089.31632    W
558 SALA 13469M001        4803054.79586      -462131.63315    4158378.64548    W
566 SODA 10088M002        4639940.86264      -136225.48496    4359552.00235    W
418 SODU 19386M001        4643998.25368      -255914.45159    4350062.72345    A
443 TERU 13487M001        4867391.66403      -95523.91287    4108341.24263    A
752 YEBE 13420M001        4848724.89477      -261632.49440    4123093.89034    A
755 ZARA 13462M001        4773803.52787      -73506.54192    4215453.66739    W

```

5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

ETRF2014 FINAL COORD. wk 2227          02-OCT-22 11:02
-----
LOCAL GEODETIC DATUM: ETRF2014        EPOCH: 2022-09-14 12:00:00
-----
NUM STATION NAME          X (M)          Y (M)          Z (M)          FLAG
-----
  4 ACRD 13434M001        4594489.81571      -678368.01460    4357065.91343    W
100 BIAZ 10074M002        4634456.37327      -124345.55897    4365785.09214    A

```

101	BIDA	0000M000	4644178.14265	-145778.90735	4354832.11801	A
113	BRZR	19387M001	4662221.30051	-220770.48503	4333309.07074	A
104	CACE	13447M001	4899866.75261	-544567.64773	4033769.81324	W
116	CANT	13438M001	4625924.61455	-307096.81680	4365771.19090	W
154	CHER	0000M000	4645880.34384	-125722.49432	4353623.71913	A
162	CREU	13432M001	4715420.49114	273177.46958	4271946.47287	W
180	ELGE	19353S001	4657557.70780	-202242.05537	4338991.52124	A
209	GERN	19389M001	4642811.62809	-217223.50958	4353278.51456	A
257	HOND	15012M002	4640529.63196	-145676.56637	4358781.38720	A
235	IGEL	19352S001	4645951.74117	-165575.08750	4352550.05409	A
240	ISPS	19484M001	4640596.78895	-206964.35921	4356391.54941	A
256	LAZK	19354S001	4666098.65548	-178186.77703	4330463.30381	A
345	PAS2	19351S001	4644909.37663	-156645.65148	4353622.71047	A
493	PASA	19351S001	4644909.37685	-156645.65150	4353622.71079	W
553	RI01	13448M002	4708447.13743	-199490.87515	4284089.36781	W
558	SALA	13469M001	4803054.75251	-462131.67045	4158378.69661	W
566	SC0A	10088M002	4639940.82005	-136225.52412	4359552.05408	W
418	SOPU	19386M001	4643998.21143	-255914.49031	4350062.77511	A
443	TERU	13487M001	4867391.61881	-95523.95119	4108341.29374	A
752	YEBE	13420M001	4848724.85031	-261632.53222	4123093.94142	A
755	ZARA	13462M001	4773803.48361	-73506.58072	4215453.71877	W

6 Quality Control

6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGB14 solution and are given with respect to the Local frame (North-East-Up).

ARA LAC 2227 WEEK FINAL COMBINATION: PRECISE ORBITS 02-OCT-22 11:02

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACDR 13434M001	7	XXXXXX	1.36	1.42	2.89
BIAZ 10074M002	7	XXXXXX	1.50	1.00	5.03
BIDA 00000M000	6	XX XXXX	2.01	1.66	5.31
BRZR 19387M001	6	X XXXXX	1.98	2.30	5.41
CACE 13447M001	7	XXXXXX	0.79	0.85	2.28
CANT 13438M001	7	XXXXXX	1.54	0.81	3.45
CHER 00000M000	7	XXXXXX	1.83	1.86	3.50
CREU 13432M001	6	XXXXXX	1.73	0.83	3.42
ELGE 19353S001	7	XXXXXX	0.92	1.48	4.81
GERN 19389M001	7	XXXXXX	1.54	1.78	3.12
HOND 15012M002	7	XXXXXX	2.82	0.81	6.85
IGEL 19352S001	7	XXXXXX	1.40	1.37	2.49
ISPS 19484M001	5	XXX XX	2.71	1.60	5.10
LAZK 19354S001	7	XXXXXX	1.38	1.59	6.26
PAS2 19351S001	6	XXXX XX	1.06	1.27	5.52
PASA 19351S001	7	XXXXXX	0.77	1.33	5.57
RIO1 13448M002	7	XXXXXX	1.53	0.62	3.28
SALA 13469M001	7	XXXXXX	0.56	0.90	3.61
SCDA 10088M002	6	XX XXXX	2.33	2.58	2.46
SOPU 19386M001	7	XXXXXX	0.99	1.58	5.04
TERU 13487M001	5	XXX XX	0.80	1.18	1.49
YEBE 13420M001	7	XXXXXX	1.10	0.88	3.56
ZARA 13462M001	7	XXXXXX	1.03	0.64	3.30

Comparison of individual solutions:

ACDR 13434M001	N	1.36	1.65	1.01	-2.07	0.24	1.21	-1.23	-0.03
ACDR 13434M001	E	1.42	-0.33	0.06	-2.52	1.82	0.70	0.96	0.98
ACDR 13434M001	U	2.89	-0.83	3.26	-0.22	5.23	-2.27	1.84	1.72
BIAZ 10074M002	N	1.50	2.05	1.23	2.39	0.67	1.08	-0.55	-0.31
BIAZ 10074M002	E	1.00	0.15	0.09	-1.28	-1.83	-0.51	0.83	0.18
BIAZ 10074M002	U	5.03	-8.79	-2.58	7.83	-2.13	-0.55	-0.59	1.02
BIDA 00000M000	N	2.01	1.09	-1.74	0.38	3.29	2.24	-0.12	
BIDA 00000M000	E	1.66	2.19	0.11	-1.01	0.67	-2.74	0.12	
BIDA 00000M000	U	5.31	-8.10	-7.04	-0.31	2.26	-1.21	4.40	
BRZR 19387M001	N	1.98	-0.68		-1.74	-2.37	0.86	0.59	3.06
BRZR 19387M001	E	2.30	-0.12		-4.34	-0.64	1.89	1.29	1.40
BRZR 19387M001	U	5.41	-7.05		-1.15	-4.14	8.15	-0.57	3.35
CACE 13447M001	N	0.79	-1.14	-0.74	-0.99	0.30	-0.42	0.20	0.81
CACE 13447M001	E	0.85	-0.30	0.58	-1.12	-1.15	-0.24	0.75	0.85
CACE 13447M001	U	2.28	2.07	3.18	-1.59	-2.56	-0.92	-1.22	-2.31
CANT 13438M001	N	1.54	-1.21	0.81	2.44	-0.39	-0.31	-2.23	-1.00
CANT 13438M001	E	0.81	0.20	0.03	-0.77	-1.42	1.08	0.26	0.26
CANT 13438M001	U	3.45	-5.70	2.14	-5.59	0.12	0.94	0.17	1.52
CHER 00000M000	N	1.83	2.70	-0.28	-1.43	1.60	1.33	2.36	0.87
CHER 00000M000	E	1.86	0.12	-0.29	-0.06	-3.63	0.04	-1.84	2.03
CHER 00000M000	U	3.50	-2.13	-3.38	0.51	-6.59	3.18	-1.94	-0.01
CREU 13432M001	N	1.73		1.74	1.52	-1.60	-1.40	1.14	-1.97
CREU 13432M001	E	0.83		0.90	-1.19	-0.80	0.72	-0.04	-0.30
CREU 13432M001	U	3.42		-1.16	-1.70	1.77	6.76	-0.92	-2.14
ELGE 19353S001	N	0.92	0.81	-0.01	0.11	-0.94	-0.36	-1.13	1.44
ELGE 19353S001	E	1.48	-1.92	-0.04	-2.16	0.06	1.64	1.37	0.54
ELGE 19353S001	U	4.81	-5.00	-3.06	7.26	3.18	3.02	-5.04	-2.68
GERN 19389M001	N	1.54	-0.22	-0.67	-2.34	-0.26	2.62	-0.30	1.12
GERN 19389M001	E	1.78	0.58	-0.70	-2.62	-2.02	2.02	0.41	1.76
GERN 19389M001	U	3.12	-4.10	0.31	2.30	-5.64	1.81	-0.74	0.80
HOND 15012M002	N	2.82	0.40	1.17	5.40	-2.82	-1.70	-2.53	0.17
HOND 15012M002	E	0.81	0.06	0.11	-1.82	-0.30	0.44	0.30	0.50
HOND 15012M002	U	6.85	-5.45	-2.31	13.67	-7.18	-2.24	-1.67	-0.41
IGEL 19352S001	N	1.40	0.70	0.43	1.41	0.99	-0.14	-2.77	-0.60
IGEL 19352S001	E	1.37	-1.24	0.32	0.53	-2.52	1.42	0.05	0.96
IGEL 19352S001	U	2.49	-5.62	0.02	0.19	2.30	-0.28	-0.21	-0.50
ISPS 19484M001	N	2.71	0.31	0.66	4.17			-1.88	-2.80
ISPS 19484M001	E	1.60	1.31	-1.10	-2.26			-0.09	1.49
ISPS 19484M001	U	5.10	-4.09	1.00	-7.76			-0.66	5.08
LAZK 19354S001	N	1.38	-2.30	-0.48	-0.05	-0.34	0.63	2.32	0.10
LAZK 19354S001	E	1.59	-2.81	-0.33	1.67	1.35	0.19	-1.29	0.88
LAZK 19354S001	U	6.26	-0.33	-8.59	-7.96	-2.53	8.12	0.90	4.97
PAS2 19351S001	N	1.06	0.38	-0.92	1.01	0.97		-1.63	-0.02
PAS2 19351S001	E	1.27	-0.97	0.44	2.26	-0.62		-1.07	-0.51
PAS2 19351S001	U	5.52	-4.88	-4.71	9.60	-2.24		-3.03	0.31
PASA 19351S001	N	0.77	0.06	-1.08	0.49	0.59	0.78	-1.08	0.23
PASA 19351S001	E	1.33	-0.86	0.39	2.71	-0.05	-0.80	-1.16	-0.55
PASA 19351S001	U	5.57	-3.77	-5.83	10.68	-3.26	-0.28	-3.54	0.83
RIO1 13448M002	N	1.53	0.50	1.44	2.48	0.30	-0.11	-1.43	-1.87
RIO1 13448M002	E	0.62	0.37	-0.45	0.24	-0.46	-0.98	-0.81	-0.18
RIO1 13448M002	U	3.25	-1.65	0.43	2.44	-4.58	3.98	0.30	-4.34
SALA 13469M001	N	0.56	-0.54	-0.30	0.32	0.86	0.78	-0.11	-0.17
SALA 13469M001	E	0.90	1.40	1.12	-0.77	-0.77	-0.52	-0.46	-0.17
SALA 13469M001	U	3.61	3.56	1.32	-2.63	2.39	-6.23	0.94	3.38
SCDA 10088M002	N	2.33	1.83	2.35		3.38	0.76	-1.01	-2.28
SCDA 10088M002	E	2.58	2.84	2.61		1.40	-1.14	-3.21	-2.20
SCDA 10088M002	U	2.46	-1.32	-3.72		2.28	-2.16	-1.67	-1.40
SOPU 19386M001	N	0.99	1.75	-1.32	-0.58	-0.03	0.37	-0.72	-0.28
SOPU 19386M001	E	1.58	-0.04	1.18	-2.94	-0.73	1.03	-0.64	1.71
SOPU 19386M001	U	5.04	4.28	3.38	-10.74	-1.11	1.74	1.30	-1.12
TERU 13487M001	N	0.80	-0.41	-0.07	-0.66			0.25	1.36
TERU 13487M001	E	1.18	0.10	1.90	0.49			1.27	-0.25
TERU 13487M001	U	1.49	-1.33	1.36	0.17			2.15	-0.74
YEBE 13420M001	N	1.10	-0.18	0.16	0.30	1.93	-1.38	0.47	1.12
YEBE 13420M001	E	0.88	-0.40	0.10	-1.78	-0.24	0.53	0.90	-0.47
YEBE 13420M001	U	3.56	0.34	0.85	-8.43	0.27	-0.88	0.98	1.50
ZARA 13462M001	N	1.03	-0.58	-0.35	-0.70	-0.10	-0.27	-2.25	0.52
ZARA 13462M001	E	0.64	0.03	-0.48	-0.78	0.60	-0.64	-0.93	0.06
ZARA 13462M001	U	3.30	0.12	6.29	0.37	-0.06	-2.42	-4.24	-1.39

6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

LOCAL GEODETIC DATUM: Igb14
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
4	ACOR 13434M001	I W	-3.14	3.17	-0.29
12	ALAC 13433M001	I W	0.99	-0.29	4.43
15	ALBA 13452M001	I W	1.51	-0.94	-5.82
21	ALME 13437M001	I W	-1.51	-0.10	8.73
47	BCLN 13412M001	I W	0.94	-3.96	-0.32
52	BELL 13431M001	I W	0.65	-0.66	0.52
71	BORR 13480M001	I W	0.31	-1.91	-1.80
76	BRST 10004M004	I W	-3.57	1.00	0.10
104	CACE 13447M001	I W	0.72	1.70	2.52
116	CANT 13438M001	I W	-3.39	2.04	-2.07
117	CARG 19412M001	I W	1.33	0.70	-2.25
122	CASE 13494M001	I W	-2.27	0.54	-2.89
128	CEU1 13449M002	I W	1.39	-0.17	-4.99
143	COBA 13453M001	I W	1.68	0.54	-2.48
162	CREU 13432M001	I W	0.04	0.58	2.53
222	ESCO 13435M001	I W	-0.60	-0.69	-2.26
299	HUEL 13451M001	I W	6.66	1.42	-1.79
316	IZAN 31309M002	I W	0.54	-0.75	7.44
385	LLIV 13436M001	I W	-0.67	-0.29	0.70
421	MAS1 31303M002	I W	1.62	-0.61	6.82
432	MELI 19379M001	I W	4.96	-0.89	-0.69
493	PASA 19351S001	I W	-0.26	-0.61	-2.39
553	RID1 13448M002	I W	-2.75	0.72	-4.87
558	SALA 13469M001	I W	0.58	1.11	-4.65
566	SCDA 10088M002	I W	-4.66	-1.08	-8.21
574	SFER 13402M004	I W	2.96	-3.44	3.82
599	SONS 13446M001	I W	-0.76	1.37	6.84
700	VALA 13463M002	I W	1.02	-0.30	3.17
704	VALE 13439M001	I W	-1.34	4.24	-3.87
715	VIGO 13450M001	I W	0.21	-0.13	4.91
755	ZARA 13462M001	I W	-0.77	-0.22	1.87
764	ZIMM 14001M004	I W	-2.45	-2.09	-2.73
	RMS / COMPONENT		2.37	1.65	4.20
	MEAN		0.00	0.00	-0.00
	MIN		-4.66	-3.96	-8.21
	MAX		6.66	4.24	8.73

NUMBER OF PARAMETERS : 3
NUMBER OF COORDINATES : 96
RMS OF TRANSFORMATION : 2.94 MM

BARYCENTER COORDINATES:

LATITUDE : 40 5 24.21
LONGITUDE : - 3 13 1.12
HEIGHT : -31.222 KM

PARAMETERS:

TRANSLATION IN N : 0.01 +- 0.52 MM
TRANSLATION IN E : 0.01 +- 0.52 MM
TRANSLATION IN U : 0.00 +- 0.52 MM

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          13409771
NUMBER OF UNKNOWN              157936
NUMBER OF DEGREES OF FREEDOM    13251835
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)      180
VARIANCE FACTOR                  2.330323955992246

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")      Scale (ppm)
      X          Y          Z          X          Y          Z
-----
 1  0.00204    -0.0024  0.0082 -0.0050  -0.0001  0.0001  0.0002  0.00089
 2  0.00220     0.0036 -0.0313 -0.0079  0.0007  0.0003 -0.0007  0.00015
 3  0.00327     0.0094 -0.0003  0.0089  -0.0003 -0.0000 -0.0002 -0.00207
 4  0.00246    -0.0088 -0.0237  0.0151  0.0004 -0.0005 -0.0007 -0.00059
 5  0.00216     0.0161  0.0057 -0.0218  0.0000  0.0009  0.0003  0.00024
 6  0.00236    -0.0259 -0.0736  0.0363  0.0014 -0.0014 -0.0019 -0.00115
 7  0.00196     0.0176 -0.0082 -0.0252  0.0004  0.0010 -0.0000  0.00011
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
 1  0.00148    1909706      2.19      1933013      3      681      22629      0
 2  0.00159    1931922      2.53      1956257      3      675      23663      0
 3  0.00183    1883666      3.34      1909952      3      660      25629      0
 4  0.00157    1902450      2.45      1926405      3      672      23286      0
 5  0.00138    1898304      1.90      1920376      3      660      21415      0
 6  0.00138    1889508      1.90      1909986      3      636      19845      0
 7  0.00138    1832409      1.91      1853782      3      624      20752      0
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START_ DATA_END_ DESCRIPTION_ S/N_ FIRMWARE_
ACOR A 1 P 22:254:00000 22:260:86370 LEICA GR50 -----
BIAZ A 1 P 22:254:00000 22:260:82770 SPECTRA SP90M -----
BIDA A 1 P 22:254:00000 22:260:86370 LEICA GR10 -----
BRZR A 1 P 22:254:00000 22:260:86370 LEICA GR30 -----
CACE A 1 P 22:254:00000 22:260:86370 TRIMBLE NETR9 -----
CANT A 1 P 22:254:00000 22:260:86370 LEICA GR10 -----
CHER A 1 P 22:254:00000 22:260:86370 LEICA GR30 -----
CREU A 1 P 22:255:00000 22:260:86370 LEICA GR50 -----
ELGE A 1 P 22:254:00000 22:260:86370 LEICA GR30 -----
GERN A 1 P 22:254:00000 22:260:86370 LEICA GR30 -----
HOND A 1 P 22:254:00000 22:260:86370 LEICA GR50 -----
IGEL A 1 P 22:254:00000 22:260:86370 LEICA GR30 -----
ISPS A 1 P 22:254:00000 22:260:86370 TRIMBLE NETR9 -----
LAZK A 1 P 22:254:00000 22:260:86370 LEICA GR30 -----
PAS2 A 1 P 22:254:00030 22:260:86370 STONEX SC2200 -----
PASA A 1 P 22:254:00000 22:260:86370 LEICA GR30 -----
RIO1 A 1 P 22:254:00000 22:260:86370 LEICA GR25 -----
SALA A 1 P 22:254:00000 22:260:86370 LEICA GR50 -----
SCOA A 1 P 22:254:00000 22:260:86370 LEICA GR50 -----
SOPU A 1 P 22:254:00000 22:260:86370 LEICA GR30 -----
TERU A 1 P 22:254:00000 22:260:86370 LEICA GR50 -----
YEBE A 1 P 22:254:00000 22:260:86370 LEICA GR50 -----
ZARA A 1 P 22:254:00000 22:260:86370 TRIMBLE NETR9 -----
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START_ DATA_END_ DESCRIPTION_ S/N_
ACOR A 1 P 22:254:00000 22:260:86370 LEIAT504 LEIS -----
BIAZ A 1 P 22:254:00000 22:260:82770 LEIAR25 LEIT -----
BIDA A 1 P 22:254:00000 22:260:86370 LEIAS10 NONE -----
BRZR A 1 P 22:254:00000 22:260:86370 LEIAS10 NONE -----
CACE A 1 P 22:254:00000 22:260:86370 TRM29659.00 NONE -----
CANT A 1 P 22:254:00000 22:260:86370 LEIAR25.R4 LEIT 25066
CHER A 1 P 22:254:00000 22:260:86370 LEIAR10 NONE -----
CREU A 1 P 22:255:00000 22:260:86370 LEIAR25.R4 NONE 26357
ELGE A 1 P 22:254:00000 22:260:86370 LEIAR25.R4 LEIT -----
GERN A 1 P 22:254:00000 22:260:86370 LEIAS10 NONE -----
HOND A 1 P 22:254:00000 22:260:86370 LEIAR20 LEIM 41012
IGEL A 1 P 22:254:00000 22:260:86370 LEIAR20 LEIM 43011
ISPS A 1 P 22:254:00000 22:260:86370 TRM59900.00 SCIS -----
```

```

LAZK A 1 P 22:254:00000 22:260:86370 LEIAR25.R4 LEIT -----
PAS2 A 1 P 22:254:00030 22:260:86370 LEIAR20 LEIM 73034
PASA A 1 P 22:254:00000 22:260:86370 LEIAR20 LEIM 73034
RIO1 A 1 P 22:254:00000 22:260:86370 LEIAR25.R4 LEIT 25138
SALA A 1 P 22:254:00000 22:260:86370 LEIAR25 NONE -----
SCOA A 1 P 22:254:00000 22:260:86370 TRM55971.00 NONE -----
SOPU A 1 P 22:254:00000 22:260:86370 LEIAS10 NONE -----
TERU A 1 P 22:254:00000 22:260:86370 LEIAR20 LEIM 49044
YEBE A 1 P 22:254:00000 22:260:86370 LEIAR20 LEIM 49016
ZARA A 1 P 22:254:00000 22:260:86370 TRM29659.00 NONE -----
    
```

7.3 Eccentricities

```

*
*SITE PT SOLN T DATA_START_ DATA_END_ AXE ARP->BENCHMARK(M)-----
ACOR A 1 P 22:254:00000 22:260:86370 UNE 3.0460 0.0000 0.0000
BIAZ A 1 P 22:254:00000 22:260:82770 UNE 0.0000 0.0000 0.0000
BIDA A 1 P 22:254:00000 22:260:86370 UNE 0.0000 0.0000 0.0000
BRZR A 1 P 22:254:00000 22:260:86370 UNE 0.0771 0.0000 0.0000
CACE A 1 P 22:254:00000 22:260:86370 UNE 0.0600 0.0000 0.0000
CANT A 1 P 22:254:00000 22:260:86370 UNE 3.0490 0.0000 0.0000
CHER A 1 P 22:254:00000 22:260:86370 UNE 0.0000 0.0000 0.0000
CREU A 1 P 22:255:00000 22:260:86370 UNE 0.0770 0.0000 0.0000
ELGE A 1 P 22:254:00000 22:260:86370 UNE 0.0000 0.0000 0.0000
GERN A 1 P 22:254:00000 22:260:86370 UNE 0.0771 0.0000 0.0000
HOND A 1 P 22:254:00000 22:260:86370 UNE 0.0771 0.0000 0.0000
IGEL A 1 P 22:254:00000 22:260:86370 UNE 0.0000 0.0000 0.0000
ISFS A 1 P 22:254:00000 22:260:86370 UNE 0.0350 0.0000 0.0000
LAZK A 1 P 22:254:00000 22:260:86370 UNE 0.0000 0.0000 0.0000
PAS2 A 1 P 22:254:00030 22:260:86370 UNE 0.0000 0.0000 0.0000
PASA A 1 P 22:254:00000 22:260:86370 UNE 0.0000 0.0000 0.0000
RIO1 A 1 P 22:254:00000 22:260:86370 UNE 0.0606 0.0000 0.0000
SALA A 1 P 22:254:00000 22:260:86370 UNE 0.0600 0.0000 0.0000
SCOA A 1 P 22:254:00000 22:260:86370 UNE 0.0000 0.0000 0.0000
SOPU A 1 P 22:254:00000 22:260:86370 UNE 0.0771 0.0000 0.0000
TERU A 1 P 22:254:00000 22:260:86370 UNE 0.0600 0.0000 0.0000
YEBE A 1 P 22:254:00000 22:260:86370 UNE 0.0600 0.0000 0.0000
ZARA A 1 P 22:254:00000 22:260:86370 UNE 3.2590 0.0000 0.0000
    
```

8 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

```

2022-09-26 00:07 UTC | HOND2540.220 | RECEIVER FIRM. VERS. | 4.60/7.811 -> 4.50/7.710
2022-09-27 00:06 UTC | HOND2550.220 | RECEIVER FIRM. VERS. | 4.60/7.811 -> 4.50/7.710
2022-09-28 01:27 UTC | HOND2560.220 | RECEIVER FIRM. VERS. | 4.60/7.811 -> 4.50/7.710
2022-09-29 00:06 UTC | HOND2570.220 | RECEIVER FIRM. VERS. | 4.60/7.811 -> 4.50/7.710
2022-09-30 00:03 UTC | HOND2580.220 | RECEIVER FIRM. VERS. | 4.60/7.811 -> 4.50/7.710
2022-10-01 00:04 UTC | HOND2590.220 | RECEIVER FIRM. VERS. | 4.60/7.811 -> 4.50/7.710
2022-10-01 23:58 UTC | HOND2600.220 | RECEIVER FIRM. VERS. | 4.60/7.811 -> 4.50/7.710
    
```

9 References



C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. etrs89.ensg.ign.fr/memo-V8.pdf


EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf

Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf


10 Cumulative Time Series

Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.







3) AMUR




4) BIAZ




5) BIDA




6) CACE




7) CANT




8) CHER




9) EBRE




10) ELGE




11) EMAZ




12) HOND




13) IGEL




14) ISPS




15) LARE




16) LAZK




17) LEIT




18) PAS2




19) PASA




20) RIO1



21) SCOA



22) SOPU



23) TERU

