

# ARA-DAC Weekly Analysis Result: 2228 (GFA)

## Technical Report

**GPS Week: 2228 (GFA)**

<http://geolabpasaia.org/gnss/ARA-euref/>

**ARA-DAC details:**

Contact person: J. Zurutuza

Contact mail: [geodesia@aranzadi.eus](mailto:geodesia@aranzadi.eus)


Report generated on 2022/10/09 at 15:56:08



# 1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

# 2 Map of Computed Sites



GM 2022 Oct 09 15:56:00

Fig.1: Computed Sites for GPS Week2228 (GFA)

### 3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase,  $L_1$  and  $L_2$ ; a priori sigma of single differences: 0.002 m.
  - sampling (for ambiguity resolution): 30 s
  - sampling (for final processing): 180 s
  - Systems: GPS+GLONASS observations are used (Galileo also used if available from GPSW 1986 on)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV\_COD.I14 file and individual calibrations from EPNC\_14.ATX. EPN\_A class sites (CRD + VEL) IGb14 used to define the reference frame (from GPSW 1934). If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
  - 3 deg elev. cutoff; elevation dependent weighting
  - VMF1 mapping function. ZPD parameters are estimated using the VMF1 mapping function.
  - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

### 4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3\*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
  - Code-Based Wideline (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
  - Phase-Based Wideline ( $L_5$ ) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
  - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
  - Direct  $L_1/L_2$  AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

## 5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

### 5.1 IGb14

The Reference Frame considered in this section is IGb14, release C2130.

ARA LAC 2228 WEEK FINAL COMBINATION: PRECISE ORBITS 09-OCT-22 13:29

---

LOCAL GEODETIC DATUM: IGb14 EPOCH: 2022-09-21 12:00:00

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
4	ACOR 13434M001	4594489.52201	-678367.37437	4357066.32103	W
100	BIAZ 10074M002	4634456.00577	-124344.91358	4365785.49448	A
101	BIDA 00000M000	4644177.78139	-145778.26202	4354832.52359	A
113	BRZR 19387M001	4662220.95033	-220769.83659	4333309.48250	A
104	CACE 13447M001	4899866.47145	-544566.97435	4033770.24673	W
116	CANT 13438M001	4625924.27480	-307096.17355	4365771.59574	W
154	CHER 00000M000	4645879.97933	-125721.84705	4353624.12454	A
162	CREU 13432M001	4715420.08448	273178.12308	4271946.87606	W
204	EBRE 13410M001	4833519.94867	41537.45618	4147461.75281	W
180	ELGE 19353S001	4657557.35228	-202241.40737	4338991.92665	A
209	GERN 19389M001	4642811.27610	-217222.86231	4353278.92039	A
257	HOND 15012M002	4640529.27101	-145676.92109	4358761.79170	A
235	IGEL 19352S001	4645951.38250	-165574.44139	4352550.45881	A
240	ISPS 19484M001	4640596.43687	-206963.71323	4356391.95341	A
256	LAZK 19354S001	4666098.29650	-178186.12816	4330463.70879	A
345	PAS2 19351S001	4644909.01522	-156645.00660	4353623.11521	A
493	PASA 19351S001	4644909.01600	-156645.00656	4353623.11619	W
553	RID1 13448M002	4708446.78965	-199490.22321	4284089.77733	W
558	SALA 13469M001	4803054.45066	-462131.00811	4158379.12113	W
566	SCDA 10088M002	4639940.45835	-136224.89002	4359552.45570	W
418	SOPU 19386M001	4643997.86399	-255913.84450	4350063.18183	A
443	TERU 13487M001	4867391.27338	-95523.28144	4108341.71822	A
752	YEBE 13420M001	4848724.52633	-261631.86482	4123094.36619	A
755	ZARA 13462M001	4773803.12607	-73505.92162	4215454.13339	W

### 5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

ETRF2000 FINAL COORD. wk 2228 09-OCT-22 13:29

---

LOCAL GEODETIC DATUM: ETRF2000 EPOCH: 2022-09-21 12:00:00

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
4	ACOR 13434M001	4594489.85537	-678367.97592	4357065.86103	W
100	BIAZ 10074M002	4634456.41171	-124345.51847	4365785.03864	A
101	BIDA 00000M000	4644178.18371	-145778.86810	4354832.06665	A
113	BRZR 19387M001	4662221.34128	-220770.44499	4333309.02305	A
104	CACE 13447M001	4899866.79731	-544567.61069	4033769.76290	W
116	CANT 13438M001	4625924.65704	-307096.77798	4365771.13817	W
154	CHER 00000M000	4645880.38416	-125722.45327	4353623.66773	A
162	CREU 13432M001	4715420.53466	273177.51035	4271946.41867	W
204	EBRE 13410M001	4833520.35930	41536.82899	4147461.28245	W
180	ELGE 19353S001	4657557.74607	-202242.01517	4338991.46684	A
209	GERN 19389M001	4642811.66904	-217223.46845	4353278.46261	A
257	HOND 15012M002	4640529.67365	-145676.52675	4358781.33507	A
235	IGEL 19352S001	4645951.78208	-165575.04774	4352550.00146	A
240	ISPS 19484M001	4640596.83038	-206964.31908	4356391.49595	A
256	LAZK 19354S001	4666098.69275	-178186.73687	4330463.24958	A
345	PAS2 19351S001	4644909.41604	-156645.61280	4353622.65807	A
493	PASA 19351S001	4644909.41682	-156645.61276	4353622.65905	W
553	RID1 13448M002	4708447.17957	-199490.83687	4284089.31428	W
558	SALA 13469M001	4803054.79684	-462131.63328	4158378.64658	W
566	SCDA 10088M002	4639940.86227	-136225.48558	4359551.99924	W
418	SOPU 19386M001	4643998.25167	-255914.45088	4350062.72343	A
443	TERU 13487M001	4867391.66325	-95523.91298	4108341.24320	A
752	YEBE 13420M001	4848724.89480	-261632.49473	4123093.89052	A
755	ZARA 13462M001	4773803.52704	-73506.54239	4215453.66653	W

### 5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

ETRF2014 FINAL COORD. wk 2228 09-OCT-22 13:29

---

LOCAL GEODETIC DATUM: ETRF2014 EPOCH: 2022-09-21 12:00:00

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
-----	--------------	-------	-------	-------	------

4	ACOR	13434M001	4594489.81487	-678368.01333	4357065.91273	W
100	BIAZ	10074M002	4634456.36914	-124345.55769	4365785.09041	A
101	BIDA	00000M000	4644178.14111	-145778.90720	4354832.11837	A
113	BRZR	19387M001	4662221.29874	-220770.48375	4333309.07467	A
104	CACE	13447M001	4899866.75309	-544567.64726	4033769.81377	W
116	CANT	13438M001	4625924.61516	-307096.81659	4365771.18987	W
154	CHER	00000M000	4645880.34147	-125722.49243	4353623.71945	A
162	CREU	13432M001	4715420.48975	273177.47008	4271946.47048	W
204	EBRE	13410M001	4833520.31397	41536.79004	4147461.33376	W
180	ELGE	19353S001	4657557.70352	-202242.05402	4338991.51849	A
209	GERN	19389M001	4642811.62669	-217223.50730	4353278.51430	A
257	HOND	15012M002	4640529.63108	-145676.56587	4358781.38680	A
235	IGEL	19352S001	4645951.73953	-165575.08677	4352550.05316	A
240	ISPS	19484M001	4640596.78802	-206964.35799	4356391.54765	A
256	LAZK	19354S001	4666098.65002	-178186.77577	4330463.30122	A
345	PAS2	19351S001	4644909.37347	-156645.65186	4353622.70978	A
493	PASA	19351S001	4644909.37425	-156645.65182	4353622.71076	W
553	RI01	13448M002	4708447.13647	-199490.87550	4284089.36579	W
558	SALA	13469M001	4803054.75350	-462131.67057	4158378.69772	W
566	SC0A	10088M002	4639940.81968	-136225.52474	4359552.05098	W
418	SOPU	19386M001	4643998.20943	-255914.48960	4350062.77510	A
443	TERU	13487M001	4867391.61803	-95523.95130	4108341.29432	A
752	YEBE	13420M001	4848724.85034	-261632.53253	4123093.94161	A
755	ZARA	13462M001	4773803.48279	-73506.58119	4215453.71792	W

## 6 Quality Control

### 6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGB14 solution and are given with respect to the Local frame (North-East-Up).

ARA LAC 2228 WEEK FINAL COMBINATION: PRECISE ORBITS 09-OCT-22 13:29

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACOR 13434M001	7	XXXXXX	0.75	0.77	3.10
BIAZ 10074M002	7	XXXXXX	1.16	0.83	3.76
BIDA 00000M000	7	XXXXXX	1.12	0.72	4.22
BRZR 19387M001	7	XXXXXX	0.61	0.47	2.84
CACE 13447M001	7	XXXXXX	0.82	0.43	3.63
CANT 13438M001	7	XXXXXX	1.08	0.83	2.74
CHER 00000M000	7	XXXXXX	1.21	1.55	2.64
CREU 13432M001	5	XX XX	1.51	1.03	4.50
EBRE 13410M001	2	XX	0.12	0.43	5.58
ELGE 19353S001	7	XXXXXX	1.12	0.97	2.72
GERN 19389M001	7	XXXXXX	1.09	0.75	2.40
HOND 15012M002	7	XXXXXX	0.30	0.21	2.91
IGEL 19352S001	7	XXXXXX	0.62	0.31	2.31
ISPS 19484M001	7	XXXXXX	0.61	0.63	3.46
LAZK 19354S001	7	XXXXXX	0.67	0.48	6.71
PAS2 19351S001	7	XXXXXX	0.50	0.53	2.40
PASA 19351S001	7	XXXXXX	0.61	0.38	2.84
RI01 13448M002	7	XXXXXX	0.50	0.34	2.01
SALA 13469M001	7	XXXXXX	0.47	1.19	1.52
SCDA 10088M002	7	XXXXXX	1.33	1.37	2.67
SOPU 19386M001	7	XXXXXX	0.73	0.45	3.56
TERU 13487M001	7	XXXXXX	0.96	1.03	3.32
YEBE 13420M001	7	XXXXXX	0.88	0.66	3.54
ZARA 13462M001	7	XXXXXX	0.66	0.80	2.39

Comparison of individual solutions:

ACOR 13434M001	N	0.75	-0.29	-1.57	0.09	0.18	-0.39	0.68	0.36
ACOR 13434M001	E	0.77	1.18	0.55	0.10	-1.26	-0.40	-0.15	-0.32
ACOR 13434M001	U	3.10	3.15	4.48	1.97	0.83	2.06	0.66	-4.30
BIAZ 10074M002	N	1.16	-0.02	0.37	0.24	-0.48	-0.94	0.37	2.57
BIAZ 10074M002	E	0.83	-0.69	-0.79	-0.12	-0.83	0.99	1.12	0.35
BIAZ 10074M002	U	3.76	3.99	5.12	-0.25	-2.36	-5.44	-2.70	0.12
BIDA 00000M000	N	1.12	-0.18	-0.89	0.86	0.37	-0.59	-0.39	2.32
BIDA 00000M000	E	0.72	0.02	-0.11	0.43	-1.29	0.50	0.88	-0.47
BIDA 00000M000	U	4.22	8.68	-3.64	0.22	-2.18	-2.08	-0.54	-2.93
BRZR 19387M001	N	0.61	-0.59	0.38	0.08	0.69	-0.59	0.23	-0.93
BRZR 19387M001	E	0.47	0.50	-0.66	0.15	0.22	0.36	0.09	-0.68
BRZR 19387M001	U	2.84	-5.15	-1.35	-1.38	0.30	-3.32	1.85	1.86
CACE 13447M001	N	0.82	0.20	0.48	-0.68	-1.58	-0.01	0.91	-0.13
CACE 13447M001	E	0.43	0.19	0.48	0.51	0.06	-0.17	-0.37	0.66
CACE 13447M001	U	3.63	6.05	-4.31	-3.03	-0.15	-3.42	-0.77	-1.60
CANT 13438M001	N	1.08	-0.44	0.40	-0.50	0.36	-0.82	0.69	-2.25
CANT 13438M001	E	0.83	-0.42	-0.79	1.18	-0.02	-0.09	0.60	-1.26
CANT 13438M001	U	2.74	1.19	-1.24	-4.80	0.62	1.94	-1.94	3.34
CHER 00000M000	N	1.21	1.33	-0.03	-1.35	1.92	0.66	-0.55	-0.87
CHER 00000M000	E	1.55	0.60	1.21	3.07	-0.72	0.32	0.53	-1.51
CHER 00000M000	U	2.64	-3.34	1.39	1.10	-0.64	-1.52	4.70	-1.66
CREU 13432M001	N	1.51	-2.62	1.06	0.85			0.15	-0.62
CREU 13432M001	E	1.03	-0.46	-1.29	-0.94			0.72	0.99
CREU 13432M001	U	4.50	7.95	-2.11	0.21			3.57	0.72
EBRE 13410M001	N	0.12					0.07	-0.10	
EBRE 13410M001	E	0.43					0.43	0.06	
EBRE 13410M001	U	5.58					-2.04	5.20	
ELGE 19353S001	N	1.12	-0.28	0.75	1.10	0.63	-0.07	-0.34	-2.27
ELGE 19353S001	E	0.97	-0.86	-0.82	-0.46	-0.48	0.33	0.56	1.84
ELGE 19353S001	U	2.72	1.29	-2.06	-1.15	-0.20	-1.32	1.29	-5.81
GERN 19389M001	N	1.09	0.49	0.64	0.99	0.72	-1.20	-0.37	-1.84
GERN 19389M001	E	0.75	-0.11	-0.83	0.52	1.17	-0.12	0.23	-1.01
GERN 19389M001	U	2.40	-2.41	2.14	-3.37	-2.44	-1.25	2.23	-0.53
HOND 15012M002	N	0.30	-0.25	-0.17	-0.17	0.30	0.07	0.21	-0.51
HOND 15012M002	E	0.21	0.02	-0.11	-0.15	0.17	-0.09	-0.06	0.43
HOND 15012M002	U	2.91	-6.77	-1.37	-0.09	-0.30	1.03	-1.23	-0.73
IGEL 19352S001	N	0.62	0.11	1.13	-0.19	-0.78	-0.50	0.06	-0.30
IGEL 19352S001	E	0.31	-0.29	-0.39	0.22	0.35	0.35	-0.14	-0.07
IGEL 19352S001	U	2.31	-1.47	-1.74	-2.79	-3.19	-0.23	2.81	-0.93
ISPS 19484M001	N	0.61	-0.49	0.88	0.25	0.00	-0.93	-0.45	0.31
ISPS 19484M001	E	0.63	-0.10	-0.18	0.54	-0.35	1.11	-0.39	-0.75
ISPS 19484M001	U	3.46	-1.00	0.72	-4.87	0.37	1.26	2.85	-6.08
LAZK 19354S001	N	0.67	-0.68	0.66	0.03	0.03	-1.24	0.26	0.42
LAZK 19354S001	E	0.48	0.55	-0.85	0.40	-0.05	-0.32	0.26	0.21
LAZK 19354S001	U	6.71	-3.11	-0.64	6.47	5.97	0.26	-3.24	-13.11
PAS2 19351S001	N	0.50	0.10	0.34	0.02	0.08	-0.18	0.23	-1.14
PAS2 19351S001	E	0.53	-0.01	0.03	-0.58	-0.17	0.90	0.45	-0.54
PAS2 19351S001	U	2.40	-2.83	-2.76	-2.62	-2.62	0.07	2.25	-0.09
PASA 19351S001	N	0.61	0.05	0.84	-0.06	0.03	-0.11	-0.05	-1.23
PASA 19351S001	E	0.38	-0.11	-0.32	-0.24	0.15	0.56	0.43	-0.42
PASA 19351S001	U	2.84	-4.23	-2.96	-2.57	-2.34	0.33	3.08	0.46
RI01 13448M002	N	0.50	0.03	-0.45	-0.79	0.38	-0.23	0.55	0.41
RI01 13448M002	E	0.34	0.17	-0.27	-0.36	-0.09	0.54	0.36	-0.18
RI01 13448M002	U	2.01	-0.38	-1.68	0.92	-2.32	-2.50	1.46	2.58
SALA 13469M001	N	0.47	-0.08	-0.56	0.08	-0.90	0.32	-0.15	0.29
SALA 13469M001	E	1.19	0.77	1.75	-0.95	-1.89	-0.06	0.62	0.10
SALA 13469M001	U	1.52	-0.79	-1.88	-0.13	2.79	-0.42	0.48	1.20
SCDA 10088M002	N	1.33	2.04	-0.73	-1.33	0.75	0.81	0.88	-1.47
SCDA 10088M002	E	1.37	1.24	-0.97	-0.29	-1.46	2.19	0.51	-1.20
SCDA 10088M002	U	2.67	-3.39	-0.45	1.86	-3.43	-1.60	2.45	2.70
SOPU 19386M001	N	0.73	-0.07	0.02	0.53	0.97	-0.62	-0.15	-1.26
SOPU 19386M001	E	0.45	-0.82	0.04	-0.26	0.24	0.29	-0.15	0.53
SOPU 19386M001	U	3.56	-1.89	-0.92	-4.89	-3.33	0.10	-0.47	6.04
TERU 13487M001	N	0.96	1.03	0.93	0.75	-0.76	1.39	-0.65	0.23
TERU 13487M001	E	1.03	0.98	0.03	-0.92	0.26	-0.46	-1.88	-0.89
TERU 13487M001	U	3.32	-0.96	3.43	4.99	-2.71	2.30	-3.54	1.86
YEBE 13420M001	N	0.88	-1.25	0.49	0.21	-1.37	-0.27	0.39	0.81

YEBE	13420M001	E	0.66	-0.97	0.66	-0.55	-0.21	0.39	0.83	0.18
YEBE	13420M001	U	3.54	-1.81	-4.69	1.90	5.10	-3.34	2.73	-1.33
ZARA	13462M001	N	0.66	0.17	-0.21	-1.37	0.17	-0.15	-0.54	0.59
ZARA	13462M001	E	0.80	0.15	-0.72	-1.44	-0.38	1.02	0.04	-0.20
ZARA	13462M001	U	2.39	-0.30	3.90	-1.85	-1.63	-2.54	-0.95	2.38



## 6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

LOCAL GEODETIC DATUM: Igb14  
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
4	ACOR 13434M001	I W	-3.17	2.03	0.81
12	ALAC 13433M001	I W	1.83	-0.55	-2.69
15	ALBA 13452M001	I W	2.15	-1.37	-5.85
21	ALME 13437M001	I W	-1.77	-0.09	4.59
47	BCLN 13412M001	I W	0.35	-3.39	1.59
52	BELL 13431M001	I W	0.02	-0.38	6.25
71	BORR 13480M001	I W	-0.99	-1.62	-1.65
76	BRST 10004M004	I W	-3.22	1.15	0.21
104	CACE 13447M001	I W	0.63	1.21	1.82
116	CANT 13438M001	I W	-2.20	1.81	-1.88
117	CARG 19412M001	I W	2.03	-0.73	-3.41
122	CASE 13494M001	I W	-2.88	1.15	-2.60
128	CEU1 13449M002	I W	0.24	-0.82	-2.79
143	COBA 13453M001	I W	1.13	0.52	-4.65
162	CREU 13432M001	I W	0.97	0.18	5.15
204	EBRE 13410M001	I W	0.48	-1.21	2.31
222	ESCO 13435M001	I W	-1.65	0.13	-0.51
299	HUEL 13451M001	I W	6.85	-0.55	-1.00
316	IZAN 31309M002	I W	-0.95	0.19	3.83
385	LLIV 13436M001	I W	1.97	-0.19	0.62
421	MAS1 31303M002	I W	2.64	-1.25	0.65
432	MELI 19379M001	I W	3.59	-0.79	-0.23
493	PASA 19351S001	I W	-1.88	-0.13	-0.42
553	RID1 13448M002	I W	-1.80	1.14	-2.85
558	SALA 13469M001	I W	0.40	1.19	-6.14
566	SCOA 10088M002	I W	-2.47	-0.43	-6.00
574	SFER 13402M004	I W	2.86	-3.31	0.45
599	SONS 13446M001	I W	-1.85	1.67	6.02
700	VALA 13463M002	I W	0.38	0.02	1.23
704	VALE 13439M001	I W	-1.97	5.00	-3.32
715	VIGO 13450M001	I W	1.58	-0.28	5.48
755	ZARA 13462M001	I W	-0.63	0.30	3.01
764	ZIMM 14001M004	I W	-2.67	-0.61	1.98
	RMS / COMPONENT		2.28	1.54	3.47
	MEAN		0.00	0.00	0.00
	MIN		-3.22	-3.39	-6.14
	MAX		6.85	5.00	6.25

NUMBER OF PARAMETERS : 3  
NUMBER OF COORDINATES : 99  
RMS OF TRANSFORMATION : 2.55 MM

BARYCENTER COORDINATES:

LATITUDE : 40 6 50.57  
LONGITUDE : - 3 6 19.03  
HEIGHT : -30.515 KM

PARAMETERS:

TRANSLATION IN N : -0.01 +- 0.44 MM  
TRANSLATION IN E : -0.01 +- 0.44 MM  
TRANSLATION IN U : 0.00 +- 0.44 MM

### 6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS                13536166
NUMBER OF UNKNOWN(S)                  152990
NUMBER OF DEGREES OF FREEDOM          13383176
PHASE MEASUREMENTS SIGMA              0.00100
SAMPLING INTERVAL (SECONDS)           180
VARIANCE FACTOR                        2.099550139670473

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")      Scale (ppm)
      X          Y          Z          X          Y          Z
-----
 1  0.00256      0.0137 -0.0368 -0.0105  0.0007  0.0006 -0.0009  -0.00081
 2  0.00250      -0.0002 -0.0235  0.0042  0.0004  -0.0001 -0.0007  -0.00046
 3  0.00189      0.0037  0.0081 -0.0098  -0.0001  0.0003  0.0002  0.00059
 4  0.00227      -0.0073 -0.0138  0.0019  0.0003  -0.0002 -0.0003  0.00050
 5  0.00229      -0.0257 -0.0372  0.0250  0.0007  -0.0012 -0.0010  0.00025
 6  0.00190      0.0070  0.0107 -0.0086  -0.0001  0.0004  0.0004  0.00011
 7  0.00205      0.0165  0.0053 -0.0195  -0.0001  0.0008  0.0001  0.00013
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
 1  0.00142      1780122      2.01      1800696      3      606      19971      0
 2  0.00143      1769629      2.04      1790612      3      600      20386      0
 3  0.00144      1869194      2.07      1890186      3      630      20365      0
 4  0.00148      1789177      2.20      1810339      3      621      20544      0
 5  0.00143      2018545      2.06      2042657      3      696      23419      0
 6  0.00147      2141350      2.15      2167130      3      726      25057      0
 7  0.00145      2011346      2.12      2034546      3      693      22510      0
```

## 7 Equipment

### 7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ FIRMWARE___
ACOR  A   1 P 22:261:00000 22:267:86370 LEICA GR50      -----
BIAZ  A   1 P 22:261:00000 22:267:82770 SPECTRA SP90M   -----
BIDA  A   1 P 22:261:00000 22:267:86370 LEICA GR10      -----
BRZR  A   1 P 22:261:00000 22:267:86370 LEICA GR30      -----
CACE  A   1 P 22:261:00000 22:267:86370 TRIMBLE NETR9   -----
CANT  A   1 P 22:261:00000 22:267:86370 LEICA GR10      -----
CHER  A   1 P 22:261:00000 22:267:86370 LEICA GR30      -----
CREU  A   1 P 22:261:00000 22:267:86370 LEICA GR50      -----
EBRE  A   1 P 22:265:00000 22:266:86370 LEICA GR50      -----
ELGE  A   1 P 22:261:00000 22:267:86370 LEICA GR30      -----
GERN  A   1 P 22:261:00000 22:267:86370 LEICA GR30      -----
HOND  A   1 P 22:261:00000 22:267:86370 LEICA GR50      -----
IGEL  A   1 P 22:261:00000 22:267:86370 LEICA GR30      -----
ISPS  A   1 P 22:261:00000 22:267:86370 TRIMBLE NETR9   -----
LAZK  A   1 P 22:261:00000 22:267:86370 LEICA GR30      -----
PAS2  A   1 P 22:261:00030 22:267:86370 STONEX SC2200   -----
PASA  A   1 P 22:261:00000 22:267:86370 LEICA GR30      -----
RIO1  A   1 P 22:261:00000 22:267:86370 LEICA GR25      -----
SALA  A   1 P 22:261:00000 22:267:86370 LEICA GR50      -----
SCOA  A   1 P 22:261:00000 22:267:86370 LEICA GR50      -----
SOPU  A   1 P 22:261:00000 22:267:86370 LEICA GR30      -----
TERU  A   1 P 22:261:00000 22:267:86370 LEICA GR50      -----
YEBE  A   1 P 22:261:00000 22:267:86370 LEICA GR50      -----
ZARA  A   1 P 22:261:00000 22:267:86370 TRIMBLE NETR9   -----
```

### 7.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__
ACOR  A   1 P 22:261:00000 22:267:86370 LEIAT504      LEIS -----
BIAZ  A   1 P 22:261:00000 22:267:82770 LEIAR25      LEIT -----
BIDA  A   1 P 22:261:00000 22:267:86370 LEIAS10      NONE -----
BRZR  A   1 P 22:261:00000 22:267:86370 LEIAS10      NONE -----
CACE  A   1 P 22:261:00000 22:267:86370 TRM29659.00  NONE -----
CANT  A   1 P 22:261:00000 22:267:86370 LEIAR25.R4   LEIT 25066
CHER  A   1 P 22:261:00000 22:267:86370 LEIAR10      NONE -----
CREU  A   1 P 22:261:00000 22:267:86370 LEIAR25.R4   NONE 26357
EBRE  A   1 P 22:265:00000 22:266:86370 LEIAR25.R4   NONE 26359
ELGE  A   1 P 22:261:00000 22:267:86370 LEIAR25.R4   LEIT -----
GERN  A   1 P 22:261:00000 22:267:86370 LEIAS10      NONE -----
HOND  A   1 P 22:261:00000 22:267:86370 LEIAR20      LEIM 41012
```

```

IGEL A 1 P 22:261:00000 22:267:86370 LEIAR20 LEIM 43011
ISPS A 1 P 22:261:00000 22:267:86370 TRM59900.00 SCIS -----
LAZK A 1 P 22:261:00000 22:267:86370 LEIAR25.R4 LEIT -----
PAS2 A 1 P 22:261:00030 22:267:86370 LEIAR20 LEIM 73034
PASA A 1 P 22:261:00000 22:267:86370 LEIAR20 LEIM 73034
RIO1 A 1 P 22:261:00000 22:267:86370 LEIAR25.R4 LEIT 25138
SALA A 1 P 22:261:00000 22:267:86370 LEIAR25 NONE -----
SCOA A 1 P 22:261:00000 22:267:86370 TRM55971.00 NONE -----
SOPU A 1 P 22:261:00000 22:267:86370 LEIAS10 NONE -----
TERU A 1 P 22:261:00000 22:267:86370 LEIAR20 LEIM 49044
YEBE A 1 P 22:261:00000 22:267:86370 LEIAR20 LEIM 49016
ZARA A 1 P 22:261:00000 22:267:86370 TRM29659.00 NONE -----
    
```

### 7.3 Eccentricities

```

*
*SITE PT SOLN T DATA_START_ DATA_END_ AXE ARP->BENCHMARK(M)
ACOR A 1 P 22:261:00000 22:267:86370 UNE 3.0460 0.0000 0.0000
BLAZ A 1 P 22:261:00000 22:267:82770 UNE 0.0000 0.0000 0.0000
BIDA A 1 P 22:261:00000 22:267:86370 UNE 0.0000 0.0000 0.0000
BRZR A 1 P 22:261:00000 22:267:86370 UNE 0.0771 0.0000 0.0000
CACE A 1 P 22:261:00000 22:267:86370 UNE 0.0600 0.0000 0.0000
CANT A 1 P 22:261:00000 22:267:86370 UNE 3.0490 0.0000 0.0000
CHER A 1 P 22:261:00000 22:267:86370 UNE 0.0000 0.0000 0.0000
CREU A 1 P 22:261:00000 22:267:86370 UNE 0.0770 0.0000 0.0000
EBRE A 1 P 22:265:00000 22:266:86370 UNE 0.0770 0.0000 0.0000
ELGE A 1 P 22:261:00000 22:267:86370 UNE 0.0000 0.0000 0.0000
GERN A 1 P 22:261:00000 22:267:86370 UNE 0.0771 0.0000 0.0000
HOND A 1 P 22:261:00000 22:267:86370 UNE 0.0771 0.0000 0.0000
IGEL A 1 P 22:261:00000 22:267:86370 UNE 0.0000 0.0000 0.0000
ISPS A 1 P 22:261:00000 22:267:86370 UNE 0.0350 0.0000 0.0000
LAZK A 1 P 22:261:00000 22:267:86370 UNE 0.0000 0.0000 0.0000
PAS2 A 1 P 22:261:00030 22:267:86370 UNE 0.0000 0.0000 0.0000
PASA A 1 P 22:261:00000 22:267:86370 UNE 0.0000 0.0000 0.0000
RIO1 A 1 P 22:261:00000 22:267:86370 UNE 0.0606 0.0000 0.0000
SALA A 1 P 22:261:00000 22:267:86370 UNE 0.0600 0.0000 0.0000
SCOA A 1 P 22:261:00000 22:267:86370 UNE 0.0000 0.0000 0.0000
SOPU A 1 P 22:261:00000 22:267:86370 UNE 0.0771 0.0000 0.0000
TERU A 1 P 22:261:00000 22:267:86370 UNE 0.0600 0.0000 0.0000
YEBE A 1 P 22:261:00000 22:267:86370 UNE 0.0600 0.0000 0.0000
ZARA A 1 P 22:261:00000 22:267:86370 UNE 3.2590 0.0000 0.0000
    
```

## 8 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

2022-10-02 23:56 UTC | HOND2610.220 | RECEIVER FIRM. VERS. | 4.60/7.811 -> 4.50/7.710

## 9 References



C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. [etrs89.ensg.ign.fr/memo-V8.pdf](http://etrs89.ensg.ign.fr/memo-V8.pdf)


EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. [epncb.oma.be/documentation/guidelines/guidelines\\_analysis\\_centres.pdf](http://epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf)

Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. [etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf](http://etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf)


## 10 Cumulative Time Series

Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.









3 ) AMUR




4 ) BLAZ




5 ) BIDA






9 ) EBRE




10 ) ELGE




11 ) EMAZ







12 ) HOND




13 ) IGEL




14 ) ISPS




15 ) LARE




16 ) LAZK




17 ) LEIT




18 ) PAS2




19 ) PASA




20 ) RIO1



21 ) SCOA



22 ) SOPU



23 ) TERU

