

# ARA-DAC Weekly Analysis Result: 2237 (GFA)

## Technical Report

**GPS Week: 2237 (GFA)**

<http://geolabpasaia.org/gnss/ARA-euref/>

**ARA-DAC details:**

Contact person: J. Zurutuza

Contact mail: [geodesia@aranzadi.eus](mailto:geodesia@aranzadi.eus)


Report generated on 2022/12/11 at 22:12:17



# 1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

# 2 Map of Computed Sites



2022 Dec 11 22:12:09

Fig.1: Computed Sites for GPS Week2237 (GFA)

### 3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase,  $L_1$  and  $L_2$ ; a priori sigma of single differences: 0.002 m.
  - sampling (for ambiguity resolution): 30 s
  - sampling (for final processing): 180 s
  - Systems: GPS+GLONASS observations are used (Galileo also used if available from GPSW 1986 on)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV\_COD.I14 file and individual calibrations from EPNC\_14.ATX. EPN\_A class sites (CRD + VEL) IGb14 used to define the reference frame (from GPSW 1934). If individual calibrations, other from these, are available, they are also included in the analysis.
- Troposphere:
  - 3 deg elev. cutoff; elevation dependent weighting
  - VMF1 mapping function. ZPD parameters are estimated using the VMF1 mapping function.
  - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2004 (Scherneck).
- Atmosph. Loading: computed from a global grid using the GRDS1S2 program of Bernese 5.2.

### 4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3\*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE405 planetary ephemeris and JGM3 Earth geopotential model is used.
- Tidal displacements: according to IERS2010 Conventions. Atmospheric loading corrections used.

- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
  - Code-Based Widelane (WL) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
  - Phase-Based Widelane ( $L_5$ ) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
  - Quasi-Ionosphere-Free (QIF)AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
  - Direct  $L_1/L_2$  AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

## 5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

### 5.1 IGb14

The Reference Frame considered in this section is IGb14, release C2130.

ARA LAC 2237 WEEK FINAL COMBINATION: PRECISE ORBITS					11-DEC-22 18:32
LOCAL GEODETIC DATUM: IGb14					EPOCH: 2022-11-23 12:00:00
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
4	ACOR 13434M001	4594489.52142	-678367.36997	4357066.32055	W
39	ALDA 19383M001	4687280.12334	-190876.50072	4308106.99640	A
50	ALSA 19419M001	4677250.79416	-176770.33047	4319079.91614	A
100	BLAZ 10074M002	4634456.00107	-124344.91041	4366785.49649	A
101	BIDA 00000M000	4644177.78006	-145778.26886	4354832.52426	A
113	BRZR 19387M001	4662220.94974	-220769.83553	4333309.48189	A
104	CACE 13447M001	4899866.46822	-544566.97086	4033770.24753	W
116	CANT 13438M001	4625924.27564	-307096.16971	4365771.59883	W
154	CHER 00000M000	4645879.97826	-125721.84654	4353624.12580	A
162	CREU 13432M001	4715420.08526	273178.12572	4271946.88192	W
204	EBRE 13410M001	4833519.94392	41537.45307	4147461.75642	A
180	ELGE 19353S001	4657557.35445	-202241.40467	4338991.92864	A
182	EMAZ 17001M001	4645924.17416	-276949.80517	4347759.61762	A
209	GERN 19389M001	4642811.27976	-217222.85927	4353278.92098	A
257	HOND 15012M002	4640529.27212	-145676.91927	4358761.79593	A
235	IGEL 19352S001	4645951.38238	-165574.43864	4352550.46098	A
240	ISPS 19484M001	4640596.43622	-206963.71272	4356391.95537	A
245	KAST 19499M001	4646949.03560	-240747.20479	4348015.03585	A
252	LARE 19440M001	4632831.91343	-279026.07994	4360314.47007	A
256	LAZK 19354S001	4666098.29034	-178186.12381	4330463.70491	A
261	LEIT 19428M001	4663520.89477	-155858.65324	4334519.92621	A
334	ORON 19427M001	4659695.73577	-130864.67101	4338948.92370	A
345	PAS2 19351S001	4644909.01786	-156645.00357	4353623.11881	A
493	PASA 19351S001	4644909.01900	-156645.00356	4353623.11991	W
553	RID1 13448M002	4708446.78705	-199490.21931	4284089.77900	W
558	SALA 13469M001	4803054.44800	-462131.00619	4158379.12220	W
566	SCDA 10088M002	4639940.45682	-136224.87754	4359552.45340	W
418	SOPU 19386M001	4643997.86994	-255913.84327	4350063.18666	A
443	TERU 13487M001	4867391.27566	-95523.27818	4108341.72503	A
493	VITO 19385M001	4679397.66468	-218436.43848	4314898.41335	A
752	YEBE 13420M001	4848724.52273	-261631.86157	4123094.36869	A
755	ZARA 13462M001	4773803.12712	-73505.92028	4215454.13726	W

### 5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

ETRF2000 FINAL COORD. wk 2237					11-DEC-22 18:32
LOCAL GEODETIC DATUM: ETRF2000					EPOCH: 2022-11-23 12:00:00
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
4	ACOR 13434M001	4594489.85622	-678367.97486	4357065.85837	W
39	ALDA 19383M001	4687280.51797	-190877.11531	4308106.53207	A
50	ALSA 19419M001	4677251.19148	-176770.94385	4319079.45384	A
100	BLAZ 10074M002	4634456.40882	-124345.51865	4366785.03750	A
101	BIDA 00000M000	4644178.18417	-145778.86830	4354832.06516	A
113	BRZR 19387M001	4662221.34242	-220770.44730	4333309.02027	A
104	CACE 13447M001	4899866.79548	-544567.61071	4033769.76140	W
116	CANT 13438M001	4625924.65957	-307096.77749	4365771.13910	W
154	CHER 00000M000	4645880.38489	-125722.45611	4353623.66683	A
162	CREU 13432M001	4715420.53748	273177.50960	4271946.42237	W
204	EBRE 13410M001	4833520.35639	41536.82241	4147461.28384	A
180	ELGE 19353S001	4657557.74999	-202242.01584	4338991.46766	A
182	EMAZ 17001M001	4645924.56064	-276950.41521	4347759.15661	A
209	GERN 19389M001	4642811.67445	-217223.46876	4353278.46104	A
257	HOND 15012M002	4640529.67655	-145676.52829	4358781.33714	A
235	IGEL 19352S001	4645951.78374	-165575.04835	4352550.00147	A
240	ISPS 19484M001	4640596.83248	-206964.32193	4356391.49675	A
245	KAST 19499M001	4646949.42681	-240747.81483	4348014.57524	A
252	LARE 19440M001	4632832.30060	-279026.68775	4360314.01013	A
256	LAZK 19354S001	4666098.68835	-178186.73589	4330463.24353	A
261	LEIT 19428M001	4663521.29600	-155859.26496	4334519.46535	A
334	ORON 19427M001	4659696.14060	-130865.28220	4338948.46350	A
345	PAS2 19351S001	4644909.42046	-156645.61313	4353622.65951	A
493	PASA 19351S001	4644909.42160	-156645.61312	4353622.66061	W
553	RID1 13448M002	4708447.17870	-199490.83636	4284089.31376	W
558	SALA 13469M001	4803054.79568	-462131.63481	4158378.64540	W
566	SCDA 10088M002	4639940.86254	-136225.48646	4359551.99479	W
418	SOPU 19386M001	4643998.25833	-255914.45301	4350062.72610	A
443	TERU 13487M001	4867391.66726	-95523.91321	4108341.24776	A
493	VITO 19385M001	4679398.05625	-218437.05223	4314897.95031	A
752	YEBE 13420M001	4848724.89383	-261632.49496	4123093.89076	A
755	ZARA 13462M001	4773803.52988	-73506.54448	4215453.66819	W

### 5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

ETRF2014 FINAL COORD. wk 2237		11-DEC-22 18:32			
LOCAL GEODETIC DATUM: ETRF2014		EPOCH: 2022-11-23 12:00:00			
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG
4	ACDR 13434M001	4594489.81578	-678368.01220	4357065.91016	W
39	ALDA 19383M001	4687280.47511	-190877.15401	4308106.58372	A
50	ALSA 19419M001	4677251.14868	-176770.98264	4319079.50553	A
100	BLAZ 10074M002	4634456.36630	-124345.55782	4365785.08935	A
101	BIDA 00000M000	4644178.14162	-145778.90734	4354832.11697	A
113	BRZR 19387M001	4662221.29993	-220770.48600	4333309.07198	A
104	CACE 13447M001	4899866.75130	-544567.64721	4033769.81236	W
116	CANT 13438M001	4625924.61774	-307096.81604	4365771.19088	W
154	CHER 00000M000	4645880.34225	-125722.49522	4353623.71864	A
162	CREU 13432M001	4715420.49260	273177.46938	4271946.47427	W
204	EBRE 13410M001	4833520.31109	41536.78352	4147461.33523	A
180	ELGE 19353S001	4657557.70748	-202242.05463	4338991.51939	A
182	EMAZ 17001M001	4645924.51850	-276950.45378	4347759.20835	A
209	GERN 19389M001	4642811.63214	-217223.50756	4353278.51281	A
257	HOND 15012M002	4640529.63404	-145676.56735	4358781.38896	A
235	IGEL 19352S001	4645951.74123	-165575.08732	4352550.05326	A
240	ISPS 19484M001	4640596.79017	-206964.36077	4356391.54754	A
245	KAST 19499M001	4646949.38455	-240747.85353	4348014.62699	A
252	LARE 19440M001	4632832.25861	-279026.72637	4360314.06191	A
256	LAZK 19354S001	4666098.64567	-178186.77473	4330463.29526	A
261	LEIT 19428M001	4663521.25328	-155859.30389	4334519.51709	A
334	ORON 19427M001	4659696.09783	-130865.32124	4338948.51526	A
345	PAS2 19351S001	4644909.37794	-156645.65213	4353622.71131	A
493	PASA 19351S001	4644909.37908	-156645.65212	4353622.71241	W
553	RI01 13448M002	4708447.13564	-199490.87494	4284089.36535	W
558	SALA 13469M001	4803054.75239	-462131.67203	4158378.69663	W
566	SOA 10088M002	4639940.82000	-136225.52555	4359552.04661	W
418	SOPU 19386M001	4643998.21615	-255914.49166	4350062.77785	A
443	TERU 13487M001	4867391.62207	-95523.95147	4108341.29897	A
493	VITO 19385M001	4679398.01356	-218437.09086	4314898.00197	A
752	YEBE 13420M001	4848724.84941	-261632.53270	4123093.94193	A
755	ZARA 13462M001	4773803.48566	-73506.58322	4215453.71967	W

## 6 Quality Control

### 6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGB14 solution and are given with respect to the Local frame (North-East-Up).

ARA LAC 2237 WEEK FINAL COMBINATION: PRECISE ORBITS 11-DEC-22 18:32

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACOR 13434M001	6	XXXX XX	1.28	0.89	2.74
ALDA 19383M001	7	XXXXXX	0.89	1.13	3.80
ALSA 19419M001	7	XXXXXX	1.04	1.53	1.32
BLAZ 10074M002	7	XXXXXX	0.65	0.82	3.09
BIDA 00000M000	7	XXXXXX	1.15	1.05	5.91
BRZR 19387M001	7	XXXXXX	1.99	2.17	2.97
CACE 13447M001	7	XXXXXX	0.63	0.44	2.41
CANT 13438M001	7	XXXXXX	1.01	0.74	3.17
CHER 00000M000	6	XXXXX	1.93	2.14	2.00
CREU 13432M001	7	XXXXXX	0.93	1.13	2.11
EBRE 13410M001	7	XXXXXX	2.51	3.94	6.87
ELGE 19353S001	7	XXXXXX	1.38	1.09	2.86
EMAZ 17001M001	7	XXXXXX	2.21	1.03	1.83
GERN 19389M001	7	XXXXXX	0.89	0.77	4.56
HOND 15012M002	6	XXXI XX	1.05	1.08	5.37
IGEL 19352S001	7	XXXXXX	1.19	1.04	3.29
ISPS 19484M001	7	XXXXXX	0.88	2.08	3.01
KAST 19499M001	7	XXXXXX	1.80	1.71	3.32
LARE 19440M001	7	XXXXXX	1.12	0.97	2.51
LAZK 19354S001	7	XXXXXX	0.75	1.67	5.05
LEIT 19428M001	7	XXXXXX	0.80	0.50	2.80
ORON 19427M001	7	XXXXXX	1.08	1.62	3.12
PAS2 19351S001	7	XXXXXX	0.86	0.55	4.65
PASA 19351S001	7	XXXXXX	0.73	0.48	4.76
RI01 13448M002	7	XXXXXX	0.72	0.70	3.54
SALA 13469M001	6	XXXI XX	0.49	0.53	1.75
SCOA 10088M002	7	XXXXXX	4.85	1.91	3.83
SOPU 19386M001	7	XXXXXX	0.82	0.95	1.24
TERU 13487M001	6	XXXI XX	0.88	1.33	5.64
VITD 19385M001	7	XXXXXX	0.59	0.83	2.48
YEBE 13420M001	6	XXXI XX	0.73	0.75	1.37
ZARA 13462M001	7	XXXXXX	0.99	0.83	1.79

Comparison of individual solutions:

ACOR 13434M001	N	1.28	1.50	0.63	1.00	-1.11	-0.45	1.78
ACOR 13434M001	E	0.89	-0.92	-0.43	-1.56	0.35	0.17	-0.55
ACOR 13434M001	U	2.74	-0.48	-4.62	-2.42	-1.93	1.62	1.95
ALDA 19383M001	N	0.89	-0.09	0.73	-0.20	-1.84	-0.26	0.62
ALDA 19383M001	E	1.13	0.35	1.26	1.11	0.22	-1.72	-0.74
ALDA 19383M001	U	3.80	-1.07	-0.07	-6.07	-0.33	5.38	-3.62
ALSA 19419M001	N	1.04	0.97	-0.89	-0.58	-0.86	0.47	1.87
ALSA 19419M001	E	1.53	0.56	-3.14	0.14	-0.60	1.76	0.10
ALSA 19419M001	U	1.32	0.43	-0.21	1.81	0.56	-2.28	-0.13
BLAZ 10074M002	N	0.65	0.46	0.67	0.50	-0.66	-0.62	0.84
BLAZ 10074M002	E	0.82	0.52	-0.61	0.87	0.71	-1.23	-0.24
BLAZ 10074M002	U	3.09	-2.04	4.63	-3.01	3.27	2.53	1.36
BIDA 00000M000	N	1.15	-0.77	-1.85	-0.07	0.58	1.09	1.35
BIDA 00000M000	E	1.05	0.04	0.73	-0.55	2.34	-0.51	-0.04
BIDA 00000M000	U	5.91	-1.14	13.18	0.15	1.39	-0.10	-5.71
BRZR 19387M001	N	1.99	1.22	-3.55	-0.63	-1.64	0.77	1.03
BRZR 19387M001	E	2.17	2.11	-3.79	-1.17	0.57	1.73	1.63
BRZR 19387M001	U	2.97	3.78	-3.73	-3.72	-0.54	-0.02	3.23
CACE 13447M001	N	0.63	-0.56	0.46	-0.37	-1.22	0.34	-0.08
CACE 13447M001	E	0.44	0.41	-0.75	0.05	-0.62	-0.19	0.10
CACE 13447M001	U	2.41	0.90	-4.74	0.04	-2.89	-1.44	0.84
CANT 13438M001	N	1.01	0.28	0.29	-0.29	-0.50	0.03	-2.22
CANT 13438M001	E	0.74	0.56	0.00	-0.17	1.40	-0.28	0.64
CANT 13438M001	U	3.17	-2.36	1.50	2.66	3.59	-4.02	2.91
CHER 00000M000	N	1.93	-0.16	-3.14	2.48	1.54	0.24	0.41
CHER 00000M000	E	2.14	0.81	-3.21	-2.20	-0.75	2.54	-0.41
CHER 00000M000	U	2.00	2.75	-1.41	1.91	-1.55	1.20	1.72
CREU 13432M001	N	0.93	-0.75	0.74	-1.52	0.55	0.15	-0.85
CREU 13432M001	E	1.13	-0.31	-0.13	2.04	-0.65	-0.24	-0.71
CREU 13432M001	U	2.11	-1.97	1.46	4.12	-0.36	-0.68	-1.69
EBRE 13410M001	N	2.51	-0.92	-0.22	3.31	4.41	-1.05	-1.42
EBRE 13410M001	E	3.94	-1.16	-0.12	-5.74	-6.15	2.22	2.83
EBRE 13410M001	U	6.87	5.55	-3.32	-11.75	-2.64	7.63	-3.50
ELGE 19353S001	N	1.38	-0.46	0.71	-0.75	1.71	-0.06	-2.60
ELGE 19353S001	E	1.09	0.71	1.15	-1.18	1.41	-0.39	1.19
ELGE 19353S001	U	2.86	-4.13	3.02	-0.82	0.10	-1.69	4.14
EMAZ 17001M001	N	2.21	-0.82	0.70	3.13	3.44	-0.79	-2.43
EMAZ 17001M001	E	1.03	0.37	-1.64	-0.51	-0.53	-0.52	1.28
EMAZ 17001M001	U	1.83	0.75	2.14	-0.41	-1.62	-0.78	3.30
GERN 19389M001	N	0.89	-0.55	-1.37	-0.27	-0.27	0.76	-0.82
GERN 19389M001	E	0.77	0.35	-0.19	-0.70	1.14	-0.14	0.70
GERN 19389M001	U	4.56	-1.66	6.61	3.25	2.60	-6.80	-0.13
HOND 15012M002	N	1.05	-0.20	-0.56	0.95	-1.85	0.70	0.55
HOND 15012M002	E	1.08	0.76	-0.68	-0.12	1.46	-1.62	-0.00
HOND 15012M002	U	5.37	-5.62	-1.26	4.47	-4.03	8.63	-0.36
IGEL 19352S001	N	1.19	-0.74	-0.06	0.62	-1.27	2.38	0.27
IGEL 19352S001	E	1.04	0.65	-0.74	-0.01	1.89	-0.94	-1.03
IGEL 19352S001	U	3.29	-3.48	3.48	-1.11	-1.32	-4.04	4.24
ISPS 19484M001	N	0.88	0.16	-0.77	-0.66	0.25	-1.47	-0.20
ISPS 19484M001	E	2.08	1.12	1.05	0.40	2.68	-3.40	-1.34
ISPS 19484M001	U	3.01	0.77	-2.53	0.54	2.37	-5.65	2.52
KAST 19499M001	N	1.80	0.48	-2.12	-1.20	-2.68	1.92	1.03
KAST 19499M001	E	1.71	0.98	-2.28	-1.79	1.57	0.79	2.12
KAST 19499M001	U	3.32	5.71	-2.83	-3.25	-2.69	-0.91	0.39
LARE 19440M001	N	1.12	0.50	-1.42	-0.31	1.55	-1.03	1.04
LARE 19440M001	E	0.97	0.90	-1.37	0.06	0.21	0.82	1.15
LARE 19440M001	U	2.51	-2.63	1.68	-1.03	-2.40	1.54	3.17
LAZK 19354S001	N	0.75	-0.48	1.04	-0.39	0.03	1.19	-0.04
LAZK 19354S001	E	1.67	-0.01	1.57	1.90	-2.09	-1.90	1.08

LAZK	19354S001	U	5.05	-6.26	-3.17	-1.23	6.99	6.22	-2.85	2.59
LEIT	19428M001	N	0.80	1.29	-1.20	0.06	-0.44	-0.15	0.34	0.62
LEIT	19428M001	E	0.50	-0.08	0.20	-0.52	0.77	-0.71	-0.23	0.18
LEIT	19428M001	U	2.80	-3.29	-0.18	-0.94	5.63	-0.06	-0.99	1.61
ORDN	19427M001	N	1.08	0.09	-0.44	-0.81	2.36	0.15	-0.71	-0.29
ORDN	19427M001	E	1.62	0.54	-0.10	2.58	-2.78	-0.98	-0.02	0.35
ORDN	19427M001	U	3.12	-3.56	-1.87	3.86	-2.91	3.18	1.25	2.67
PAS2	19351S001	N	0.86	-0.56	1.09	-0.07	-0.17	1.12	1.06	-0.71
PAS2	19351S001	E	0.55	0.19	-1.15	0.17	0.62	-0.15	0.10	-0.06
PAS2	19351S001	U	4.65	-7.27	1.14	-2.61	-1.82	-0.72	7.96	-1.20
PASA	19351S001	N	0.73	-0.35	1.06	0.37	-0.58	0.79	0.80	-0.46
PASA	19351S001	E	0.48	0.14	-0.62	0.52	0.71	-0.34	-0.27	-0.14
PASA	19351S001	U	4.76	-5.37	2.87	-3.58	-1.86	-1.64	8.09	-3.78
RID1	13448M002	N	0.72	1.45	0.17	0.50	-0.34	-0.37	0.12	-0.71
RID1	13448M002	E	0.70	-0.26	-0.28	0.71	-1.11	0.42	-0.66	0.66
RID1	13448M002	U	3.54	2.19	1.63	1.27	2.71	-4.39	4.10	-4.74
SALA	13469M001	N	0.49	0.47	0.71	0.47	-0.10		0.10	0.50
SALA	13469M001	E	0.53	0.37	-0.96	0.12	-0.45		-0.31	-0.17
SALA	13469M001	U	1.75	-0.31	-2.97	1.16	1.96		-0.88	0.67
SCDA	10088M002	N	4.85	-6.63	-0.45	-0.56	-9.13	2.31	2.73	-0.77
SCDA	10088M002	E	1.91	-0.81	1.46	-0.91	4.24	0.07	0.33	-0.51
SCDA	10088M002	U	3.83	5.00	-6.71	0.01	0.07	-0.44	3.08	2.84
SOPU	19386M001	N	0.82	1.13	-1.31	-0.95	0.24	-0.15	-0.04	-0.14
SOPU	19386M001	E	0.95	-0.60	0.64	-0.49	0.46	0.80	-0.37	1.86
SOPU	19386M001	U	1.24	-1.30	0.48	-0.31	-1.45	-0.67	-0.00	2.15
TERU	13487M001	N	0.88	-1.70	0.46	-0.04	0.22		0.42	0.77
TERU	13487M001	E	1.33	-0.57	0.14	1.06	2.38		-1.12	-0.64
TERU	13487M001	U	5.64	-6.69	2.57	-8.69	3.75		-1.60	-3.91
VITO	19385M001	N	0.59	0.68	0.38	0.18	-1.04	-0.39	-0.40	0.19
VITO	19385M001	E	0.83	0.43	-0.77	-0.34	1.51	-0.92	0.32	0.02
VITO	19385M001	U	2.48	0.64	-0.07	-1.39	-2.55	0.81	2.75	-4.44
YEBE	13420M001	N	0.73	0.31	1.33	-0.00	-0.83		0.07	0.30
YEBE	13420M001	E	0.75	-0.01	-0.48	-0.17	0.59		-1.39	-0.48
YEBE	13420M001	U	1.37	2.64	1.12	-0.12	-0.68		0.47	-0.66
ZARA	13462M001	N	0.99	0.11	1.24	0.04	1.27	-1.52	-0.46	0.39
ZARA	13462M001	E	0.83	1.26	-0.07	-0.05	0.05	-1.32	-0.18	-0.87
ZARA	13462M001	U	1.79	1.00	2.87	-0.14	0.90	1.99	-0.85	-2.11



## 6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

LOCAL GEODETIC DATUM: Igb14  
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
4	ACOR 13434M001	I W	-0.67	1.48	1.44
12	ALAC 13433M001	I W	-0.61	0.53	-0.39
15	ALBA 13452M001	I W	0.76	-1.63	-6.74
21	ALME 13437M001	I W	-2.95	-0.61	6.25
47	BCLN 13412M001	I W	-0.23	-2.50	1.76
52	BELL 13431M001	I W	1.05	-1.02	3.83
71	BORR 13480M001	I W	-1.83	-2.02	-2.88
76	BRST 10004M004	I W	-1.03	1.21	2.88
104	CACE 13447M001	I W	0.66	1.19	4.02
116	CANT 13438M001	I W	-1.31	1.08	-4.61
117	CARG 19412M001	I W	1.44	-1.12	-2.80
122	CASE 13494M001	I W	-1.12	1.27	-3.14
128	CEU1 13449M002	I W	-0.43	-0.04	-4.86
143	COBA 13453M001	I W	0.23	1.28	-5.04
162	CREU 13432M001	I W	-0.07	0.74	0.44
222	ESCO 13435M001	I W	-2.66	0.67	-2.09
299	HUEL 13451M001	I W	7.72	-9.92	15.18
316	IZAN 31309M002	I W	-1.33	1.69	-1.85
385	LLIV 13436M001	I W	-0.68	0.40	0.81
392	LRDC 10023M001	I W	-0.42	2.80	-1.83
421	MAS1 31303M002	I W	-1.59	-1.12	1.64
432	MELI 19379M001	I W	1.84	1.92	2.87
493	PASA 19351S001	I W	-0.01	-0.17	-5.43
501	PDEL 31906M004	I W	-1.11	-3.19	5.48
536	RABT 35001M002	I W	0.40	0.54	-10.14
553	RID1 13448M002	I W	-2.06	0.57	-1.98
558	SALA 13469M001	I W	0.67	2.62	-4.84
566	SCOA 10088M002	I W	1.10	0.27	-3.75
574	SFER 13402M004	I W	2.21	-3.62	1.35
599	SONS 13446M001	I W	-0.97	2.26	8.14
700	VALA 13463M002	I W	0.36	2.33	1.76
704	VALE 13439M001	I W	-1.53	6.56	-2.08
715	VIGO 13450M001	I W	1.03	1.39	3.68
755	ZARA 13462M001	I W	-0.05	2.11	-0.56
764	ZIMM 14001M004	I W	-0.62	-0.32	1.98
121	CASC 13909S001	A W	3.82	-7.62	1.51
	RMS / COMPONENT		1.91	2.88	4.71
	MEAN		-0.00	-0.00	-0.00
	MIN		-2.95	-9.92	-10.14
	MAX		7.72	6.56	15.18

NUMBER OF PARAMETERS : 3  
NUMBER OF COORDINATES : 108  
RMS OF TRANSFORMATION : 3.37 MM

BARYCENTER COORDINATES:

LATITUDE : 40 3 2.85  
LONGITUDE : - 4 5 3.36  
HEIGHT : -38.538 KM

PARAMETERS:

TRANSLATION IN N : 0.00 +- 0.56 MM  
TRANSLATION IN E : 0.00 +- 0.56 MM  
TRANSLATION IN U : 0.00 +- 0.56 MM

### 6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          19169221
NUMBER OF UNKNOWN               227690
NUMBER OF DEGREES OF FREEDOM    18941531
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)      180
VARIANCE FACTOR                  1.964566405002612

Helmert Transformation Parameters With Respect to Combined Solution:
-----
Sol  Rms (m)      Translation (m)      Rotation (")
      X          Y          Z          X          Y          Z          Scale (ppm)
-----
  1  0.00207     0.0222  0.0173 -0.0319 -0.0002  0.0012  0.0005  0.00060
  2  0.00228     0.0065 -0.0066  0.0052  0.0001  0.0000 -0.0002 -0.00128
  3  0.00217     0.0188  0.0045 -0.0184  0.0001  0.0009  0.0003 -0.00042
  4  0.00217     0.0121 -0.0031 -0.0063  0.0002  0.0004  0.0000 -0.00092
  5  0.00215     0.0322  0.0359 -0.0288 -0.0006  0.0014  0.0011 -0.00081
  6  0.00195    -0.0011  0.0028 -0.0021  0.0000  0.0000  0.0001  0.00040
  7  0.00202    -0.0188  0.0041  0.0124 -0.0001 -0.0007  0.0001  0.00104
```

```
Statistics of individual solutions:
-----
File  RMS (m)      DOF  Chi**2/DOF  #Observations authentic / pseudo  #Parameters explicit / implicit / singular
-----
  1  0.00141     2842851  1.99          2876479      3          987      32644      0
  2  0.00154     2763840  2.37          2801296      3          987      36472      0
  3  0.00134     2628469  1.79          2662055      3          921      32668      0
  4  0.00148     2474059  2.20          2506571      3          867      31648      0
  5  0.00135     2643198  1.83          2675834      3          921      31718      0
  6  0.00140     2761963  1.97          2794846      3          960      31926      0
  7  0.00124     2821583  1.53          2852140      3          957      29603      0
```

## 7 Equipment

### 7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__ FIRMWARE____
ACOR  A  1 P 22:324:00000 22:330:86370 LEICA GR50 -----
ALDA  A  1 P 22:324:00000 22:330:86370 LEICA GR30 -----
ALSA  A  1 P 22:324:00000 22:330:86370 LEICA GR50 -----
BIAZ  A  1 P 22:324:00000 22:330:86370 SPECTRA SP90M -----
BIDA  A  1 P 22:324:00000 22:330:86370 LEICA GR10 -----
BRZR  A  1 P 22:324:00000 22:330:86370 LEICA GR30 -----
CACE  A  1 P 22:324:00000 22:330:86370 TRIMBLE NETR9 -----
CANT  A  1 P 22:324:00000 22:330:86370 LEICA GR10 -----
CHER  A  1 P 22:324:00000 22:329:70830 LEICA GR30 -----
CREU  A  1 P 22:324:00000 22:330:86370 LEICA GR50 -----
EBRE  A  1 P 22:324:00000 22:330:86370 LEICA GR50 -----
ELGE  A  1 P 22:324:00000 22:330:86370 LEICA GR30 -----
EMAZ  A  1 P 22:324:00000 22:330:86370 LEICA GR30 -----
GERN  A  1 P 22:324:00000 22:330:86370 LEICA GR30 -----
HOND  A  1 P 22:324:00000 22:330:86370 LEICA GR50 -----
IGEL  A  1 P 22:324:00000 22:330:86370 LEICA GR30 -----
ISPS  A  1 P 22:324:00000 22:330:86370 TRIMBLE NETR9 -----
KAST  A  1 P 22:324:00000 22:330:86370 LEICA GR30 -----
LARE  A  1 P 22:324:00000 22:330:86370 LEICA GR50 -----
LAZK  A  1 P 22:324:00000 22:330:86370 LEICA GR30 -----
LEIT  A  1 P 22:324:00000 22:330:86370 LEICA GR50 -----
ORON  A  1 P 22:324:00000 22:330:86370 LEICA GR50 -----
PAS2  A  1 P 22:324:00030 22:330:86370 STONEX SC2200 -----
PASA  A  1 P 22:324:00000 22:330:86370 LEICA GR30 -----
RIO1  A  1 P 22:324:00000 22:330:86370 LEICA GR25 -----
SALA  A  1 P 22:324:00000 22:330:86370 LEICA GR50 -----
SCOA  A  1 P 22:324:00000 22:330:86370 LEICA GR50 -----
SOPU  A  1 P 22:324:00000 22:330:86370 LEICA GR30 -----
TERU  A  1 P 22:324:00000 22:330:86370 LEICA GR50 -----
VITO  A  1 P 22:324:00000 22:330:86370 LEICA GR30 -----
YEBE  A  1 P 22:324:00000 22:330:86370 LEICA GR50 -----
ZARA  A  1 P 22:324:00000 22:330:86370 TRIMBLE NETR9 -----
```

### 7.2 Antennas

Serial number ONLY provided in case individual calibrations are available.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__
ACOR  A  1 P 22:324:00000 22:330:86370 LEIAT504      LEIS -----
ALDA  A  1 P 22:324:00000 22:330:86370 LEIAS10       NONE -----
ALSA  A  1 P 22:324:00000 22:330:86370 LEIAR10       NONE -----
BIAZ  A  1 P 22:324:00000 22:330:86370 LEIAR25       LEIT -----
```

BIDA	A	1	P	22:324:00000	22:330:86370	LEIAS10	NONE	----
BRZR	A	1	P	22:324:00000	22:330:86370	LEIAS10	NONE	----
CACE	A	1	P	22:324:00000	22:330:86370	TRM29659.00	NONE	----
CANT	A	1	P	22:324:00000	22:330:86370	LEIAR25_R4	LEIT	25066
CHER	A	1	P	22:324:00000	22:329:70830	LEIAR10	NONE	----
CREU	A	1	P	22:324:00000	22:330:86370	LEIAR25_R4	NONE	26357
EBRE	A	1	P	22:324:00000	22:330:86370	LEIAR25_R4	NONE	26359
ELGE	A	1	P	22:324:00000	22:330:86370	LEIAR25_R4	LEIT	----
EMAZ	A	1	P	22:324:00000	22:330:86370	LEIAS10	NONE	----
GERN	A	1	P	22:324:00000	22:330:86370	LEIAS10	NONE	----
HOND	A	1	P	22:324:00000	22:330:86370	LEIAR20	LEIM	41012
IGEL	A	1	P	22:324:00000	22:330:86370	LEIAR20	LEIM	43011
ISPS	A	1	P	22:324:00000	22:330:86370	TRM59900.00	SCIS	----
KAST	A	1	P	22:324:00000	22:330:86370	LEIAS10	NONE	----
LARE	A	1	P	22:324:00000	22:330:86370	LEIAR20	LEIM	----
LAZK	A	1	P	22:324:00000	22:330:86370	LEIAR25_R4	LEIT	----
LEIT	A	1	P	22:324:00000	22:330:86370	LEIAR10	NONE	----
ORDN	A	1	P	22:324:00000	22:330:86370	LEIAR10	NONE	----
PAS2	A	1	P	22:324:00030	22:330:86370	LEIAR20	LEIM	73034
PASA	A	1	P	22:324:00000	22:330:86370	LEIAR20	LEIM	73034
RIO1	A	1	P	22:324:00000	22:330:86370	LEIAR25_R4	LEIT	25138
SALA	A	1	P	22:324:00000	22:330:86370	LEIAR25	NONE	----
SCDA	A	1	P	22:324:00000	22:330:86370	TRM55971.00	NONE	----
SOPU	A	1	P	22:324:00000	22:330:86370	LEIAS10	NONE	----
TERU	A	1	P	22:324:00000	22:330:86370	LEIAR20	LEIM	49044
VITO	A	1	P	22:324:00000	22:330:86370	LEIAS10	NONE	----
YEBE	A	1	P	22:324:00000	22:330:86370	LEIAR20	LEIM	49016
ZARA	A	1	P	22:324:00000	22:330:86370	TRM29659.00	NONE	----

### 7.3 Eccentricities

*SITE	PT	SOLN	T	DATA_START_	DATA_END_	AXE	ARP->BENCHMARK(M)	UP	NORTH	EAST
ACOR	A	1	P	22:324:00000	22:330:86370	UNE	3.0460	0.0000	0.0000	0.0000
ALDA	A	1	P	22:324:00000	22:330:86370	UNE	0.0000	0.0000	0.0000	0.0000
ALSA	A	1	P	22:324:00000	22:330:86370	UNE	0.0000	0.0000	0.0000	0.0000
BIAZ	A	1	P	22:324:00000	22:330:86370	UNE	0.0000	0.0000	0.0000	0.0000
BIDA	A	1	P	22:324:00000	22:330:86370	UNE	0.0000	0.0000	0.0000	0.0000
BRZR	A	1	P	22:324:00000	22:330:86370	UNE	0.0771	0.0000	0.0000	0.0000
CACE	A	1	P	22:324:00000	22:330:86370	UNE	0.0600	0.0000	0.0000	0.0000
CANT	A	1	P	22:324:00000	22:330:86370	UNE	3.0490	0.0000	0.0000	0.0000
CHER	A	1	P	22:324:00000	22:329:70830	UNE	0.0000	0.0000	0.0000	0.0000
CREU	A	1	P	22:324:00000	22:330:86370	UNE	0.0770	0.0000	0.0000	0.0000
EBRE	A	1	P	22:324:00000	22:330:86370	UNE	0.0770	0.0000	0.0000	0.0000
ELGE	A	1	P	22:324:00000	22:330:86370	UNE	0.0000	0.0000	0.0000	0.0000
EMAZ	A	1	P	22:324:00000	22:330:86370	UNE	0.0350	0.0000	0.0000	0.0000
GERN	A	1	P	22:324:00000	22:330:86370	UNE	0.0771	0.0000	0.0000	0.0000
HOND	A	1	P	22:324:00000	22:330:86370	UNE	0.0771	0.0000	0.0000	0.0000
IGEL	A	1	P	22:324:00000	22:330:86370	UNE	0.0000	0.0000	0.0000	0.0000
ISPS	A	1	P	22:324:00000	22:330:86370	UNE	0.0350	0.0000	0.0000	0.0000
KAST	A	1	P	22:324:00000	22:330:86370	UNE	0.0350	0.0000	0.0000	0.0000
LARE	A	1	P	22:324:00000	22:330:86370	UNE	0.0000	0.0000	0.0000	0.0000
LAZK	A	1	P	22:324:00000	22:330:86370	UNE	0.0000	0.0000	0.0000	0.0000
LEIT	A	1	P	22:324:00000	22:330:86370	UNE	0.0000	0.0000	0.0000	0.0000
ORON	A	1	P	22:324:00000	22:330:86370	UNE	0.0000	0.0000	0.0000	0.0000
PAS2	A	1	P	22:324:00030	22:330:86370	UNE	0.0000	0.0000	0.0000	0.0000
PASA	A	1	P	22:324:00000	22:330:86370	UNE	0.0000	0.0000	0.0000	0.0000
RIO1	A	1	P	22:324:00000	22:330:86370	UNE	0.0606	0.0000	0.0000	0.0000
SALA	A	1	P	22:324:00000	22:330:86370	UNE	0.0600	0.0000	0.0000	0.0000
SCDA	A	1	P	22:324:00000	22:330:86370	UNE	0.0000	0.0000	0.0000	0.0000
SOPU	A	1	P	22:324:00000	22:330:86370	UNE	0.0771	0.0000	0.0000	0.0000
TERU	A	1	P	22:324:00000	22:330:86370	UNE	0.0600	0.0000	0.0000	0.0000
VITO	A	1	P	22:324:00000	22:330:86370	UNE	0.0000	0.0000	0.0000	0.0000
YEBE	A	1	P	22:324:00000	22:330:86370	UNE	0.0600	0.0000	0.0000	0.0000
ZARA	A	1	P	22:324:00000	22:330:86370	UNE	3.2590	0.0000	0.0000	0.0000

## 8 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

2022-11-22	19:16	UTC		ALDA3240.220		RECEIVER FIRM. VERS.		4.60/7.811	->	4.60.259
2022-11-22	19:16	UTC		LARE3240.220		RECEIVER FIRM. VERS.		4.52/7.711	->	4.31/7.403
2022-11-22	19:16	UTC		VITO3240.220		RECEIVER FIRM. VERS.		4.60/7.811	->	4.60.259
2022-11-23	19:12	UTC		ALDA3250.220		RECEIVER FIRM. VERS.		4.60/7.811	->	4.60.259
2022-11-23	19:12	UTC		LARE3250.220		RECEIVER FIRM. VERS.		4.52/7.711	->	4.31/7.403
2022-11-23	19:12	UTC		VITO3250.220		RECEIVER FIRM. VERS.		4.60/7.811	->	4.60.259
2022-11-25	18:54	UTC		ALDA3270.220		RECEIVER FIRM. VERS.		4.60/7.811	->	4.60.259
2022-11-25	18:54	UTC		AMUR3270.220		RECEIVER TYPE		LEICA GR30	->	LEICA GR10
2022-11-25	18:54	UTC		AMUR3270.220		RECEIVER SER. NO.		1708401	->	1700998
2022-11-25	18:54	UTC		AMUR3270.220		RECEIVER FIRM. VERS.		4.60/7.811	->	4.31/6.525
2022-11-25	18:54	UTC		LARE3270.220		RECEIVER FIRM. VERS.		4.52/7.711	->	4.31/7.403
2022-11-25	18:54	UTC		VITO3270.220		RECEIVER FIRM. VERS.		4.60/7.811	->	4.60.259
2022-11-26	18:54	UTC		ALDA3280.220		RECEIVER FIRM. VERS.		4.60/7.811	->	4.60.259
2022-11-26	18:54	UTC		AMUR3280.220		RECEIVER TYPE		LEICA GR30	->	LEICA GR10
2022-11-26	18:54	UTC		AMUR3280.220		RECEIVER SER. NO.		1708401	->	1700998
2022-11-26	18:54	UTC		AMUR3280.220		RECEIVER FIRM. VERS.		4.60/7.811	->	4.31/6.525
2022-11-26	18:54	UTC		LARE3280.220		RECEIVER FIRM. VERS.		4.52/7.711	->	4.31/7.403
2022-11-26	18:54	UTC		VITO3280.220		RECEIVER FIRM. VERS.		4.60/7.811	->	4.60.259
2022-11-27	19:09	UTC		ALDA3290.220		RECEIVER FIRM. VERS.		4.60/7.811	->	4.60.259
2022-11-27	19:09	UTC		HOND3290.220		RECEIVER FIRM. VERS.		4.61/7.811	->	4.60/7.811
2022-11-27	19:09	UTC		LARE3290.220		RECEIVER FIRM. VERS.		4.52/7.711	->	4.31/7.403
2022-11-27	19:09	UTC		VITO3290.220		RECEIVER FIRM. VERS.		4.60/7.811	->	4.60.259
2022-11-28	20:45	UTC		ALDA3300.220		RECEIVER FIRM. VERS.		4.60/7.811	->	4.60.259
2022-11-28	20:45	UTC		VITO3300.220		RECEIVER FIRM. VERS.		4.60/7.811	->	4.60.259

## 9 References



C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. [etrs89.ensg.ign.fr/memo-V8.pdf](https://etrs89.ensg.ign.fr/memo-V8.pdf)


EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. [epncb.oma.be/documentation/guidelines/guidelines\\_analysis\\_centres.pdf](https://epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf)

Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. [etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf](https://etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf)


## 10 Cumulative Time Series

Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.







3 ) AMUR




4 ) BIAZ




5 ) BIDA




6 ) CACE




7 ) CANT




8 ) CHER



9 ) EBRE




10 ) ELGE




11 ) EMAZ







12 ) HOND




13 ) IGEL




14 ) ISPS




15 ) LARE




16 ) LAZK




17 ) LEIT




18 ) PAS2




19 ) PASA




20 ) RIO1




21 ) SCOA




22 ) SOPU



23 ) TERU



24 ) YEBE



25 ) ZARA