

ARA-DAC Weekly Analysis Result: 2267 (GFA)

Technical Report

GPS Week: 2267 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus

Report generated on 2023/07/12 at 17:02:41




ARANZADI zientzia elkartea
sociedad de ciencias . society of sciences . société de sciences

1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites



GM 2023 Jul 12 17:02:36

Fig.1: Computed Sites for GPS Week2267 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences: 0.002 m.
 - sampling (for ambiguity resolution): 30 s
 - sampling (for final processing): 180 s
 - Systems: GPS+GLONASS observations are used (Galileo is used if available starting GPS week 1986)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I20 file and individual calibrations from EPNC_20.ATX. EPN_A class sites (CRD + VEL) IGS20 used to define the reference frame (no EPN release is available at the time this report is generated). Following the EUREF guidelines, no other individual calibrations are included in the analysis starting GPSW 2238 (IGS20).
- Troposphere:
 - minimum elevation is 3 deg.; elevation dependent weighting.
 - VMF3 mapping function. ZPD parameters are estimated using the VMF3 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2014b (Scherneck).
- Atmospheric loading: not corrected, following the latest recommendations for IGS20 products.
- Tidal displacements:
 - Mean pole model : IERS2010_v1.2.0
 - Subdaily pole model: DESAI2016
 - Nutation model : IAU2000R06

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.

- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE421 planetary ephemeris and JGM3 Earth geopotential model is used.
- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Widelane (WL) and Narrow Line (NR) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Widelane (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF) AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

5.1 IGS20

The Reference Frame considered in this section is a PRELIMINARY IGS20, based on the previously used IGB14 solution.

```

ARA FINAL WEEKLY COMBINATION: FINAL ORBITS                               12-JUL-23 16:16
-----
LOCAL GEODETIC DATUM: IGS20                EPOCH: 2023-06-21 11:59:45
-----
NUM STATION NAME      X (M)      Y (M)      Z (M)      FLAG  SYSTEM
-----
 4 ACRD 13434M001     4594489.51200  -678367.35752  4357066.32464  W    G
 50 ALSA 19419M001     4677250.78680  -176770.31746  4319079.92659  A    GRE
100 BIAZ 10074M002     4634455.99475  -124344.89877  4365785.50022  A    GR
101 BIDA 00000M000     4644177.77168  -145778.24531  4354832.52689  A    GR
104 CACE 13447M001     4899866.46437  -544566.96046  4033770.25651  W    GRE
116 CANT 13438M001     4625924.26729  -307096.16164  4365771.60710  W    GRE
162 CREU 13432M001     4715420.07503  273178.13770  4271946.88868  W    GRE
204 EBRE 13410M001     4833519.94075  41537.47091  4147461.76487  A    GRE
180 ELGE 19353S001     4657557.34614  -202241.39448  4338991.93336  A    GRE
257 HOND 15012M002     4640529.26792  -145676.90920  4358761.80374  A    GRE
235 IREL 19352S001     4645951.37954  -165574.42744  4352550.46966  A    GRE
240 ISPS 19484M001     4640596.42921  -206963.70099  4356391.96050  A    GRE
252 LARE 19440M001     4632831.90857  -279026.06908  4360314.47692  A    GRE
256 LAZK 19354S001     4666098.28815  -178186.11438  4330463.71658  A    GRE
261 LEIT 19428M001     4663520.88920  -155858.64300  4334519.93493  A    GRE
334 ORDN 19427M001     4659695.73028  -130864.65848  4338948.93413  A    GRE
345 PAS2 19351S001     4644909.01048  -156644.99366  4353623.12352  A    GRE
493 PASA 19351S001     4644909.00983  -156644.99355  4353623.12313  W    GRE
553 RID1 13448M002     4708446.77881  -199490.20636  4284089.78516  W    GRE
558 SALA 13469M001     4803054.43974  -462130.99258  4158379.12596  W    GR
566 SCDA 10088M002     4639940.45395  -136224.86546  4359552.47065  A    GRE
443 TERU 13487M001     4867391.27206  -95523.26712  4108341.73321  A    GRE
752 YEBE 13420M001     4848724.52346  -261631.84995  4123094.37966  A    GRE
755 ZARA 13462M001     4773803.12032  -73505.90711  4215454.14544  W    GRE
    
```

5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2000                                                    12-JUL-23 16:16
-----
LOCAL GEODETIC DATUM: ETRF2000                EPOCH: 2023-06-21 11:59:45
-----
NUM STATION NAME      X (M)      Y (M)      Z (M)      FLAG  SYSTEM
-----
 4 ACRD 13434M001     4594489.84827  -678367.97498  4357065.85648  W
 50 ALSA 19419M001     4677251.18662  -176770.94376  4319079.45732  A
100 BIAZ 10074M002     4634456.40519  -124345.51987  4365785.03632  A
101 BIDA 00000M000     4644178.17842  -145778.86762  4354832.06187  A
104 CACE 13447M001     4899866.79285  -544567.61354  4033769.76413  W
116 CANT 13438M001     4625924.65352  -307096.78220  4365771.14142  W
162 CREU 13432M001     4715420.53066  273177.50841  4271946.42323  W
204 EBRE 13410M001     4833520.35591  41536.82694  4147461.28622  A
180 ELGE 19353S001     4657557.74415  -202242.01853  4338991.46642  A
257 HOND 15012M002     4640529.67499  -145676.53108  4358781.33903  A
235 IREL 19352S001     4645951.78348  -165575.05002  4352550.00421  A
240 ISPS 19484M001     4640596.82797  -206964.32304  4356391.49495  A
252 LARE 19440M001     4632832.29809  -279026.69039  4360314.01104  A
256 LAZK 19354S001     4666098.88868  -178186.73937  4330463.24924  A
261 LEIT 19428M001     4663521.29301  -155859.26763  4334519.46812  A
334 ORDN 19427M001     4659696.13774  -130865.28258  4338948.46799  A
345 PAS2 19351S001     4644909.41569  -156645.61609  4353622.65828  A
493 PASA 19351S001     4644909.41504  -156645.61598  4353622.65789  W
553 RID1 13448M002     4708447.17285  -199490.83639  4284089.31392  W
558 SALA 13469M001     4803054.78903  -462131.63427  4158378.64302  W
566 SCDA 10088M002     4639940.86233  -136225.48724  4359552.00612  A
443 TERU 13487M001     4867391.66598  -95523.91548  4108341.24980  A
752 YEBE 13420M001     4848724.89654  -261632.49657  4123093.89558  A
755 ZARA 13462M001     4773803.52563  -73506.54446  4215453.67034  W
    
```

5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2014                                                    12-JUL-23 16:16
-----
LOCAL GEODETIC DATUM: ETRF2014                EPOCH: 2023-06-21 11:59:45
    
```

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
4	ACDR 13434M001	4594489.80803	-678368.01210	4357065.90855	W	
50	ALSA 19419M001	4677251.14397	-176770.98236	4319079.50930	A	
100	BIAZ 10074M002	4634456.36282	-124345.55885	4365785.08845	A	
101	BIDA 00000M000	4644178.13602	-145778.90648	4354832.11396	A	
104	CACE 13447M001	4899866.74880	-544567.64980	4033769.81536	W	
116	CANT 13438M001	4625924.61185	-307096.82055	4365771.19349	W	
162	CREU 13432M001	4715420.48590	273177.46836	4271946.47541	W	
204	EBRE 13410M001	4833520.31071	41536.78824	4147461.33788	A	
180	ELGE 19353S001	4657557.70180	-202242.05712	4338991.51844	A	
257	HOND 15012M002	4640529.63263	-145676.56996	4358781.39113	A	
235	IGEL 19352S001	4645951.74113	-165575.08880	4352550.05629	A	
240	ISPS 19484M001	4640596.78582	-206964.36170	4356391.54702	A	
252	LARE 19440M001	4632832.25626	-279026.72881	4360314.06310	A	
256	LAZK 19354S001	4666098.64615	-178186.77801	4330463.30125	A	
261	LEIT 19428M001	4663521.25043	-155859.30637	4334519.52015	A	
334	ORDN 19427M001	4659696.09512	-130865.32143	4338948.52004	A	
345	PAS2 19351S001	4644909.37331	-156645.65490	4353622.71037	A	
493	PASA 19351S001	4644909.37266	-156645.65479	4353622.70998	W	
553	RI01 13448M002	4708447.12993	-199490.87477	4284089.36579	W	
558	SALA 13469M001	4803054.74587	-462131.67127	4158378.69452	W	
566	SC0A 10088M002	4639940.81994	-136225.52616	4359552.05823	A	
443	TERU 13487M001	4867391.62090	-95523.95353	4108341.30129	A	
752	YEBE 13420M001	4848724.85224	-261632.53410	4123093.94703	A	
755	ZARA 13462M001	4773803.48154	-73506.58301	4215453.72209	W	

6 Quality Control

6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGS20 solution and are given with respect to the Local frame (North-East-Up).

Comparison of individual solutions:

ACOR 13434M001	N	1.62	1.69	-0.60	-0.09	-1.51	-3.14	0.42	0.37
ACOR 13434M001	E	2.11	-0.81	-0.59	2.78	-0.08	-3.72	1.45	1.44
ACOR 13434M001	U	5.80	4.99	-3.21	5.07	-2.74	-6.37	-4.01	8.77
ALSA 19419M001	N	2.38	-1.13	-4.78	0.24	1.31	-1.12	2.54	0.64
ALSA 19419M001	E	0.96	0.69	1.83	0.51	-0.55	-1.00	-0.05	-0.32
ALSA 19419M001	U	6.32	0.89	4.70	0.23	7.40	-6.54	-9.16	-5.96
BIAZ 10074M002	N	1.34	1.10	0.28	1.56	1.70	-1.28	-0.94	-1.27
BIAZ 10074M002	E	0.92	-0.32	0.04	-1.57	1.13	0.53	-0.62	0.72
BIAZ 10074M002	U	4.79	-5.35	-1.63	8.56	3.09	1.35	-4.03	-2.30
BIDA 00000M000	N	1.45	1.18			1.75	-1.18	-1.38	-0.80
BIDA 00000M000	E	1.01	0.33			1.73	-0.66	-0.55	0.52
BIDA 00000M000	U	3.72	-3.57			3.05	1.75	1.25	-5.35
CACE 13447M001	N	0.60	0.01	-0.27	-0.89	0.48		-0.07	0.83
CACE 13447M001	E	1.15	1.02	-0.70	1.78	-0.61		0.97	0.83
CACE 13447M001	U	2.84	-2.40	-1.60	-1.22	4.78		1.02	-2.56
CANT 13438M001	N	0.96	1.08	-0.12	-0.05	0.63	-1.85	-0.07	0.71
CANT 13438M001	E	0.98	-0.25	-0.32	0.56	1.96	-0.19	-0.58	-1.02
CANT 13438M001	U	4.73	-0.24	-2.92	8.28	6.26	-4.17	-0.36	-0.59
CREU 13432M001	N	1.48	0.95	0.58	0.09	0.58	-0.10	-3.39	0.21
CREU 13432M001	E	0.80	-0.68	-0.28	-0.87	-0.70	-0.80	0.45	1.11
CREU 13432M001	U	4.67	3.12	-1.52	1.14	2.25	-2.98	2.73	-9.80
EBRE 13410M001	N	1.37	-0.29	-0.05	1.95	0.98	-1.70	-0.02	-1.87
EBRE 13410M001	E	0.58	-0.59	-0.58	-0.85	-0.56	0.11	-0.13	0.54
EBRE 13410M001	U	4.17	-3.56	7.62	-2.16	0.19	-4.10	1.02	-3.32
ELGE 19353S001	N	1.04			0.01	0.35	-1.77	0.87	0.53
ELGE 19353S001	E	0.91			1.17	1.02	0.13	0.93	0.09
ELGE 19353S001	U	4.05			1.51	-4.69	-5.73	-2.63	-1.27
HOND 15012M002	N	1.10	-0.01	0.35	2.08	0.69	-1.39	-0.05	-0.65
HOND 15012M002	E	1.12	0.28	-1.90	-1.09	1.55	0.06	0.49	0.18
HOND 15012M002	U	5.19	-0.61	-0.52	11.77	-0.81	-1.32	-0.13	-4.49
IGEL 19352S001	N	0.95	-0.38		1.02	0.45	-1.51	0.11	0.89
IGEL 19352S001	E	0.71	0.37		-0.41	1.08	-0.76	0.69	-0.10
IGEL 19352S001	U	4.43	-0.13		1.00	7.33	-5.56	0.95	-3.41
ISPS 19484M001	N	0.79	1.02	-0.60	1.02	0.74	-0.83	-0.07	-0.31
ISPS 19484M001	E	0.81	0.47	-0.38	-0.03	1.23	0.56	-0.83	-1.02
ISPS 19484M001	U	4.06	4.95	3.74	-1.12	-0.93	-4.89	4.51	-3.77
LARE 19440M001	N	1.19	1.63	1.45	-0.88	0.52	-1.56	0.48	-0.08
LARE 19440M001	E	0.87	-1.23	0.15	0.98	1.41	-0.15	0.21	0.11
LARE 19440M001	U	4.74	0.02	4.75	9.96	-1.81	-1.55	-0.10	-2.69
LAZX 19354S001	N	1.31	1.36		0.87	0.76	-1.52	-1.13	-1.34
LAZX 19354S001	E	1.54	-1.65		1.81	2.07	-0.30	-0.03	-1.24
LAZX 19354S001	U	6.33	6.56		-3.05	-10.76	-1.06	-0.05	-5.59
LEIT 19428M001	N	1.36	1.21	-2.24	0.76	0.60	-0.84	0.44	-1.68
LEIT 19428M001	E	1.98	-2.16	2.28	2.55	-0.95	-1.96	1.53	-0.37
LEIT 19428M001	U	6.26	-5.12	8.46	6.91	-2.91	-3.36	-2.88	-7.83
ORON 19427M001	N	2.37	0.37	5.51	-0.52	-0.18	-1.28	-0.35	-1.12
ORON 19427M001	E	1.18	-1.60	-1.45	1.49	0.54	-0.65	0.78	0.41
ORON 19427M001	U	6.18	4.67	10.03	3.29	-5.48	-5.00	0.08	-6.41
PAS2 19351S001	N	1.01	0.13	-0.53	1.64	1.15	-1.03	-0.78	0.30
PAS2 19351S001	E	1.31	1.21	-1.50	-0.65	0.48	-1.96	1.16	0.88
PAS2 19351S001	U	5.73	-0.79	4.47	5.99	8.18	-5.89	-3.05	-5.43
PASA 19351S001	N	1.14	-0.15		1.86	0.97	-0.88	-1.16	0.03
PASA 19351S001	E	1.20	1.04		-0.92	0.40	-1.74	0.95	1.10
PASA 19351S001	U	5.87	-1.23		5.69	8.82	-5.72	-1.66	-5.00
RIO1 13448M002	N	0.90	0.70	-1.64	0.14	0.66		-0.60	-0.16
RIO1 13448M002	E	0.69	-0.36	0.30	0.35	-0.92		0.76	0.79
RIO1 13448M002	U	6.32	-0.87	3.05	8.73	-2.57		-1.24	-10.27
SALA 13469M001	N	1.56	-0.08	0.55	0.62	-1.17	-3.53	-0.04	0.22
SALA 13469M001	E	1.61	-0.62	-0.92	0.72	-1.58	3.33	-0.50	-0.18
SALA 13469M001	U	1.23	1.89	-0.23	0.48	-1.93	-0.64	0.97	-0.40
SCDA 10088M002	N	1.15	-0.38	1.81			-1.32	0.32	-0.03
SCDA 10088M002	E	1.45	-1.12	-1.58			-0.90	1.79	0.82
SCDA 10088M002	U	3.49	-2.60	3.76			-2.78	1.65	-4.15
TERU 13487M001	N	0.58	0.36	0.03	-0.20	-1.07	0.13	-0.06	-0.82
TERU 13487M001	E	0.86	1.32	-0.65	0.32	-0.68	1.00	-0.80	-0.14
TERU 13487M001	U	4.44	-3.04	1.23	3.47	0.32	8.86	-1.30	-3.88
YEBE 13420M001	N	1.35	-0.74	-0.21	0.88	0.15	-3.03	0.02	-0.65
YEBE 13420M001	E	2.02	0.98	0.05	0.83	1.02	-4.55	0.62	0.88
YEBE 13420M001	U	3.12	-0.60	6.21	-0.64	1.49	-2.75	-2.97	-0.65
ZARA 13462M001	N	1.20	-0.09	0.26	-0.82	-0.77	-2.44	0.90	-0.74
ZARA 13462M001	E	0.54	-0.70	-0.13	-0.59	0.49	-0.32	0.57	0.47
ZARA 13462M001	U	3.88	-3.47	0.84	4.25	2.69	-3.14	-6.32	-1.53

6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

TRANSFORMATION IN EQUATORIAL SYSTEM (X, Y, Z):
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

LIST OF REMOVED STATIONS:

OUTLIER CRITERIA: 15.00 15.00 20.00

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
1	ACOR 13434M001	I W	-1.62	2.66	5.32
2	ALAC 13433M001	I W	-2.20	1.12	7.21
3	ALBA 13452M001	I W	3.62	-2.02	-5.39
4	ALME 13437M001	I W	-1.98	0.15	4.40
5	BCLN 13412M001	I W	0.48	-2.36	3.19
6	BELL 13431M001	I W	-0.96	-0.35	2.89
7	BORR 13480M001	I W	-1.88	0.23	3.49
8	BRST 10004M004	I W	-3.93	0.22	3.18
9	CACE 13447M001	I W	0.45	1.89	1.94
10	CANT 13438M001	I W	-3.54	4.20	-4.29
11	CARG 19412M001	I W	0.60	2.29	-1.00
12	CASE 13494M001	I W	-4.40	-0.95	-5.04
13	CEU1 13449M002	I W	1.48	-0.60	-4.58
14	COBA 13453M001	I W	2.65	0.90	-7.44
15	CREU 13432M001	I W	-2.27	-0.28	2.86
17	ESCO 13435M001	I W	-2.69	0.60	2.65
18	HUEL 13451M001	I W	10.03	-7.68	7.26
20	IZAN 31309M002	I W	1.72	2.22	-3.56
21	LLIV 13436M001	I W	0.47	0.26	3.76
23	LROC 10023M001	I W	0.17	0.05	9.09
25	MAS1 31303M002	I W	0.63	-0.53	-0.68
26	MELI 19379M001	I W	4.05	-0.30	-5.68
27	PASA 19351S001	I W	1.02	1.08	-1.50
28	RABT 35001M002	I W	0.75	-0.19	-12.41
29	RIO1 13448M002	I W	-3.12	-1.30	0.10
30	SALA 13469M001	I W	1.49	0.42	-0.65
32	SFER 13402M004	I W	-2.95	-9.91	-2.22
33	SONS 13446M001	I W	0.08	3.24	-1.85
34	VALA 13463M002	I W	1.07	-0.33	-4.48
35	VALE 13439M001	I W	-4.39	2.26	-7.65
36	VIGO 13450M001	I W	2.90	0.89	4.28
39	ZARA 13462M001	I W	-1.51	0.05	-1.10
40	ZIMM 14001M004	I W	-1.15	-2.01	5.03
RMS / COMPONENT			2.93	2.70	4.98
IQR			3.27	1.61	7.78
MEAN			-0.15	-0.12	-0.09
MEDIAN			0.17	0.15	-0.65
MIN			-4.40	-9.91	-12.41
MAX			10.03	4.20	9.09
OVERALL RMS/IQR/MAX(3D)			3.68	4.23	14.57
					HUEL 13451M001 #SUM
ALL RMS / COMPONENT			2.93	2.70	4.98
ALL IQR			3.27	1.61	7.78
ALL MEAN			-0.15	-0.12	-0.09
ALL MEDIAN			0.17	0.15	-0.65
ALL MIN			-4.40	-9.91	-12.41
ALL MAX			10.03	4.20	9.09
ALL OVERALL RMS/IQR/MAX(3D)			3.68	4.23	14.57
					HUEL 13451M001 #SUM_ALL

NUMBER OF PARAMETERS : 3
NUMBER OF STATIONS : 33
NUMBER OF COORDINATES : 99
RMS OF TRANSFORMATION : 3.68 MM

PARAMETERS:

TRANSLATION IN X : -0.00 +- 0.64 MM
TRANSLATION IN Y : 0.01 +- 0.64 MM
TRANSLATION IN Z : 0.01 +- 0.64 MM

NUMBER OF ITERATIONS : 1

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          16583998
NUMBER OF UNKNOWN(S)            178397
NUMBER OF DEGREES OF FREEDOM    16405601
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)     180
VARIANCE FACTOR                  5.163495050482152
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ FIRMWARE____
ACOR A 1 P 23:169:00000 23:175:86370 LEICA GR50 -----
ALSA A 1 P 23:169:00000 23:175:86370 LEICA GR50 -----
BIAZ A 1 P 23:169:00000 23:175:86370 SPECTRA SP90M -----
BIDA A 1 P 23:169:00000 23:175:86370 LEICA GR10 -----
CACE A 1 P 23:169:00000 23:175:86370 TRIMBLE NETR9 -----
CANT A 1 P 23:169:00000 23:175:86370 LEICA GR10 -----
CREU A 1 P 23:169:00000 23:175:86370 LEICA GR50 -----
EBRE A 1 P 23:169:00000 23:175:86370 LEICA GR50 -----
ELGE A 1 P 23:171:00000 23:175:86370 LEICA GR30 -----
HOND A 1 P 23:169:00000 23:175:86370 LEICA GR50 -----
IGEL A 1 P 23:169:00000 23:175:86370 LEICA GR30 -----
ISPS A 1 P 23:169:00000 23:175:86370 TRIMBLE NETR9 -----
LARE A 1 P 23:169:00000 23:175:86370 LEICA GR50 -----
LAZK A 1 P 23:169:00000 23:175:86370 LEICA GR30 -----
LEIT A 1 P 23:169:00000 23:175:86370 LEICA GR50 -----
ORON A 1 P 23:169:00000 23:175:86370 LEICA GR50 -----
PAS2 A 1 P 23:169:00000 23:175:86370 STONEX SC2200 -----
PASA A 1 P 23:169:00000 23:175:86370 LEICA GR30 -----
RI01 A 1 P 23:169:00000 23:175:86370 LEICA GR25 -----
SALA A 1 P 23:169:00000 23:175:86370 LEICA GR50 -----
SCDA A 1 P 23:169:00000 23:175:86370 LEICA GR50 -----
TERU A 1 P 23:169:00000 23:175:86370 LEICA GR50 -----
YEBE A 1 P 23:169:00000 23:175:86370 LEICA GR50 -----
ZARA A 1 P 23:169:00000 23:175:86370 TRIMBLE NETR9 -----
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are used.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ DAZI
ACOR A 1 P 23:169:00000 23:175:86370 LEIAT504 LEIS -----
ALSA A 1 P 23:169:00000 23:175:86370 LEIAR10 NONE -----
BIAZ A 1 P 23:169:00000 23:175:86370 LEIAR25 LEIT -----
BIDA A 1 P 23:169:00000 23:175:86370 LEIAS10 NONE -----
CACE A 1 P 23:169:00000 23:175:86370 TRM29659.00 NONE -----
CANT A 1 P 23:169:00000 23:175:86370 LEIAR25_R4 LEIT -----
CREU A 1 P 23:169:00000 23:175:86370 LEIAR25_R4 NONE -----
EBRE A 1 P 23:169:00000 23:175:86370 LEIAR25_R4 NONE -----
ELGE A 1 P 23:171:00000 23:175:86370 LEIAR25_R4 LEIT -----
HOND A 1 P 23:169:00000 23:175:86370 LEIAR20 LEIM -----
IGEL A 1 P 23:169:00000 23:175:86370 LEIAR20 LEIM -----
ISPS A 1 P 23:169:00000 23:175:86370 TRM59900.00 SCIS -----
LARE A 1 P 23:169:00000 23:175:86370 LEIAR20 LEIM -----
LAZK A 1 P 23:169:00000 23:175:86370 LEIAR25_R4 LEIT -----
LEIT A 1 P 23:169:00000 23:175:86370 LEIAR10 NONE -----
ORON A 1 P 23:169:00000 23:175:86370 LEIAR10 NONE -----
PAS2 A 1 P 23:169:00000 23:175:86370 LEIAR20 LEIM -----
PASA A 1 P 23:169:00000 23:175:86370 LEIAR20 LEIM -----
RI01 A 1 P 23:169:00000 23:175:86370 LEIAR25_R4 LEIT -----
SALA A 1 P 23:169:00000 23:175:86370 LEIAR25 NONE -----
SCDA A 1 P 23:169:00000 23:175:86370 TRM55971.00 NONE -----
TERU A 1 P 23:169:00000 23:175:86370 LEIAR20 LEIM -----
YEBE A 1 P 23:169:00000 23:175:86370 LEIAR20 LEIM -----
ZARA A 1 P 23:169:00000 23:175:86370 TRM29659.00 NONE -----
```

7.3 Eccentricities

```
*
*SITE PT SOLN T DATA_START__ DATA_END_____ AXE ARP->BENCHMARK(M)-----
ACOR A 1 P 23:169:00000 23:175:86370 UNE 3.0460 0.0000 0.0000
ALSA A 1 P 23:169:00000 23:175:86370 UNE 0.0000 0.0000 0.0000
BIAZ A 1 P 23:169:00000 23:175:86370 UNE 0.0000 0.0000 0.0000
BIDA A 1 P 23:169:00000 23:175:86370 UNE 0.0000 0.0000 0.0000
CACE A 1 P 23:169:00000 23:175:86370 UNE 0.0600 0.0000 0.0000
CANT A 1 P 23:169:00000 23:175:86370 UNE 3.0490 0.0000 0.0000
CREU A 1 P 23:169:00000 23:175:86370 UNE 0.0770 0.0000 0.0000
```

EBRE	A	1	P	23:169:00000	23:175:86370	UNE	0.0770	0.0000	0.0000
ELGE	A	1	P	23:171:00000	23:175:86370	UNE	0.0000	0.0000	0.0000
HOND	A	1	P	23:169:00000	23:175:86370	UNE	0.0771	0.0000	0.0000
IGEL	A	1	P	23:169:00000	23:175:86370	UNE	0.0000	0.0000	0.0000
ISPS	A	1	P	23:169:00000	23:175:86370	UNE	0.0350	0.0000	0.0000
LARE	A	1	P	23:169:00000	23:175:86370	UNE	0.0000	0.0000	0.0000
LAZK	A	1	P	23:169:00000	23:175:86370	UNE	0.0000	0.0000	0.0000
LEIT	A	1	P	23:169:00000	23:175:86370	UNE	0.0000	0.0000	0.0000
ORON	A	1	P	23:169:00000	23:175:86370	UNE	0.0000	0.0000	0.0000
PAS2	A	1	P	23:169:00000	23:175:86370	UNE	0.0000	0.0000	0.0000
PASA	A	1	P	23:169:00000	23:175:86370	UNE	0.0000	0.0000	0.0000
RI01	A	1	P	23:169:00000	23:175:86370	UNE	0.0606	0.0000	0.0000
SALA	A	1	P	23:169:00000	23:175:86370	UNE	0.0600	0.0000	0.0000
SCDA	A	1	P	23:169:00000	23:175:86370	UNE	0.0000	0.0000	0.0000
TERU	A	1	P	23:169:00000	23:175:86370	UNE	0.0600	0.0000	0.0000
YEBE	A	1	P	23:169:00000	23:175:86370	UNE	0.0600	0.0000	0.0000
ZARA	A	1	P	23:169:00000	23:175:86370	UNE	3.2590	0.0000	0.0000

8 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

2023-07-09	16:03	UTC	ALSA1690.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: alsa00esp_20230530.log
2023-07-09	18:43	UTC	ALSA1700.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: alsa00esp_20230530.log
2023-07-09	21:04	UTC	ALSA1710.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: alsa00esp_20230530.log
2023-07-09	23:42	UTC	ALSA1720.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: alsa00esp_20230530.log
2023-07-11	20:23	UTC	ALSA1730.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: alsa00esp_20230530.log
2023-07-12	10:20	UTC	ALSA1740.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: alsa00esp_20230530.log
2023-07-12	13:28	UTC	ALSA1750.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: alsa00esp_20230530.log
2023-07-09	16:03	UTC	BRZR1690.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: brzr00esp_20220408.log
2023-07-09	18:43	UTC	BRZR1700.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: brzr00esp_20220408.log
2023-07-09	21:04	UTC	BRZR1710.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: brzr00esp_20220408.log
2023-07-09	23:42	UTC	BRZR1720.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: brzr00esp_20220408.log
2023-07-11	20:23	UTC	BRZR1730.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: brzr00esp_20220408.log
2023-07-12	10:20	UTC	BRZR1740.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: brzr00esp_20220408.log
2023-07-12	13:28	UTC	BRZR1750.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: brzr00esp_20220408.log
2023-07-09	16:03	UTC	GERN1690.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: gern00esp_20220408.log
2023-07-09	18:43	UTC	GERN1700.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: gern00esp_20220408.log
2023-07-09	21:04	UTC	GERN1710.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: gern00esp_20220408.log
2023-07-09	23:42	UTC	GERN1720.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: gern00esp_20220408.log
2023-07-11	20:23	UTC	GERN1730.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: gern00esp_20220408.log
2023-07-12	10:20	UTC	GERN1740.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: gern00esp_20220408.log
2023-07-12	13:29	UTC	GERN1750.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: gern00esp_20220408.log
2023-07-09	16:03	UTC	ISPS1690.230	RECEIVER	FIRM. VERS.		5.30	->	5.22	(source: isps00esp_20220907.log
2023-07-09	18:43	UTC	ISPS1700.230	RECEIVER	FIRM. VERS.		5.30	->	5.22	(source: isps00esp_20220907.log
2023-07-09	21:04	UTC	ISPS1710.230	RECEIVER	FIRM. VERS.		5.30	->	5.22	(source: isps00esp_20220907.log
2023-07-09	23:42	UTC	ISPS1720.230	RECEIVER	FIRM. VERS.		5.30	->	5.22	(source: isps00esp_20220907.log
2023-07-11	20:23	UTC	ISPS1730.230	RECEIVER	FIRM. VERS.		5.30	->	5.22	(source: isps00esp_20220907.log
2023-07-12	10:20	UTC	ISPS1740.230	RECEIVER	FIRM. VERS.		5.30	->	5.22	(source: isps00esp_20220907.log
2023-07-12	13:29	UTC	ISPS1750.230	RECEIVER	FIRM. VERS.		5.30	->	5.22	(source: isps00esp_20220907.log
2023-07-09	16:03	UTC	LEIT1690.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: leit00esp_20230530.log
2023-07-09	18:43	UTC	LEIT1700.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: leit00esp_20230530.log
2023-07-09	21:04	UTC	LEIT1710.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: leit00esp_20230530.log
2023-07-09	23:42	UTC	LEIT1720.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: leit00esp_20230530.log
2023-07-11	20:23	UTC	LEIT1730.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: leit00esp_20230530.log
2023-07-12	10:20	UTC	LEIT1740.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: leit00esp_20230530.log
2023-07-12	13:29	UTC	LEIT1750.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: leit00esp_20230530.log
2023-07-09	16:03	UTC	ORON1690.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: oron00esp_20230530.log
2023-07-09	18:43	UTC	ORON1700.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: oron00esp_20230530.log
2023-07-09	21:04	UTC	ORON1710.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: oron00esp_20230530.log
2023-07-09	23:43	UTC	ORON1720.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: oron00esp_20230530.log
2023-07-11	20:23	UTC	ORON1730.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: oron00esp_20230530.log
2023-07-12	10:20	UTC	ORON1740.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: oron00esp_20230530.log
2023-07-12	13:29	UTC	ORON1750.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.61	(source: oron00esp_20230530.log
2023-07-09	16:03	UTC	SOPU1690.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: sopu00esp_20220408.log
2023-07-09	18:43	UTC	SOPU1700.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: sopu00esp_20220408.log
2023-07-09	21:04	UTC	SOPU1710.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: sopu00esp_20220408.log
2023-07-09	23:43	UTC	SOPU1720.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: sopu00esp_20220408.log
2023-07-11	20:23	UTC	SOPU1730.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: sopu00esp_20220408.log
2023-07-12	10:20	UTC	SOPU1740.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: sopu00esp_20220408.log
2023-07-12	13:29	UTC	SOPU1750.230	RECEIVER	FIRM. VERS.		4.61/7.811	->	4.51/7.710	(source: sopu00esp_20220408.log

9 References



C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. etrs89.ensg.ign.fr/memo-V8.pdf


EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf

Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf


10 Cumulative Time Series

Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.







3) AMUR




4) BIAZ




5) BIDA




6) CACE




7) CANT




8) CHER




9) EBRE




10) ELGE




11) EMAZ




12) HOND




13) IGEL




14) ISPS




15) LARE




16) LAZK




17) LEIT




18) PAS2




19) PASA




20) RIO1




21) SCOA




22) SOPU



23) TERU



24) YEBE



25) ZARA