

# ARA-DAC Weekly Analysis Result: 2277 (GFA)

## Technical Report

**GPS Week: 2277 (GFA)**

<http://geolabpasaia.org/gnss/ARA-euref/>

**ARA-DAC details:**

Contact person: J. Zurutuza

Contact mail: [geodesia@aranzadi.eus](mailto:geodesia@aranzadi.eus)

Report generated on 2023/09/18 at 02:34:57




**ARANZADI** zientzia elkartea  
sociedad de ciencias . society of sciences . société de sciences

# 1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

# 2 Map of Computed Sites



2023 Sep 18 02:34:52

Fig.1: Computed Sites for GPS Week2277 (GFA)

### 3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase,  $L_1$  and  $L_2$ ; a priori sigma of single differences:0.002 m.
  - sampling (for ambiguity resolution): 30 s
  - sampling (for final processing): 180 s
  - Systems: GPS+GLONASS observations are used (Galileo is used if available starting GPS week 1986)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV\_COD.I20 file and individual calibrations from EPNC\_20.ATX. In case no calibration values of an antenna/radome pairs are not available for a certain GNSS system at some station, the observation of this/these GNSS/GNSSs are excluded from the analysis of that station.
- EPN\_A class sites (CRD + VEL) IGS20 used to define the reference frame (no EPN release is available at the time this report is generated). Following the EUREF guidelines, no other individual calibrations are included in the analysis starting GPSW 2238 (IGS20).
- Calibraciones de antena: calibraciones absolutas del IGS, incluidas en el fichero igs20.atx. A partir de la semana GPS 2238 (IGS20) No se incluyen calibraciones absolutas individuales de ninguna otra antena.
- El datum se establece con las estaciones EPN de clase A (coordenadas y velocidades) en datum IGS20 (solución PRELIMINAR, basada en IGB14). En caso de no disponer de datos de calibración de una determinada antena/radomo para cierto sistem GNSS, las observaciones de éste se omiten en el cálculo de la estación.
- Troposphere:
  - minimum elevation is 3 deg.; elevation dependent weighting.
  - VMF3 mapping function. ZPD parameters are estimated using the VMF3 mapping function.
  - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2014b (Scherneck).
- Atmospheric loading: not corrected, following the latest recommendations for IGS20 products.
- Tidal displacements:
  - Mean pole model : IERS2010\_v1.2.0
  - Subdaily pole model: DESAI2016
  - Nutation model : IAU2000R06

## 4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3\*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE421 planetary ephemeris and JGM3 Earth geopotential model is used.
- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
  - Code-Based Widelane (WL) and Narrow Line (NR) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
  - Phase-Based Widelane ( $L_5$ ) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
  - Quasi-Ionosphere-Free (QIF) AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
  - Direct  $L_1/L_2$  AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

## 5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

### 5.1 IGS20

The Reference Frame considered in this section is a PRELIMINARY IGS20, based on the previously used IGB14 solution.

```

ARA FINAL WEEKLY COMBINATION: FINAL ORBITS
-----
LOCAL GEODETIC DATUM: IGS20
EPOCH: 2023-08-30 11:59:45

NUM STATION NAME X (M) Y (M) Z (M) FLAG SYSTEM
-----
 4 ACRD 13434M001 4594489.51068 -678367.35226 4357066.32769 W G
 50 ALSA 19419M001 4677250.78373 -176770.31520 4319079.92773 A GRE
100 BIAZ 10074M002 4634455.99541 -124344.89574 4365785.50401 A GR
101 BIDA 00000M000 4644177.77214 -145778.24316 4354832.53300 A GR
104 CACE 13447M001 4899866.46091 -544566.95629 4033770.25736 W GRE
116 CANT 13438M001 4625924.26897 -307096.15678 4365771.61217 W GRE
162 CREU 13432M001 4715420.07478 273178.14188 4271946.89254 W GRE
204 EBRE 13410M001 4833519.94170 41537.47456 4147461.77070 A GRE
180 ELGE 19353S001 4657557.34419 -202241.38963 4338991.93551 A GRE
257 HOND 15012M002 4640529.26884 -145676.90554 4358761.80772 A GRE
235 IGEL 19352S001 4645951.37958 -165574.42375 4352550.47371 A GRE
240 ISPS 19484M001 4640596.43246 -206963.69554 4356391.96722 A GRE
252 LARE 19440M001 4632831.90703 -279026.06589 4360314.48110 A GRE
256 LAZK 19354S001 4666098.28629 -178186.11044 4330463.71754 A GRE
261 LEIT 19428M001 4663520.88731 -155858.64004 4334519.93890 A GRE
334 ORDN 19427M001 4659695.72808 -130864.65522 4338948.93619 A GRE
345 PAS2 19351S001 4644909.01165 -156644.99083 4353623.12835 A GRE
493 PASA 19351S001 4644909.01190 -156644.99074 4353623.12828 W GRE
553 RID1 13448M002 4708446.77810 -199490.20275 4284089.78733 W GRE
558 SALA 13469M001 4803054.43985 -462130.98938 4158379.13018 W GR
566 SCDA 10088M002 4639940.45439 -136224.86449 4359552.47471 A GRE
443 TERU 13487M001 4867391.26993 -95523.26294 4108341.73372 A GRE
752 YEBE 13420M001 4848724.52200 -261631.84737 4123094.38225 A GRE
755 ZARA 13462M001 4773803.12007 -73505.90447 4215454.14650 W GRE
    
```

### 5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2000
-----
LOCAL GEODETIC DATUM: ETRF2000
EPOCH: 2023-08-30 11:59:45

NUM STATION NAME X (M) Y (M) Z (M) FLAG SYSTEM
-----
 4 ACRD 13434M001 4594489.84855 -678367.97344 4357065.85715 W
 50 ALSA 19419M001 4677251.18550 -176770.94527 4319079.45709 A
100 BIAZ 10074M002 4634456.40787 -124345.52059 4365785.03775 A
101 BIDA 00000M000 4644178.18087 -145778.86922 4354832.06562 A
104 CACE 13447M001 4899866.79095 -544567.61329 4033769.76246 W
116 CANT 13438M001 4625924.65708 -307096.78108 4365771.14413 W
162 CREU 13432M001 4715420.53268 273177.50881 4271946.42473 W
204 EBRE 13410M001 4833520.35890 41536.82672 4147461.28961 A
180 ELGE 19353S001 4657557.74415 -202242.01744 4338991.46620 A
257 HOND 15012M002 4640529.67790 -145676.53117 4358781.34065 A
235 IGEL 19352S001 4645951.78550 -165575.05008 4352550.00590 A
240 ISPS 19484M001 4640596.83317 -206964.32134 4356391.49930 A
252 LARE 19440M001 4632832.29844 -279026.69094 4360314.01285 A
256 LAZK 19354S001 4666098.68877 -178186.73919 4330463.24783 A
261 LEIT 19428M001 4663521.29309 -155859.26843 4334519.46972 A
334 ORDN 19427M001 4659696.13754 -130865.28308 4338948.46768 A
345 PAS2 19351S001 4644909.41884 -156645.61701 4353622.66075 A
493 PASA 19351S001 4644909.41909 -156645.61692 4353622.66068 W
553 RID1 13448M002 4708447.17407 -199490.83657 4284089.31370 W
558 SALA 13469M001 4803054.79081 -462131.63492 4158378.64478 W
566 SCDA 10088M002 4639940.86477 -136225.49002 4359552.00782 A
443 TERU 13487M001 4867391.66577 -95523.91519 4108341.24785 A
752 YEBE 13420M001 4848724.89689 -261632.49787 4123093.89570 A
755 ZARA 13462M001 4773803.52736 -73506.54565 4215453.66898 W
    
```

### 5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2014
-----
LOCAL GEODETIC DATUM: ETRF2014
EPOCH: 2023-08-30 11:59:45
    
```

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
4	ACDR 13434M001	4594489.80837	-678368.01049	4357065.90932	W	
50	ALSA 19419M001	4677251.14290	-176770.98381	4319079.50915	A	
100	BIAZ 10074M002	4634456.36555	-124345.55950	4365785.08998	A	
101	BIDA 00000M000	4644178.13852	-145778.90802	4354832.11780	A	
104	CACE 13447M001	4899866.74694	-544567.64948	4033769.81379	W	
116	CANT 13438M001	4625924.61546	-307096.81936	4365771.19629	W	
162	CREU 13432M001	4715420.48795	273177.46881	4271946.47701	W	
204	EBRE 13410M001	4833520.31374	41536.78809	4147461.34137	A	
180	ELGE 19353S001	4657557.70185	-202242.05597	4338991.51832	A	
257	HOND 15012M002	4640529.63559	-145676.56998	4358781.39285	A	
235	IGEL 19352S001	4645951.74320	-165575.08879	4352550.05807	A	
240	ISPS 19484M001	4640596.79107	-206964.35993	4356391.55147	A	
252	LARE 19440M001	4632832.25667	-279026.72930	4360314.06501	A	
256	LAZK 19354S001	4666098.64630	-178186.77777	4330463.29993	A	
261	LEIT 19428M001	4663521.25057	-155859.30710	4334519.52184	A	
334	ORON 19427M001	4659696.09497	-130865.32186	4338948.51983	A	
345	PAS2 19351S001	4644909.37652	-156645.65576	4353622.71293	A	
493	PASA 19351S001	4644909.37677	-156645.65567	4353622.71286	W	
553	RI01 13448M002	4708447.13120	-199490.87489	4284089.36566	W	
558	SALA 13469M001	4803054.74770	-462131.67185	4158378.69637	W	
566	SC0A 10088M002	4639940.82243	-136225.52887	4359552.06003	A	
443	TERU 13487M001	4867391.62073	-95523.95318	4108341.29943	A	
752	YEBE 13420M001	4848724.85263	-261632.53533	4123093.94724	A	
755	ZARA 13462M001	4773803.48332	-73506.58414	4215453.72083	W	

## 6 Quality Control

### 6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGS20 solution and are given with respect to the Local frame (North-East-Up).

GFA FINAL WEEKLY COMBINATION: FINAL ORBITS 18-SEP-23 01:52

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACOR 13434M001	6	XXXXX X	1.08	1.37	4.31
ALSA 19419M001	7	XXXXXX	2.92	0.88	2.10
BIAZ 10074M002	7	XXXXXX	1.06	1.30	3.89
BIDA 00000M000	7	XXXXXX	1.56	1.59	6.42
CACE 13447M001	7	XXXXXX	0.55	0.53	3.59
CANT 13438M001	7	XXXXXX	1.14	0.54	2.91
CREU 13432M001	7	XXXXXX	1.55	1.02	5.50
EBRE 13410M001	7	XXXXXX	2.12	3.01	2.66
ELGE 19353S001	7	XXXXXX	2.15	1.16	4.20
HOND 15012M002	7	XXXXXX	0.67	0.99	3.56
IGEL 19352S001	7	XXXXXX	0.89	0.67	4.77
ISPS 19484M001	7	XXXXXX	1.41	1.23	5.39
LARE 19440M001	7	XXXXXX	1.28	1.04	2.90
LAZK 19354S001	7	XXXXXX	0.96	1.59	4.74
LEIT 19428M001	7	XXXXXX	1.17	1.02	3.51
ORON 19427M001	7	XXXXXX	1.70	1.49	4.36
PAS2 19351S001	6	XXXI XX	1.74	0.73	5.20
PASA 19351S001	6	XXXXI X	1.43	0.49	5.08
RI01 13448M002	7	XXXXXX	3.37	0.79	3.85
SALA 13469M001	7	XXXXXX	0.58	0.81	3.08
SCDA 10088M002	7	XXXXXX	1.82	1.76	4.01
TERU 13487M001	7	XXXXXX	1.12	0.69	5.63
YEBE 13420M001	7	XXXXXX	0.81	0.66	0.92
ZARA 13462M001	7	XXXXXX	2.33	1.35	4.33

Comparison of individual solutions:

ACOR 13434M001	N	1.08	-1.39	-0.11	-0.62	1.44	1.19	-0.18
ACOR 13434M001	E	1.37	-1.08	1.98	-1.55	-0.33	-0.55	1.22
ACOR 13434M001	U	4.31	-2.71	2.41	0.56	2.28	3.18	-8.01
ALSA 19419M001	N	2.92	3.39	2.96	0.94	1.79	0.53	-3.84
ALSA 19419M001	E	0.88	-0.15	0.20	-0.92	-1.43	0.06	1.08
ALSA 19419M001	U	2.10	2.77	-0.26	0.73	-2.41	1.63	2.81
BIAZ 10074M002	N	1.06	0.75	-0.29	-0.24	-0.13	0.14	0.56
BIAZ 10074M002	E	1.30	-0.77	0.67	-0.47	0.09	-0.60	-0.76
BIAZ 10074M002	U	3.89	-2.24	8.06	1.04	1.59	1.23	-3.70
BIDA 00000M000	N	1.56	1.94	2.97	0.07	-0.04	0.60	-1.21
BIDA 00000M000	E	1.59	-0.86	-1.00	-2.35	0.30	0.76	1.68
BIDA 00000M000	U	6.42	2.07	10.73	-3.31	-3.82	-4.08	-2.66
CACE 13447M001	N	0.55	-0.47	0.61	0.36	-0.37	-0.48	-0.20
CACE 13447M001	E	0.53	-0.79	0.27	0.06	0.77	0.08	0.31
CACE 13447M001	U	3.59	4.08	-1.88	-2.18	0.93	-0.03	2.25
CANT 13438M001	N	1.14	0.12	-0.42	-1.12	-1.19	0.68	1.70
CANT 13438M001	E	0.54	0.42	0.25	0.12	-0.39	-0.59	0.56
CANT 13438M001	U	2.91	-4.27	4.25	-0.03	-0.98	1.94	-2.59
CREU 13432M001	N	1.55	-1.70	3.02	-1.28	-0.15	-0.20	0.02
CREU 13432M001	E	1.02	-0.34	1.89	0.41	0.87	-0.58	0.14
CREU 13432M001	U	5.50	3.98	-10.12	7.58	-1.18	-0.83	0.10
EBRE 13410M001	N	2.12	-0.14	3.21	-1.39	0.37	2.06	-3.20
EBRE 13410M001	E	3.01	0.58	-6.19	-1.34	1.48	1.97	2.30
EBRE 13410M001	U	2.66	0.99	4.73	0.72	-2.53	-2.69	1.32
ELGE 19353S001	N	2.15	-4.17	-0.72	0.13	0.79	1.72	2.48
ELGE 19353S001	E	1.16	0.17	2.08	-0.17	1.43	-0.54	-1.15
ELGE 19353S001	U	4.20	3.83	8.76	-1.82	1.89	0.65	2.46
HOND 15012M002	N	0.67	0.04	1.05	0.70	0.65	0.51	-0.30
HOND 15012M002	E	0.99	-0.40	1.86	-0.84	-0.82	0.22	0.10
HOND 15012M002	U	3.56	-2.11	6.97	0.27	1.94	-1.83	-1.12
IGEL 19352S001	N	0.89	0.10	-1.03	0.52	1.35	1.17	0.44
IGEL 19352S001	E	0.67	0.31	1.40	-0.39	-0.28	-0.47	-0.06
IGEL 19352S001	U	4.77	3.01	8.30	4.90	-3.84	-3.24	-2.20
ISPS 19484M001	N	1.41	1.09	-2.20	0.41	-0.76	1.24	0.61
ISPS 19484M001	E	1.23	-0.35	2.41	-0.74	-1.33	0.44	-0.36
ISPS 19484M001	U	5.39	4.31	6.92	-6.33	-2.27	2.19	-2.26
LARE 19440M001	N	1.28	-0.58	-0.52	0.34	-0.50	1.63	2.00
LARE 19440M001	E	1.04	-0.91	0.83	-0.49	-0.14	0.55	-1.72
LARE 19440M001	U	2.90	-0.96	2.84	-5.58	0.41	1.47	-2.74
LAZK 19354S001	N	0.96	-0.49	1.98	0.25	1.02	0.09	-0.36
LAZK 19354S001	E	1.59	0.90	2.52	-0.20	-2.42	-1.33	-0.23
LAZK 19354S001	U	4.74	-5.19	4.89	-2.12	-3.30	2.43	2.14
LEIT 19428M001	N	1.17	1.64	0.90	1.69	0.90	-0.12	-0.58
LEIT 19428M001	E	1.02	-1.03	1.41	0.13	-0.49	-0.24	-0.84
LEIT 19428M001	U	3.51	3.85	6.62	0.10	-2.09	-1.06	-2.77
ORON 19427M001	N	1.70	-1.00	2.97	1.02	0.97	-0.67	-1.80
ORON 19427M001	E	1.49	0.20	3.19	-0.92	-0.24	-0.51	-1.39
ORON 19427M001	U	4.36	5.67	5.37	0.46	-0.40	-3.23	5.13
PAS2 19351S001	N	1.74	-0.79	-2.13	1.42	2.75		0.41
PAS2 19351S001	E	0.73	-0.60	-0.36	0.33	0.71		-0.32
PAS2 19351S001	U	5.20	1.83	10.47	2.03	2.64		-3.31
PASA 19351S001	N	1.43	-0.68	-1.28	1.38	2.36	0.79	0.13
PASA 19351S001	E	0.49	-0.19	-0.09	-0.20	0.43	-0.28	0.92
PASA 19351S001	U	5.08	1.76	10.62	1.83	0.36	-3.04	-0.73
RI01 13448M002	N	3.37	4.74	-6.30	1.99	-0.10	0.11	1.37
RI01 13448M002	E	0.79	0.17	1.01	-0.15	-1.48	-0.20	0.55
RI01 13448M002	U	3.85	-5.00	-0.43	7.57	1.50	-0.54	1.14
SALA 13469M001	N	0.58	-0.92	0.81	0.00	-0.26	0.61	-0.12
SALA 13469M001	E	0.81	-0.23	1.56	-0.65	-0.02	0.47	0.46
SALA 13469M001	U	3.08	1.04	-2.46	-5.84	0.26	-0.10	3.92
SCDA 10088M002	N	1.82	0.73	1.39	1.89	0.92	1.99	0.29
SCDA 10088M002	E	1.76	-1.16	-1.82	-1.17	0.84	1.68	2.70
SCDA 10088M002	U	4.01	-0.58	6.87	4.43	-1.55	-1.35	-3.07
TERU 13487M001	N	1.12	0.62	-2.47	-0.52	0.29	0.17	0.51
TERU 13487M001	E	0.69	-0.89	0.88	0.60	-0.67	0.22	-0.60
TERU 13487M001	U	5.63	2.80	-6.25	-5.86	-4.80	4.06	0.87
YEBE 13420M001	N	0.81	-1.39	1.16	0.32	-0.08	0.21	0.62

YEBE	13420M001	E	0.66	-0.60	1.13	0.28	-0.38	0.82	-0.01	0.24
YEBE	13420M001	U	0.92	1.10	-1.35	-0.69	0.65	-0.63	-0.74	-0.43
ZARA	13462M001	N	2.33	0.81	-4.24	2.48	1.06	2.10	1.47	0.16
ZARA	13462M001	E	1.35	-1.11	2.27	-0.91	1.06	-0.26	-0.72	-1.44
ZARA	13462M001	U	4.33	-2.50	1.57	8.43	-4.79	-2.45	1.23	1.59



## 6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

TRANSFORMATION IN EQUATORIAL SYSTEM (X, Y, Z):  
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

LIST OF REMOVED STATIONS:

OUTLIER CRITERIA: 15.00 15.00 20.00

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
1	ACOR 13434M001	I W	-2.03	1.67	4.30
2	ALAC 13433M001	I W	-1.53	2.35	2.71
3	ALBA 13452M001	I W	4.43	-1.34	-5.36
4	BCLN 13412M001	I W	1.52	-2.63	3.83
5	BELL 13431M001	I W	-0.55	-2.79	3.79
6	BORR 13480M001	I W	-1.94	2.23	-0.10
7	BRST 10004M004	I W	-2.57	0.84	4.38
8	CACE 13447M001	I W	0.60	1.64	4.35
9	CANT 13438M001	I W	-3.07	2.78	-8.88
10	CARG 19412M001	I W	1.44	2.84	-2.28
11	CASE 13494M001	I W	-3.85	1.35	1.81
12	CEU1 13449M002	I W	1.19	-0.93	-0.84
13	COBA 13453M001	I W	1.49	1.43	-5.48
14	CREU 13432M001	I W	-2.03	-0.59	0.23
16	ESCO 13435M001	I W	-3.41	-0.01	-1.77
17	HUEL 13451M001	I W	10.58	-7.40	8.81
19	IZAN 31309M002	I W	2.57	2.67	4.42
20	LLIV 13436M001	I W	-0.39	0.52	3.28
22	LRDC 10023M001	I W	0.05	1.91	8.21
24	MAS1 31303M002	I W	1.46	0.48	0.01
25	PASA 19351S001	I W	1.84	1.82	-6.73
26	RABT 35001M002	I W	0.74	0.33	-10.86
27	RID1 13448M002	I W	-2.17	-1.30	-0.79
28	SALA 13469M001	I W	1.45	0.79	-3.43
30	SFER 13402M004	I W	-3.39	-12.03	-0.27
31	SONS 13446M001	I W	-1.53	1.37	-0.74
32	VALA 13463M002	I W	0.74	-0.54	-3.86
33	VALE 13439M001	I W	-4.28	2.97	-7.71
34	VIGO 13450M001	I W	2.09	-0.45	4.81
37	ZARA 13462M001	I W	0.64	1.09	-1.73
38	ZIMM 14001M004	I W	-1.87	-2.45	3.57
RMS / COMPONENT			2.93	3.10	4.86
IQR			3.48	2.75	7.27
MEAN			-0.06	-0.04	-0.07
MEDIAN			0.05	0.79	-0.10
MIN			-4.28	-12.03	-10.86
MAX			10.58	2.97	8.81
OVERALL RMS/IQR/MAX(3D)			3.73	3.77	15.63
					HUEL 13451M001 #SUM
ALL RMS / COMPONENT			2.93	3.10	4.86
ALL IQR			3.48	2.75	7.27
ALL MEAN			-0.06	-0.04	-0.07
ALL MEDIAN			0.05	0.79	-0.10
ALL MIN			-4.28	-12.03	-10.86
ALL MAX			10.58	2.97	8.81
ALL OVERALL RMS/IQR/MAX(3D)			3.73	3.77	15.63
					HUEL 13451M001 #SUM_ALL

NUMBER OF PARAMETERS : 3  
NUMBER OF STATIONS : 31  
NUMBER OF COORDINATES : 93  
RMS OF TRANSFORMATION : 3.73 MM

PARAMETERS:

TRANSLATION IN X : -0.00 +- 0.67 MM  
TRANSLATION IN Y : -0.00 +- 0.67 MM  
TRANSLATION IN Z : -0.00 +- 0.67 MM

NUMBER OF ITERATIONS : 1

### 6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          15893054
NUMBER OF UNKNOWN(S)            171342
NUMBER OF DEGREES OF FREEDOM    15721712
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)      180
VARIANCE FACTOR                  2.357916546915528
```

## 7 Equipment

### 7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ FIRMWARE____
ACOR A 1 P 23:239:00000 23:245:86370 LEICA GR50 -----
ALSA A 1 P 23:239:00000 23:245:86370 LEICA GR50 -----
BIAZ A 1 P 23:239:00000 23:245:86370 SPECTRA SP90M -----
BIDA A 1 P 23:239:00000 23:245:86370 LEICA GR10 -----
CACE A 1 P 23:239:00000 23:245:86370 TRIMBLE NETR9 -----
CANT A 1 P 23:239:00000 23:245:86370 LEICA GR10 -----
CREU A 1 P 23:239:00000 23:245:86370 LEICA GR50 -----
EBRE A 1 P 23:239:00000 23:245:86370 LEICA GR50 -----
ELGE A 1 P 23:239:00000 23:245:86370 LEICA GR30 -----
HOND A 1 P 23:239:00000 23:245:86370 LEICA GR50 -----
IGEL A 1 P 23:239:00000 23:245:86370 LEICA GR30 -----
ISPS A 1 P 23:239:00000 23:245:86370 TRIMBLE NETR9 -----
LARE A 1 P 23:239:00000 23:245:86370 LEICA GR50 -----
LAZK A 1 P 23:239:00000 23:245:86370 LEICA GR30 -----
LEIT A 1 P 23:239:00000 23:245:86370 LEICA GR50 -----
ORON A 1 P 23:239:00000 23:245:86370 LEICA GR50 -----
PAS2 A 1 P 23:239:00000 23:245:86370 STONEX SC2200 -----
PASA A 1 P 23:239:00000 23:245:86370 LEICA GR30 -----
RI01 A 1 P 23:239:00000 23:245:86370 LEICA GR25 -----
SALA A 1 P 23:239:00000 23:245:86370 LEICA GR50 -----
SCDA A 1 P 23:239:00000 23:245:86370 LEICA GR50 -----
TERU A 1 P 23:239:00000 23:245:86370 LEICA GR50 -----
YEBE A 1 P 23:239:00000 23:245:86370 LEICA GR50 -----
ZARA A 1 P 23:239:00000 23:245:86370 TRIMBLE NETR9 -----
```

### 7.2 Antennas

Serial number ONLY provided in case individual calibrations are used.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ DAZI
ACOR A 1 P 23:239:00000 23:245:86370 LEIAT504 LEIS -----
ALSA A 1 P 23:239:00000 23:245:86370 LEIAR10 NONE -----
BIAZ A 1 P 23:239:00000 23:245:86370 LEIAR25 LEIT -----
BIDA A 1 P 23:239:00000 23:245:86370 LEIAS10 NONE -----
CACE A 1 P 23:239:00000 23:245:86370 TRM29659.00 NONE -----
CANT A 1 P 23:239:00000 23:245:86370 LEIAR25_R4 LEIT -----
CREU A 1 P 23:239:00000 23:245:86370 LEIAR25_R4 NONE -----
EBRE A 1 P 23:239:00000 23:245:86370 LEIAR25_R4 NONE -----
ELGE A 1 P 23:239:00000 23:245:86370 LEIAR25_R4 LEIT -----
HOND A 1 P 23:239:00000 23:245:86370 LEIAR20 LEIM -----
IGEL A 1 P 23:239:00000 23:245:86370 LEIAR20 LEIM -----
ISPS A 1 P 23:239:00000 23:245:86370 TRM59900.00 SCIS -----
LARE A 1 P 23:239:00000 23:245:86370 LEIAR20 LEIM -----
LAZK A 1 P 23:239:00000 23:245:86370 LEIAR25_R4 LEIT -----
LEIT A 1 P 23:239:00000 23:245:86370 LEIAR10 NONE -----
ORON A 1 P 23:239:00000 23:245:86370 LEIAR10 NONE -----
PAS2 A 1 P 23:239:00000 23:245:86370 LEIAR20 LEIM -----
PASA A 1 P 23:239:00000 23:245:86370 LEIAR20 LEIM -----
RI01 A 1 P 23:239:00000 23:245:86370 LEIAR25_R4 LEIT -----
SALA A 1 P 23:239:00000 23:245:86370 LEIAR25 NONE -----
SCDA A 1 P 23:239:00000 23:245:86370 TRM55971.00 NONE -----
TERU A 1 P 23:239:00000 23:245:86370 LEIAR20 LEIM -----
YEBE A 1 P 23:239:00000 23:245:86370 LEIAR20 LEIM -----
ZARA A 1 P 23:239:00000 23:245:86370 TRM29659.00 NONE -----
```

### 7.3 Eccentricities

```
* SITE PT SOLN T DATA_START__ DATA_END_____ UP_____ NORTH_____ EAST_____
*SITE PT SOLN T DATA_START__ DATA_END_____ AXE ARP->BENCHMARK(M)-----
ACOR A 1 P 23:239:00000 23:245:86370 UNE 3.0460 0.0000 0.0000
ALSA A 1 P 23:239:00000 23:245:86370 UNE 0.0000 0.0000 0.0000
BIAZ A 1 P 23:239:00000 23:245:86370 UNE 0.0000 0.0000 0.0000
BIDA A 1 P 23:239:00000 23:245:86370 UNE 0.0000 0.0000 0.0000
CACE A 1 P 23:239:00000 23:245:86370 UNE 0.0600 0.0000 0.0000
CANT A 1 P 23:239:00000 23:245:86370 UNE 3.0490 0.0000 0.0000
CREU A 1 P 23:239:00000 23:245:86370 UNE 0.0770 0.0000 0.0000
```

EBRE	A	1	P	23:239:00000	23:245:86370	UNE	0.0770	0.0000	0.0000
ELGE	A	1	P	23:239:00000	23:245:86370	UNE	0.0000	0.0000	0.0000
HOND	A	1	P	23:239:00000	23:245:86370	UNE	0.0771	0.0000	0.0000
IGEL	A	1	P	23:239:00000	23:245:86370	UNE	0.0000	0.0000	0.0000
ISPS	A	1	P	23:239:00000	23:245:86370	UNE	0.0350	0.0000	0.0000
LARE	A	1	P	23:239:00000	23:245:86370	UNE	0.0000	0.0000	0.0000
LAZK	A	1	P	23:239:00000	23:245:86370	UNE	0.0000	0.0000	0.0000
LEIT	A	1	P	23:239:00000	23:245:86370	UNE	0.0000	0.0000	0.0000
ORON	A	1	P	23:239:00000	23:245:86370	UNE	0.0000	0.0000	0.0000
PAS2	A	1	P	23:239:00000	23:245:86370	UNE	0.0000	0.0000	0.0000
PASA	A	1	P	23:239:00000	23:245:86370	UNE	0.0000	0.0000	0.0000
RIO1	A	1	P	23:239:00000	23:245:86370	UNE	0.0606	0.0000	0.0000
SALA	A	1	P	23:239:00000	23:245:86370	UNE	0.0600	0.0000	0.0000
SCDA	A	1	P	23:239:00000	23:245:86370	UNE	0.0000	0.0000	0.0000
TERU	A	1	P	23:239:00000	23:245:86370	UNE	0.0600	0.0000	0.0000
YEBE	A	1	P	23:239:00000	23:245:86370	UNE	0.0600	0.0000	0.0000
ZARA	A	1	P	23:239:00000	23:245:86370	UNE	3.2590	0.0000	0.0000

## 8 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

```

2023-09-17 03:39 UTC | ISPS2390.230 | RECEIVER FIRM. VERS. | 5.30 -> 5.22 (source: isps00esp_20220907.log
2023-09-17 06:00 UTC | ISPS2400.230 | RECEIVER FIRM. VERS. | 5.30 -> 5.22 (source: isps00esp_20220907.log
2023-09-17 08:25 UTC | ISPS2410.230 | RECEIVER FIRM. VERS. | 5.30 -> 5.22 (source: isps00esp_20220907.log
2023-09-17 11:02 UTC | ISPS2420.230 | RECEIVER FIRM. VERS. | 5.30 -> 5.22 (source: isps00esp_20220907.log
2023-09-17 13:40 UTC | ISPS2430.230 | RECEIVER FIRM. VERS. | 5.30 -> 5.22 (source: isps00esp_20220907.log
2023-09-17 18:01 UTC | ISPS2440.230 | RECEIVER FIRM. VERS. | 5.30 -> 5.22 (source: isps00esp_20220907.log
2023-09-17 21:12 UTC | ISPS2450.230 | RECEIVER FIRM. VERS. | 5.30 -> 5.22 (source: isps00esp_20220907.log
    
```

## 9 References



C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. [etrs89.ensg.ign.fr/memo-V8.pdf](http://etrs89.ensg.ign.fr/memo-V8.pdf)


EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. [epncb.oma.be/documentation/guidelines/guidelines\\_analysis\\_centres.pdf](http://epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf)

Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. [etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf](http://etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf)


## 10 Cumulative Time Series

Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.







3 ) AMUR




4 ) BIAZ




5 ) BIDA




6 ) CACE




7 ) CANT




8 ) CHER



9 ) EBRE




10 ) ELGE




11 ) EMAZ







12 ) HOND




13 ) IGEL




14 ) ISPS




15 ) LARE




16 ) LAZK




17 ) LEIT




18 ) PAS2




19 ) PASA




20 ) RIO1




21 ) SCOA




22 ) SOPU



23 ) TERU



24 ) YEBE



25 ) ZARA