

ARA-DAC Weekly Analysis Result: 2280 (GFA)

Technical Report

GPS Week: 2280 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus

Report generated on 2023/10/08 at 22:16:38




ARANZADI zientzia elkartea
sociedad de ciencias . society of sciences . société de sciences

1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites




 2023 Oct 08 22:16:33

Fig.1: Computed Sites for GPS Week2280 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences:0.002 m.
 - sampling (for ambiguity resolution): 30 s
 - sampling (for final processing): 180 s
 - Systems: GPS+GLONASS observations are used (Galileo is used if available starting GPS week 1986)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I20 file and individual calibrations from EPNC_20.ATX. In case no calibration values of an antenna/radome pairs are not available for a certain GNSS system at some station, the observation of this/these GNSS/GNSSs are excluded from the analysis of that station.
- EPN_A class sites (CRD + VEL) IGS20 used to define the reference frame (no EPN release is available at the time this report is generated). Following the EUREF guidelines, no other individual calibrations are included in the analysis starting GPSW 2238 (IGS20).
- Calibraciones de antena: calibraciones absolutas del IGS, incluidas en el fichero igs20.atx. A partir de la semana GPS 2238 (IGS20) No se incluyen calibraciones absolutas individuales de ninguna otra antena.
- El datum se establece con las estaciones EPN de clase A (coordenadas y velocidades) en datum IGS20 (solución PRELIMINAR, basada en IGB14). En caso de no disponer de datos de calibración de una determinada antena/radomo para cierto sistema GNSS, las observaciones de éste se omiten en el cálculo de la estación.
- Troposphere:
 - minimum elevation is 3 deg.; elevation dependent weighting.
 - VMF3 mapping function. ZPD parameters are estimated using the VMF3 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2014b (Scherneck).
- Atmospheric loading: not corrected, following the latest recommendations for IGS20 products.
- Tidal displacements:
 - Mean pole model : IERS2010_v1.2.0
 - Subdaily pole model: DESAI2016
 - Nutation model : IAU2000R06

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE421 planetary ephemeris and JGM3 Earth geopotential model is used.
- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Widelane (WL) and Narrow Line (NR) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Widelane (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF) AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

5.1 IGS20

The Reference Frame considered in this section is a PRELIMINARY IGS20, based on the previously used IGB14 solution.

```

ARA FINAL WEEKLY COMBINATION: FINAL ORBITS                                08-OCT-23 21:37
-----
LOCAL GEODETIC DATUM: IGS20                EPOCH: 2023-09-20 11:59:45
-----
NUM STATION NAME      X (M)      Y (M)      Z (M)      FLAG  SYSTEM
-----
 4 ACRD 13434M001      4594489.51261 -678367.35173 4357066.32909 W   G
 50 ALSA 19419M001      4677250.78454 -176770.31385 4319079.92942 A   GRE
100 BIAZ 10074M002      4634455.99623 -124344.89433 4365785.50570 A   GR
101 BIDA 00000M000      4644177.77194 -145778.24204 4354832.53286 A   GR
104 CACE 13447M001      4899866.46133 -544566.95416 4033770.25940 W   GRE
116 CANT 13438M001      4625924.26697 -307096.15595 4365771.61185 W   GRE
162 CREU 13432M001      4715420.07514 273178.14203 4271946.89360 W   GRE
204 EBRE 13410M001      4833519.93943 41537.47498 4147461.77086 A   GRE
180 ELGE 19353S001      4657557.34401 -202241.38841 4338991.93666 A   GRE
257 HOND 15012M002      4640529.26906 -145675.90464 4358761.80962 A   GRE
235 ISEL 19352S001      4645951.37935 -165574.42318 4352550.47567 A   GRE
240 ISPS 19484M001      4640596.42949 -206963.69623 4356391.96481 A   GRE
252 LARE 19440M001      4632831.90596 -279026.06396 4360314.48173 A   GRE
256 LAZK 19354S001      4666098.29508 -178186.11013 4330463.72730 A   GRE
261 LEIT 19428M001      4663520.88954 -155858.63829 4334519.94210 A   GRE
334 ORDN 19427M001      4659695.73058 -130864.65359 4338948.93560 A   GRE
345 PAS2 19351S001      4644909.01095 -156644.98920 4353623.12952 A   GRE
493 PASA 19351S001      4644909.01124 -156644.98911 4353623.12965 W   GRE
553 RID1 13448M002      4708446.77888 -199490.20133 4284089.78976 W   GRE
558 SALA 13469M001      4803054.43864 -462130.98864 4158379.13086 W   GR
566 SCDA 10088M002      4639940.45385 -136224.86265 4359552.47535 A   GRE
443 TERU 13487M001      4867391.26925 -95523.26294 4108341.73553 A   GRE
752 YEBE 13420M001      4848724.51901 -261631.84569 4123094.38172 A   GRE
755 ZARA 13462M001      4773803.11888 -73505.90346 4215454.14816 W   GRE
    
```

5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2000                                                    08-OCT-23 21:37
-----
LOCAL GEODETIC DATUM: ETRF2000                EPOCH: 2023-09-20 11:59:45
-----
NUM STATION NAME      X (M)      Y (M)      Z (M)      FLAG  SYSTEM
-----
 4 ACRD 13434M001      4594489.85096 -678367.97403 4357065.85784 W
 50 ALSA 19419M001      4677251.18690 -176770.94506 4319079.45806 A
100 BIAZ 10074M002      4634456.40929 -124345.52030 4365785.03874 A
101 BIDA 00000M000      4644178.18127 -145778.86922 4354832.06477 A
104 CACE 13447M001      4899866.79184 -544567.61233 4033769.76375 W
116 CANT 13438M001      4625924.65564 -307096.78137 4365771.14310 W
162 CREU 13432M001      4715420.53372 273177.50782 4271946.42508 W
204 EBRE 13410M001      4833520.35724 41536.82598 4147461.28904 A
180 ELGE 19353S001      4657557.74455 -202242.01734 4338991.46664 A
257 HOND 15012M002      4640529.67872 -145676.53139 4358781.34084 A
235 ISEL 19352S001      4645951.78586 -165575.05063 4352550.00715 A
240 ISPS 19484M001      4640596.83078 -206964.32315 4356391.49618 A
252 LARE 19440M001      4632832.29794 -279026.69013 4360314.01277 A
256 LAZK 19354S001      4666098.69815 -178186.74001 4330463.25688 A
261 LEIT 19428M001      4663521.29591 -155859.26781 4334519.47221 A
334 ORDN 19427M001      4659696.14064 -130865.28258 4338948.46638 A
345 PAS2 19351S001      4644909.41874 -156645.61650 4353622.66122 A
493 PASA 19351S001      4644909.41903 -156645.61641 4353622.66135 W
553 RID1 13448M002      4708447.17542 -199490.83629 4284089.31541 W
558 SALA 13469M001      4803054.79010 -462131.63534 4158378.64472 W
566 SCDA 10088M002      4639940.86483 -136225.48930 4359552.00775 A
443 TERU 13487M001      4867391.66567 -95523.91636 4108341.24892 A
752 YEBE 13420M001      4848724.89444 -261632.49736 4123093.89443 A
755 ZARA 13462M001      4773803.52677 -73506.54579 4215453.66991 W
    
```

5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2014                                                    08-OCT-23 21:37
-----
LOCAL GEODETIC DATUM: ETRF2014                EPOCH: 2023-09-20 11:59:45
    
```

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
4	ACDR 13434M001	4594489.81080	-678368.01106	4357065.91003	W	
50	ALSA 19419M001	4677251.14431	-176770.98357	4319079.51016	A	
100	BLAZ 10074M002	4634456.36699	-124345.55920	4365785.09099	A	
101	BIDA 00000M000	4644178.13894	-145778.90800	4354832.11698	A	
104	CACE 13447M001	4899866.74784	-544567.64850	4033769.81510	W	
116	CANT 13438M001	4625924.61404	-307096.81963	4365771.19529	W	
162	CREU 13432M001	4715420.48900	273177.46784	4271946.47739	W	
204	EBRE 13410M001	4833520.31209	41536.78737	4147461.34083	A	
180	ELGE 19353S001	4657557.70227	-202242.05586	4338991.51879	A	
257	HOND 15012M002	4640529.63643	-145676.57019	4358781.39307	A	
235	IGEL 19352S001	4645951.74358	-165575.08933	4352550.05935	A	
240	ISPS 19484M001	4640596.78870	-206964.36172	4356391.54838	A	
252	LARE 19440M001	4632832.25618	-279026.72847	4360314.06496	A	
256	LAZK 19354S001	4666098.65569	-178186.77857	4330463.30901	A	
261	LEIT 19428M001	4663521.25341	-155859.30646	4334519.52436	A	
334	ORDN 19427M001	4659696.09808	-130865.32134	4338948.51856	A	
345	PAS2 19351S001	4644909.37643	-156645.65523	4353622.71342	A	
493	PASA 19351S001	4644909.37672	-156645.65514	4353622.71355	W	
553	RI01 13448M002	4708447.13257	-199490.87459	4284089.36740	W	
558	SALA 13469M001	4803054.74701	-462131.67225	4158378.69634	W	
566	SC0A 10088M002	4639940.82251	-136225.52813	4359552.05999	A	
443	TERU 13487M001	4867391.62064	-95523.95433	4108341.30053	A	
752	YEBE 13420M001	4848724.85019	-261632.53480	4123093.94600	A	
755	ZARA 13462M001	4773803.48273	-73506.58426	4215453.72179	W	

6 Quality Control

6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGS20 solution and are given with respect to the Local frame (North-East-Up).

GFA FINAL WEEKLY COMBINATION: FINAL ORBITS 08-OCT-23 21:37

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACOR 13434M001	7	XXXXXX	1.86	1.35	4.39
ALSA 19419M001	7	XXXXXX	2.69	0.90	2.54
BIAZ 10074M002	7	XXXXXX	1.69	1.69	5.47
BIDA 00000M000	7	XXXXXX	1.70	0.90	3.64
CACE 13447M001	1	X	0.04	0.45	1.47
CANT 13438M001	7	XXXXXX	1.60	0.93	5.27
CREU 13432M001	7	XXXXXX	2.00	2.20	5.25
EBRE 13410M001	7	XXXXXX	1.04	1.42	3.85
ELGE 19353S001	7	XXXXXX	1.75	2.41	2.95
HOND 15012M002	7	XXXXXX	2.21	1.07	1.73
IGEL 19352S001	7	XXXXXX	1.73	0.64	4.00
ISPS 19484M001	6	XX XXX	3.19	1.40	4.75
LARE 19440M001	7	XXXXXX	2.02	1.61	5.09
LAZK 19354S001	7	XXXXXX	2.36	0.73	8.17
LEIT 19428M001	7	XXXXXX	2.48	2.58	4.88
ORON 19427M001	7	XXXXXX	3.84	1.77	5.35
PAS2 19351S001	7	XXXXXX	1.25	1.26	2.22
PASA 19351S001	7	XXXXXX	1.33	1.39	1.72
RI01 13448M002	7	XXXXXX	0.95	0.93	4.48
SALA 13469M001	7	XXXXXX	0.95	0.88	2.95
SCDA 10088M002	7	XXXXXX	2.42	1.42	1.80
TERU 13487M001	7	XXXXXX	0.57	0.81	3.08
YEBE 13420M001	7	XXXXXX	0.45	0.90	2.84
ZARA 13462M001	7	XXXXXX	0.55	0.74	2.92

Comparison of individual solutions:

ACOR 13434M001	N	1.86	-2.03	2.59	0.18	-0.16	1.85	1.26	2.20
ACOR 13434M001	E	1.35	1.59	-0.96	1.28	1.49	-0.80	-1.66	0.47
ACOR 13434M001	U	4.39	-1.67	-1.30	2.74	2.93	-7.35	-0.75	6.37
ALSA 19419M001	N	2.69	5.47	-0.54	-0.24	-3.63	-0.15	-0.13	0.13
ALSA 19419M001	E	0.90	-1.47	-0.25	0.36	1.16	-0.81	-0.64	0.26
ALSA 19419M001	U	2.54	-2.72	1.35	-0.05	-1.61	-4.41	2.26	-1.58
BIAZ 10074M002	N	1.69	0.80	-0.28	-0.25	0.94	3.07	0.36	2.44
BIAZ 10074M002	E	1.69	-2.88	0.18	0.55	-0.63	0.66	1.25	2.48
BIAZ 10074M002	U	5.47	11.67	2.81	-0.39	-2.82	-4.46	-2.09	-1.78
BIDA 00000M000	N	1.70	-1.11	3.25	0.09	0.47	1.13	1.87	0.80
BIDA 00000M000	E	0.90	-0.14	0.41	0.62	1.63	-1.03	-0.66	0.31
BIDA 00000M000	U	3.64	-6.40	-1.68	3.11	2.33	1.33	4.28	-0.87
CACE 13447M001	N	0.04							-0.04
CACE 13447M001	E	0.45							0.45
CACE 13447M001	U	1.47							1.47
CANT 13438M001	N	1.60	3.10	1.02	-0.08	1.42	1.24	-0.04	1.05
CANT 13438M001	E	0.93	-1.56	1.25	0.05	0.40	0.33	-0.68	0.66
CANT 13438M001	U	5.27	-7.45	3.05	2.23	-1.78	-6.44	7.15	0.91
CREU 13432M001	N	2.00	0.85	-3.74	2.10	-0.06	0.22	1.11	-1.88
CREU 13432M001	E	2.20	0.60	-5.31	-0.17	-0.35	-0.38	0.31	0.45
CREU 13432M001	U	2.35	-2.23	-1.97	-1.05	3.42	-2.88	1.56	-0.92
EBRE 13410M001	N	1.04	-0.10	-1.69	-0.98	0.61	-0.19	1.49	0.03
EBRE 13410M001	E	1.42	-0.49	2.29	-0.54	0.30	0.54	-1.66	-1.77
EBRE 13410M001	U	3.85	-2.25	6.49	-3.12	-2.04	-2.75	0.01	4.49
ELGE 19353S001	N	1.75	1.73	2.25	1.21	1.16	2.30	-1.32	0.64
ELGE 19353S001	E	2.41	-1.23	5.55	-0.80	-1.32	0.12	-0.07	-0.31
ELGE 19353S001	U	2.95	-0.09	0.11	1.13	6.21	-3.43	-0.75	0.30
HOND 15012M002	N	2.21	4.70	-0.98	-1.01	1.31	0.99	1.37	0.77
HOND 15012M002	E	1.07	0.32	1.23	-0.19	1.27	-1.84	0.43	0.25
HOND 15012M002	U	1.73	3.42	-0.12	1.12	0.00	-0.32	-0.09	-2.19
IGEL 19352S001	N	1.73	2.98	0.38	-0.17	1.73	2.38	-0.56	0.04
IGEL 19352S001	E	0.64	-0.02	0.82	0.62	-0.84	0.45	-0.15	0.69
IGEL 19352S001	U	4.00	-3.55	7.00	-1.13	5.13	-1.40	-1.94	-1.16
ISPS 19484M001	N	3.19	4.93	2.58		2.07	-2.58	-2.28	1.96
ISPS 19484M001	E	1.40	2.00	-0.90		-0.42	-1.34	-0.29	1.72
ISPS 19484M001	U	4.75	-4.30	-1.43		-3.08	8.23	2.62	2.90
LARE 19440M001	N	2.02	3.61	2.00	0.47	1.57	0.01	-1.15	1.84
LARE 19440M001	E	1.61	1.56	2.78	-1.29	-0.78	-1.26	-1.08	0.56
LARE 19440M001	U	5.09	2.00	-8.04	2.67	-2.63	-6.70	5.26	-0.06
LAZK 19354S001	N	2.36	-4.39	1.19	-0.06	-0.97	3.18	0.29	1.29
LAZK 19354S001	E	0.73	0.27	-0.77	-1.01	0.57	0.76	-0.22	-0.78
LAZK 19354S001	U	8.17	7.49	8.86	-7.85	5.95	-1.98	-6.78	-10.88
LEIT 19428M001	N	2.48	5.92	0.40	-1.06	-0.44	0.28	-0.65	-0.14
LEIT 19428M001	E	2.58	5.91	-0.98	-0.80	0.27	-1.22	-1.32	-0.46
LEIT 19428M001	U	4.88	8.89	2.30	-4.55	-1.86	-3.14	-1.76	-4.60
ORON 19427M001	N	3.84	-6.33	4.69	1.14	3.05	3.10	0.89	2.31
ORON 19427M001	E	1.77	-2.28	-0.76	0.28	-0.20	-1.06	3.42	0.03
ORON 19427M001	U	5.35	-2.75	2.77	-4.73	3.53	6.41	8.51	-2.84
PAS2 19351S001	N	1.25	1.23	1.52	0.26	0.43	2.01	0.55	0.99
PAS2 19351S001	E	1.26	-1.70	1.99	-0.46	0.41	0.31	-0.31	1.45
PAS2 19351S001	U	2.22	-2.50	0.91	1.49	0.46	-0.32	4.41	-0.66
PASA 19351S001	N	1.33	0.27	2.20	-0.05	0.59	1.78	1.19	0.82
PASA 19351S001	E	1.39	-2.31	2.15	-0.26	0.53	0.41	-0.00	1.02
PASA 19351S001	U	1.72	-1.83	2.19	1.60	0.38	-1.46	2.13	-0.54
RI01 13448M002	N	0.95	1.55	-1.17	-0.06	0.07	0.87	0.67	-0.62
RI01 13448M002	E	0.93	-1.85	-0.51	0.59	-0.87	0.13	0.11	0.61
RI01 13448M002	U	4.48	8.09	1.48	-2.45	0.12	-5.61	-3.86	-0.73
SALA 13469M001	N	0.95	-1.95	0.31	0.59	-0.23	0.97	0.45	0.02
SALA 13469M001	E	0.88	-1.50	0.52	0.09	-0.11	-0.89	-0.05	1.13
SALA 13469M001	U	2.95	2.54	-4.56	2.75	-0.39	-0.82	-3.62	-1.87
SCDA 10088M002	N	2.42	2.12	4.27	0.44	1.55	2.34	-2.06	-0.14
SCDA 10088M002	E	1.42	0.22	0.94	2.12	0.95	-2.36	-0.30	0.27
SCDA 10088M002	U	1.80	1.88	1.91	1.00	2.12	-1.22	0.96	2.07
TERU 13487M001	N	0.57	0.82	-0.71	-0.81	0.20	0.16	-0.20	-0.18
TERU 13487M001	E	0.81	0.94	1.27	-0.11	0.38	0.68	0.78	0.46
TERU 13487M001	U	3.08	3.91	-2.92	-0.99	0.23	2.28	-4.79	-1.96
YEBE 13420M001	N	0.45	0.88	-0.46	-0.37	0.13	0.17	-0.10	-0.13

YEBE	13420M001	E	0.90	-1.80	0.90	0.37	0.41	0.47	-0.48	-0.32
YEBE	13420M001	U	2.84	0.89	-5.22	-3.84	-0.35	2.27	0.58	0.20
ZARA	13462M001	N	0.55	-0.92	0.74	-0.34	-0.35	0.16	0.25	0.27
ZARA	13462M001	E	0.74	0.41	0.48	-0.26	-0.02	-1.66	-0.12	-0.16
ZARA	13462M001	U	2.92	0.43	1.95	-5.64	-1.72	2.11	-1.41	2.49

6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

TRANSFORMATION IN EQUATORIAL SYSTEM (X, Y, Z):
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

LIST OF REMOVED STATIONS:

OUTLIER CRITERIA: 15.00 15.00 20.00

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
1	ACOR 13434M001	I W	-0.82	2.07	1.88
2	ALAC 13433M001	I W	-0.80	1.39	4.21
3	ALBA 13452M001	I W	3.82	-0.90	-3.46
4	ALME 13437M001	I W	-0.48	0.72	4.72
5	BCLN 13412M001	I W	2.02	-2.30	-0.11
6	BELL 13431M001	I W	-0.89	-2.09	0.70
7	BORR 13480M001	I W	-2.83	1.55	3.38
8	BRST 10004M004	I W	-3.35	1.72	3.03
9	CACE 13447M001	I W	0.12	0.54	2.90
10	CANT 13438M001	I W	-3.29	3.15	-7.21
11	CARG 19412M001	I W	1.75	1.73	-0.13
12	CASE 13494M001	I W	-4.60	1.02	-2.58
13	CEU1 13449M002	I W	1.79	-1.66	-5.09
14	COBA 13453M001	I W	1.62	1.14	-5.74
15	CREU 13432M001	I W	-1.63	0.45	-0.77
17	ESCO 13435M001	I W	-2.56	0.82	-2.04
18	HUEL 13451M001	I W	10.80	-7.96	7.96
20	IZAN 31309M002	I W	2.38	3.04	5.13
21	LLIV 13436M001	I W	0.65	-0.48	2.48
23	LROC 10023M001	I W	-0.34	2.31	6.07
25	MAS1 31303M002	I W	0.94	0.21	0.46
26	MELI 19379M001	I W	4.31	1.50	-2.98
27	PASA 19351S001	I W	1.31	1.29	-7.23
28	RIO1 13448M002	I W	-2.54	-1.67	-2.98
29	SALA 13469M001	I W	1.09	1.24	-2.97
31	SFER 13402M004	I W	-2.68	-13.28	0.75
32	SONS 13446M001	I W	-0.62	2.89	-0.50
33	VALA 13463M002	I W	0.72	-0.06	-0.53
34	VALE 13439M001	I W	-4.21	3.19	-6.67
35	VIGO 13450M001	I W	1.84	0.04	4.97
38	ZARA 13462M001	I W	-0.46	1.20	-1.97
39	ZIMM 14001M004	I W	-2.44	-2.73	1.66
RMS / COMPONENT			2.99	3.27	4.00
IQR			4.18	2.33	5.94
MEAN			0.02	0.00	-0.08
MEDIAN			-0.40	0.92	-0.12
MIN			-4.60	-13.28	-7.23
MAX			10.80	3.19	7.96
OVERALL RMS/IQR/MAX(3D)			3.45	3.83	15.60
					HUEL 13451M001 #SUM
ALL	RMS / COMPONENT		2.99	3.27	4.00
ALL	IQR		4.18	2.33	5.94
ALL	MEAN		0.02	0.00	-0.08
ALL	MEDIAN		-0.40	0.92	-0.12
ALL	MIN		-4.60	-13.28	-7.23
ALL	MAX		10.80	3.19	7.96
ALL	OVERALL RMS/IQR/MAX(3D)		3.45	3.83	15.60
					HUEL 13451M001 #SUM_ALL

NUMBER OF PARAMETERS : 3
NUMBER OF STATIONS : 32
NUMBER OF COORDINATES : 96
RMS OF TRANSFORMATION : 3.45 MM

PARAMETERS:

TRANSLATION IN X : 0.00 +- 0.61 MM
TRANSLATION IN Y : -0.01 +- 0.61 MM
TRANSLATION IN Z : -0.00 +- 0.61 MM

NUMBER OF ITERATIONS : 1

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
*_STATISTICAL PARAMETER_-----_VALUE(S)_-----
NUMBER OF OBSERVATIONS                15871487
NUMBER OF UNKNOWNNS                   179000
NUMBER OF DEGREES OF FREEDOM          15692487
PHASE MEASUREMENTS SIGMA              0.00100
SAMPLING INTERVAL (SECONDS)           180
VARIANCE FACTOR                       2.562040398451324
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ FIRMWARE____
ACOR A 1 P 23:260:00000 23:266:86370 LEICA GR50 -----
ALSA A 1 P 23:260:00000 23:266:86370 LEICA GR50 -----
BIAZ A 1 P 23:260:00000 23:266:86370 SPECTRA SP90M -----
BIDA A 1 P 23:260:00000 23:266:86370 LEICA GR10 -----
CACE A 1 P 23:266:00000 23:266:86370 TRIMBLE NETR9 -----
CANT A 1 P 23:260:00000 23:266:86370 LEICA GR10 -----
CREU A 1 P 23:260:00000 23:266:86370 LEICA GR50 -----
EBRE A 1 P 23:260:00000 23:266:86370 LEICA GR50 -----
ELGE A 1 P 23:260:00000 23:266:86370 LEICA GR30 -----
HOND A 1 P 23:260:00000 23:266:86370 LEICA GR50 -----
IGEL A 1 P 23:260:00000 23:266:86370 LEICA GR30 -----
ISPS A 1 P 23:260:00000 23:266:86370 TRIMBLE NETR9 -----
LARE A 1 P 23:260:00000 23:266:86370 LEICA GR50 -----
LAZK A 1 P 23:260:00000 23:266:86370 LEICA GR30 -----
LEIT A 1 P 23:260:00000 23:266:86370 LEICA GR50 -----
ORDN A 1 P 23:260:00000 23:266:86370 LEICA GR50 -----
PAS2 A 1 P 23:260:00000 23:266:86370 STONEX SC2200 -----
PASA A 1 P 23:260:00000 23:266:86370 LEICA GR30 -----
RI01 A 1 P 23:260:00000 23:266:86370 LEICA GR25 -----
SALA A 1 P 23:260:00000 23:266:86370 LEICA GR50 -----
SCDA A 1 P 23:260:00000 23:266:86370 LEICA GR50 -----
TERU A 1 P 23:260:00000 23:266:86370 LEICA GR50 -----
YEBE A 1 P 23:260:00000 23:266:86370 LEICA GR50 -----
ZARA A 1 P 23:260:00000 23:266:86370 TRIMBLE NETR9 -----
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are used.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ DAZI
ACOR A 1 P 23:260:00000 23:266:86370 LEIAT504 LEIS -----
ALSA A 1 P 23:260:00000 23:266:86370 LEIAR10 NONE -----
BIAZ A 1 P 23:260:00000 23:266:86370 LEIAR25 LEIT -----
BIDA A 1 P 23:260:00000 23:266:86370 LEIAS10 NONE -----
CACE A 1 P 23:266:00000 23:266:86370 TRM29659.00 NONE -----
CANT A 1 P 23:260:00000 23:266:86370 LEIAR25_R4 LEIT -----
CREU A 1 P 23:260:00000 23:266:86370 LEIAR25_R4 NONE -----
EBRE A 1 P 23:260:00000 23:266:86370 LEIAR25_R4 NONE -----
ELGE A 1 P 23:260:00000 23:266:86370 LEIAR25_R4 LEIT -----
HOND A 1 P 23:260:00000 23:266:86370 LEIAR20 LEIM -----
IGEL A 1 P 23:260:00000 23:266:86370 LEIAR20 LEIM -----
ISPS A 1 P 23:260:00000 23:266:86370 TRM59900.00 SCIS -----
LARE A 1 P 23:260:00000 23:266:86370 LEIAR20 LEIM -----
LAZK A 1 P 23:260:00000 23:266:86370 LEIAR25_R4 LEIT -----
LEIT A 1 P 23:260:00000 23:266:86370 LEIAR10 NONE -----
ORDN A 1 P 23:260:00000 23:266:86370 LEIAR10 NONE -----
PAS2 A 1 P 23:260:00000 23:266:86370 LEIAR20 LEIM -----
PASA A 1 P 23:260:00000 23:266:86370 LEIAR20 LEIM -----
RI01 A 1 P 23:260:00000 23:266:86370 LEIAR25_R4 LEIT -----
SALA A 1 P 23:260:00000 23:266:86370 LEIAR25 NONE -----
SCDA A 1 P 23:260:00000 23:266:86370 TRM55971.00 NONE -----
TERU A 1 P 23:260:00000 23:266:86370 LEIAR20 LEIM -----
YEBE A 1 P 23:260:00000 23:266:86370 LEIAR20 LEIM -----
ZARA A 1 P 23:260:00000 23:266:86370 TRM29659.00 NONE -----
```

7.3 Eccentricities

```
*_SITE PT SOLN T DATA_START__ DATA_END_____ UP_____ NORTH_____ EAST_____
*_SITE PT SOLN T DATA_START__ DATA_END_____ AXE ARP->BENCHMARK(M)_____
ACOR A 1 P 23:260:00000 23:266:86370 UNE 3.0460 0.0000 0.0000
ALSA A 1 P 23:260:00000 23:266:86370 UNE 0.0000 0.0000 0.0000
BIAZ A 1 P 23:260:00000 23:266:86370 UNE 0.0000 0.0000 0.0000
BIDA A 1 P 23:260:00000 23:266:86370 UNE 0.0000 0.0000 0.0000
CACE A 1 P 23:266:00000 23:266:86370 UNE 0.0600 0.0000 0.0000
CANT A 1 P 23:260:00000 23:266:86370 UNE 3.0490 0.0000 0.0000
CREU A 1 P 23:260:00000 23:266:86370 UNE 0.0770 0.0000 0.0000
```

EBRE	A	1	P	23:260:00000	23:266:86370	UNE	0.0770	0.0000	0.0000
ELGE	A	1	P	23:260:00000	23:266:86370	UNE	0.0000	0.0000	0.0000
HOND	A	1	P	23:260:00000	23:266:86370	UNE	0.0771	0.0000	0.0000
IGEL	A	1	P	23:260:00000	23:266:86370	UNE	0.0000	0.0000	0.0000
ISPS	A	1	P	23:260:00000	23:266:86370	UNE	0.0350	0.0000	0.0000
LARE	A	1	P	23:260:00000	23:266:86370	UNE	0.0000	0.0000	0.0000
LAZK	A	1	P	23:260:00000	23:266:86370	UNE	0.0000	0.0000	0.0000
LEIT	A	1	P	23:260:00000	23:266:86370	UNE	0.0000	0.0000	0.0000
ORON	A	1	P	23:260:00000	23:266:86370	UNE	0.0000	0.0000	0.0000
PAS2	A	1	P	23:260:00000	23:266:86370	UNE	0.0000	0.0000	0.0000
PASA	A	1	P	23:260:00000	23:266:86370	UNE	0.0000	0.0000	0.0000
RI01	A	1	P	23:260:00000	23:266:86370	UNE	0.0606	0.0000	0.0000
SALA	A	1	P	23:260:00000	23:266:86370	UNE	0.0600	0.0000	0.0000
SCDA	A	1	P	23:260:00000	23:266:86370	UNE	0.0000	0.0000	0.0000
TERU	A	1	P	23:260:00000	23:266:86370	UNE	0.0600	0.0000	0.0000
YEBE	A	1	P	23:260:00000	23:266:86370	UNE	0.0600	0.0000	0.0000
ZARA	A	1	P	23:260:00000	23:266:86370	UNE	3.2590	0.0000	0.0000

8 Inconsistencies (logsheets-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

```

2023-10-08 03:45 UTC | LARE2600.230 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log
2023-10-08 06:01 UTC | LARE2610.230 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log
2023-10-08 08:42 UTC | LARE2620.230 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log
2023-10-08 11:28 UTC | LARE2630.230 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log
2023-10-08 14:09 UTC | LARE2640.230 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log
2023-10-08 16:36 UTC | LARE2650.230 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log
2023-10-08 18:58 UTC | LARE2660.230 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log

```

9 References



C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. etrs89.ensg.ign.fr/memo-V8.pdf


EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf

Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf


10 Cumulative Time Series

Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.







3) AMUR




4) BIAZ




5) BIDA




6) CACE




7) CANT




8) CHER




9) EBRE




10) ELGE




11) EMAZ




12) HOND




13) IGEL




14) ISPS




15) LARE




16) LAZK




17) LEIT



18) PAS2



19) PASA



20) RIO1

