

ARA-DAC Weekly Analysis Result: 2281 (GFA)

Technical Report

GPS Week: 2281 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus

Report generated on 2023/10/18 at 10:39:53




ARANZADI zientzia elkartea
sociedad de ciencias . society of sciences . société de sciences

1 Introduction

In may 2015 ARA (EUREF’s acronym of the ARANZADI’s Department of Applied Geodesy), kicks off as a EUREF’s Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF’s EPN Densification Project.

2 Map of Computed Sites



2023 Oct 18 10:39:48

Fig.1: Computed Sites for GPS Week2281 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences:0.002 m.
 - sampling (for ambiguity resolution): 30 s
 - sampling (for final processing): 180 s
 - Systems: GPS+GLONASS observations are used (Galileo is used if available starting GPS week 1986)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I20 file and individual calibrations from EPNC_20.ATX. In case no calibration values of an antenna/radome pairs are not available for a certain GNSS system at some station, the observation of this/these GNSS/GNSSs are excluded from the analysis of that station.
- EPN_A class sites (CRD + VEL) IGS20 used to define the reference frame (no EPN release is available at the time this report is generated). Following the EUREF guidelines, no other individual calibrations are included in the analysis starting GPSW 2238 (IGS20).
- Calibraciones de antena: calibraciones absolutas del IGS, incluidas en el fichero igs20.atx. A partir de la semana GPS 2238 (IGS20) No se incluyen calibraciones absolutas individuales de ninguna otra antena.
- El datum se establece con las estaciones EPN de clase A (coordenadas y velocidades) en datum IGS20 (solución PRELIMINAR, basada en IGB14). En caso de no disponer de datos de calibración de una determinada antena/radomo para cierto sistema GNSS, las observaciones de éste se omiten en el cálculo de la estación.
- Troposphere:
 - minimum elevation is 3 deg.; elevation dependent weighting.
 - VMF3 mapping function. ZPD parameters are estimated using the VMF3 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2014b (Scherneck).
- Atmospheric loading: not corrected, following the latest recommendations for IGS20 products.
- Tidal displacements:
 - Mean pole model : IERS2010_v1.2.0
 - Subdaily pole model: DESAI2016
 - Nutation model : IAU2000R06

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to EPN A class sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.
- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE421 planetary ephemeris and JGM3 Earth geopotential model is used.
- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Widelane (WL) and Narrow Line (NR) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Widelane (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF) AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W are the ones used in the Minimal Constraints condition.

5.1 IGS20

The Reference Frame considered in this section is a PRELIMINARY IGS20, based on the previously used IGB14 solution.

```

ARA FINAL WEEKLY COMBINATION: FINAL ORBITS                                18-OCT-23 10:00
-----
LOCAL GEODETIC DATUM: IGS20                EPOCH: 2023-09-27 11:59:45
-----
NUM STATION NAME      X (M)      Y (M)      Z (M)      FLAG  SYSTEM
-----
  4 ACRD 13434M001    4594489.51326  -678367.35178  4357066.33040  W    G
  50 ALSA 19419M001    4677250.78263  -176770.31291  4319079.92695  A    GRE
 100 BIAZ 10074M002    4634455.99314  -124344.89379  4365785.50370  A    GR
 101 BIDA 00000M000    4644177.76946  -145778.24057  4354832.53156  A    GR
 104 CACE 13447M001    4899866.46185  -544566.95389  4033770.25950  W    GRE
 116 CANT 13438M001    4625924.26512  -307096.15488  4365771.61158  W    GRE
 162 CREU 13432M001    4715420.07340  273178.14228  4271946.89315  W    GRE
 204 EBRE 13410M001    4833519.93770  41537.47623  4147461.76936  A    GRE
 180 ELGE 19353S001    4657557.34257  -202241.38915  4338991.93855  A    GRE
 257 HOND 15012M002    4640529.26731  -145676.90352  4358761.80789  A    GRE
 235 ISEL 19352S001    4645951.37720  -165574.42243  4352550.47556  A    GRE
 240 ISPS 19484M001    4640596.42861  -206963.69537  4356391.96621  A    GRE
 252 LARE 19440M001    4632831.90301  -279026.06375  4360314.48106  A    GRE
 256 LAZK 19354S001    4666098.28794  -178186.11000  4330463.71977  A    GRE
 261 LEIT 19428M001    4663520.88540  -155858.63778  4334519.93719  A    GRE
 334 ORDN 19427M001    4659695.72837  -130864.65404  4338948.93684  A    GRE
 345 PAS2 19351S001    4644909.00988  -156644.98844  4353623.12850  A    GRE
 493 PASA 19351S001    4644909.00951  -156644.98854  4353623.12871  W    GRE
 553 RID1 13448M002    4708446.77585  -199490.20097  4284089.78719  W    GRE
 558 SALA 13469M001    4803054.43815  -462130.98743  4158379.13005  W    GR
 566 SCDA 10088M002    4639940.45209  -136224.86057  4359552.47532  A    GRE
 443 TERU 13487M001    4867391.26918  -95523.26140  4108341.73489  A    GRE
 752 YEBE 13420M001    4848724.52086  -261631.84514  4123094.38302  A    GRE
 755 ZARA 13462M001    4773803.11809  -73505.90257  4215454.14813  W    GRE
    
```

5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2000                                                    18-OCT-23 10:00
-----
LOCAL GEODETIC DATUM: ETRF2000                EPOCH: 2023-09-27 11:59:45
-----
NUM STATION NAME      X (M)      Y (M)      Z (M)      FLAG  SYSTEM
-----
  4 ACRD 13434M001    4594489.85177  -678367.97445  4357065.85891  W
  50 ALSA 19419M001    4677251.18518  -176770.94449  4319079.45536  A
 100 BIAZ 10074M002    4634456.40640  -124345.52013  4365785.03650  A
 101 BIDA 00000M000    4644178.17899  -145778.86813  4354832.06323  A
 104 CACE 13447M001    4899866.79251  -544567.61246  4033769.76360  W
 116 CANT 13438M001    4625924.65398  -307096.78067  4365771.14259  W
 162 CREU 13432M001    4715420.53220  273177.50769  4271946.42439  W
 204 EBRE 13410M001    4833520.35571  41536.82684  4147461.28730  A
 180 ELGE 19353S001    4657557.74330  -202242.01846  4338991.46830  A
 257 HOND 15012M002    4640529.67717  -145676.53065  4358781.33988  A
 235 ISEL 19352S001    4645951.78391  -165575.05026  4352550.00681  A
 240 ISPS 19484M001    4640596.83010  -206964.32267  4356391.49735  A
 252 LARE 19440M001    4632832.29518  -279026.69030  4360314.01187  A
 256 LAZK 19354S001    4666098.69121  -178186.74025  4330463.24911  A
 261 LEIT 19428M001    4663521.29197  -155859.26767  4334519.46706  A
 334 ORDN 19427M001    4659696.13863  -130865.28340  4338948.46738  A
 345 PAS2 19351S001    4644909.41786  -156645.61612  4353622.65996  A
 493 PASA 19351S001    4644909.41749  -156645.61622  4353622.66017  W
 553 RID1 13448M002    4708447.17258  -199490.83631  4284089.31260  W
 558 SALA 13469M001    4803054.78978  -462131.63452  4158378.64366  W
 566 SCDA 10088M002    4639940.86327  -136225.48760  4359552.00749  A
 443 TERU 13487M001    4867391.66579  -95523.91521  4108341.24804  A
 752 YEBE 13420M001    4848724.89647  -261632.49719  4123093.89549  A
 755 ZARA 13462M001    4773803.52617  -73506.54529  4215453.66964  W
    
```

5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2014                                                    18-OCT-23 10:00
-----
LOCAL GEODETIC DATUM: ETRF2014                EPOCH: 2023-09-27 11:59:45
-----

```

| NUM | STATION NAME | X (M) | Y (M) | Z (M) | FLAG | SYSTEM |
|-----|----------------|---------------|---------------|---------------|------|--------|
| 4 | ACDR 13434M001 | 4594489.81162 | -678368.01147 | 4357065.91112 | W | |
| 50 | ALSA 19419M001 | 4677251.14260 | -176770.98300 | 4319079.50746 | A | |
| 100 | BIAZ 10074M002 | 4634456.36411 | -124345.55903 | 4365785.08877 | A | |
| 101 | BIDA 00000M000 | 4644178.13666 | -145778.90690 | 4354832.11546 | A | |
| 104 | CACE 13447M001 | 4899866.74852 | -544567.64861 | 4033769.81496 | W | |
| 116 | CANT 13438M001 | 4625924.61239 | -307096.81893 | 4365771.19480 | W | |
| 162 | CREU 13432M001 | 4715420.48749 | 273177.46772 | 4271946.47671 | W | |
| 204 | EBRE 13410M001 | 4833520.31057 | 41536.78824 | 4147461.33909 | A | |
| 180 | ELGE 19353S001 | 4657557.70103 | -202242.05696 | 4338991.52045 | A | |
| 257 | HOND 15012M002 | 4640529.63488 | -145676.56943 | 4358781.39211 | A | |
| 235 | IGEL 19352S001 | 4645951.74163 | -165575.08895 | 4352550.05902 | A | |
| 240 | ISPS 19484M001 | 4640596.78802 | -206964.36123 | 4356391.54955 | A | |
| 252 | LARE 19440M001 | 4632832.25343 | -279026.72863 | 4360314.06406 | A | |
| 256 | LAZK 19354S001 | 4666098.64875 | -178186.77881 | 4330463.30125 | A | |
| 261 | LEIT 19428M001 | 4663521.24947 | -155859.30632 | 4334519.51922 | A | |
| 334 | ORDN 19427M001 | 4659696.09608 | -130865.32216 | 4338948.51957 | A | |
| 345 | PAS2 19351S001 | 4644909.37556 | -156645.65484 | 4353622.71218 | A | |
| 493 | PASA 19351S001 | 4644909.37519 | -156645.65494 | 4353622.71239 | W | |
| 553 | RI01 13448M002 | 4708447.12973 | -199490.87460 | 4284089.36460 | W | |
| 558 | SALA 13469M001 | 4803054.74669 | -462131.67142 | 4158378.69529 | W | |
| 566 | SC0A 10088M002 | 4639940.82096 | -136225.52642 | 4359552.05973 | A | |
| 443 | TERU 13487M001 | 4867391.62076 | -95523.95317 | 4108341.29965 | A | |
| 752 | YEBE 13420M001 | 4848724.85223 | -261632.53463 | 4123093.94706 | A | |
| 755 | ZARA 13462M001 | 4773803.48215 | -73506.58375 | 4215453.72153 | W | |

6 Quality Control

6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGS20 solution and are given with respect to the Local frame (North-East-Up).

GFA FINAL WEEKLY COMBINATION: FINAL ORBITS 18-OCT-23 10:00

| Station | #Days | Weekday 0123456 | Repeatability (mm) | | |
|----------------|-------|--------------------|--------------------|------|------|
| | | | N | E | U |
| ACOR 13434M001 | 7 | XXXXXX | 1.12 | 1.24 | 1.91 |
| ALSA 19419M001 | 7 | XXXXXX | 2.75 | 0.95 | 3.03 |
| BIAZ 10074M002 | 7 | XXXXXX | 0.72 | 0.93 | 5.17 |
| BIDA 00000M000 | 7 | XXXXXX | 0.93 | 0.55 | 3.33 |
| CACE 13447M001 | 7 | XXXXXX | 0.90 | 0.73 | 2.75 |
| CANT 13438M001 | 7 | XXXXXX | 0.57 | 0.65 | 3.58 |
| CREU 13432M001 | 7 | XXXXXX | 0.47 | 0.60 | 2.60 |
| EBRE 13410M001 | 7 | XXXXXX | 0.71 | 0.52 | 1.93 |
| ELGE 19353S001 | 7 | XXXXXX | 0.47 | 0.73 | 3.72 |
| HOND 15012M002 | 7 | XXXXXX | 0.64 | 0.72 | 2.89 |
| IGEL 19352S001 | 7 | XXXXXX | 1.71 | 0.63 | 2.71 |
| ISPS 19484M001 | 7 | XXXXXX | 1.46 | 1.73 | 2.98 |
| LARE 19440M001 | 7 | XXXXXX | 0.83 | 0.64 | 3.55 |
| LAZK 19354S001 | 7 | XXXXXX | 1.18 | 0.57 | 2.14 |
| LEIT 19428M001 | 7 | XXXXXX | 0.76 | 0.97 | 3.29 |
| ORON 19427M001 | 7 | XXXXXX | 0.85 | 0.66 | 2.88 |
| PAS2 19351S001 | 7 | XXXXXX | 1.15 | 1.14 | 1.92 |
| PASA 19351S001 | 7 | XXXXXX | 0.73 | 0.73 | 2.03 |
| RI01 13448M002 | 7 | XXXXXX | 0.59 | 0.39 | 1.88 |
| SALA 13469M001 | 6 | XXI XX | 0.54 | 0.49 | 2.47 |
| SCDA 10088M002 | 7 | XXXXXX | 0.66 | 0.54 | 3.40 |
| TERU 13487M001 | 7 | XXXXXX | 0.79 | 0.68 | 3.17 |
| YEBE 13420M001 | 6 | XXI XX | 0.97 | 0.36 | 2.18 |
| ZARA 13462M001 | 7 | XXXXXX | 0.43 | 0.54 | 1.60 |

Comparison of individual solutions:

| | | | | | | | | | |
|----------------|---|------|-------|-------|-------|-------|-------|-------|-------|
| ACOR 13434M001 | N | 1.12 | -0.53 | 0.53 | 2.21 | 0.38 | -0.73 | 1.20 | 0.06 |
| ACOR 13434M001 | E | 1.24 | 1.89 | -0.82 | 1.20 | 0.42 | -1.24 | 0.77 | 1.09 |
| ACOR 13434M001 | U | 1.91 | -0.32 | 1.42 | 0.60 | -0.18 | -4.21 | -0.34 | 1.21 |
| ALSA 19419M001 | N | 2.75 | 1.48 | 1.09 | -0.53 | -5.92 | 1.86 | 1.75 | 0.46 |
| ALSA 19419M001 | E | 0.95 | -0.10 | -0.16 | -0.81 | 2.14 | -0.37 | -0.10 | 0.08 |
| ALSA 19419M001 | U | 3.03 | -0.60 | 1.47 | -2.48 | 1.98 | 5.29 | 0.45 | -3.79 |
| BIAZ 10074M002 | N | 0.72 | 0.17 | 0.39 | -0.38 | 1.04 | -0.00 | -0.06 | -1.32 |
| BIAZ 10074M002 | E | 0.93 | -0.29 | -1.61 | 0.22 | 0.13 | 1.31 | -0.59 | 0.63 |
| BIAZ 10074M002 | U | 5.17 | -4.93 | 5.93 | 1.82 | -7.14 | 6.21 | 1.16 | 2.58 |
| BIDA 00000M000 | N | 0.93 | -1.18 | 0.17 | 0.73 | 0.42 | -0.21 | 1.27 | -1.17 |
| BIDA 00000M000 | E | 0.55 | 0.31 | -0.94 | 0.12 | 0.06 | 0.72 | -0.17 | -0.50 |
| BIDA 00000M000 | U | 3.33 | -1.62 | 4.53 | 1.80 | -5.10 | 3.58 | 1.02 | 0.48 |
| CACE 13447M001 | N | 0.90 | 0.51 | 0.34 | -0.65 | -1.33 | 1.10 | -0.02 | 1.05 |
| CACE 13447M001 | E | 0.73 | 0.37 | -0.56 | 0.54 | 0.62 | 0.08 | -1.45 | -0.11 |
| CACE 13447M001 | U | 2.75 | -2.77 | 3.19 | -0.23 | -0.69 | 2.25 | -4.45 | 1.45 |
| CANT 13438M001 | N | 0.57 | -0.50 | -0.46 | 0.21 | 1.17 | 0.17 | 0.01 | 0.12 |
| CANT 13438M001 | E | 0.65 | -0.83 | -0.20 | 0.43 | -1.05 | 0.12 | -0.63 | 0.34 |
| CANT 13438M001 | U | 3.58 | -2.16 | -6.11 | 1.38 | 0.29 | 0.48 | 3.33 | -4.66 |
| CREU 13432M001 | N | 0.47 | -0.73 | 0.51 | 0.31 | -0.14 | 0.12 | -0.17 | -0.62 |
| CREU 13432M001 | E | 0.60 | -0.79 | -0.71 | -0.49 | 0.53 | 0.68 | 0.11 | 0.20 |
| CREU 13432M001 | U | 2.60 | -1.06 | 1.04 | 4.07 | -3.29 | -2.24 | 0.36 | 2.43 |
| EBRE 13410M001 | N | 0.71 | 0.34 | 0.12 | -0.56 | 0.70 | -1.29 | 0.63 | -0.04 |
| EBRE 13410M001 | E | 0.52 | -0.53 | 0.28 | -0.92 | 0.19 | 0.01 | 0.56 | 0.29 |
| EBRE 13410M001 | U | 1.93 | 0.53 | 1.32 | 0.57 | -4.23 | 1.33 | 0.39 | 0.41 |
| ELGE 19353S001 | N | 0.47 | 0.18 | 0.04 | 0.68 | 0.46 | 0.65 | -0.11 | -0.41 |
| ELGE 19353S001 | E | 0.73 | -0.38 | -0.10 | -0.68 | 0.46 | 1.05 | -0.50 | 1.00 |
| ELGE 19353S001 | U | 3.72 | -1.75 | -0.33 | -1.68 | -5.44 | 4.49 | 5.00 | -1.51 |
| HOND 15012M002 | N | 0.64 | -0.51 | 1.09 | -0.46 | 0.60 | -0.61 | 0.04 | -0.20 |
| HOND 15012M002 | E | 0.72 | -1.30 | -0.35 | 0.18 | 0.02 | 1.13 | 0.04 | -0.05 |
| HOND 15012M002 | U | 2.89 | -0.46 | 3.74 | 1.09 | -4.83 | 0.57 | 2.60 | 2.08 |
| IGEL 19352S001 | N | 1.71 | -0.08 | -0.15 | -0.59 | 3.72 | -0.66 | -0.68 | -1.55 |
| IGEL 19352S001 | E | 0.63 | -0.99 | -0.34 | 0.42 | 0.27 | 0.79 | 0.16 | -0.62 |
| IGEL 19352S001 | U | 2.71 | -2.40 | 1.93 | 1.50 | 1.42 | 3.85 | 1.75 | -3.52 |
| ISPS 19484M001 | N | 1.46 | -0.74 | 1.70 | 1.01 | 0.15 | -2.44 | 0.90 | -1.23 |
| ISPS 19484M001 | E | 1.73 | -2.01 | -0.81 | 1.42 | -1.09 | 2.48 | 1.50 | -1.34 |
| ISPS 19484M001 | U | 2.98 | 3.60 | -3.25 | -3.29 | -2.96 | 1.96 | 1.69 | -1.82 |
| LARE 19440M001 | N | 0.83 | 0.94 | -0.41 | -1.22 | 0.79 | 0.91 | 0.10 | 0.35 |
| LARE 19440M001 | E | 0.64 | -0.20 | -0.34 | 0.99 | 0.66 | 0.34 | -0.45 | -0.75 |
| LARE 19440M001 | U | 3.55 | -2.45 | -2.33 | 4.51 | -0.46 | -2.31 | 1.96 | -5.85 |
| LAZK 19354S001 | N | 1.18 | 0.08 | 1.33 | 0.19 | -2.40 | -0.18 | 0.85 | 0.29 |
| LAZK 19354S001 | E | 0.57 | -0.09 | -0.87 | 0.27 | 0.46 | -0.37 | 0.64 | 0.58 |
| LAZK 19354S001 | U | 2.14 | 1.16 | 2.87 | 0.76 | 1.54 | -2.44 | 0.95 | -2.87 |
| LEIT 19428M001 | N | 0.76 | -0.66 | 1.48 | -0.13 | 0.26 | -0.17 | 0.19 | -0.80 |
| LEIT 19428M001 | E | 0.97 | -0.42 | -0.69 | -0.24 | 1.30 | 1.32 | -1.17 | -0.43 |
| LEIT 19428M001 | U | 3.29 | -0.36 | 5.40 | -2.23 | -3.09 | 3.41 | 2.80 | -1.22 |
| ORON 19427M001 | N | 0.85 | -0.11 | -0.25 | 0.33 | -1.04 | 1.34 | 0.35 | -1.05 |
| ORON 19427M001 | E | 0.66 | 0.67 | 0.78 | 0.62 | -0.50 | 0.51 | 0.47 | -0.65 |
| ORON 19427M001 | U | 2.88 | -3.86 | 1.66 | 4.70 | 0.27 | -1.72 | -1.54 | 2.14 |
| PAS2 19351S001 | N | 1.15 | -1.27 | 0.89 | 1.12 | 0.63 | -1.12 | 0.53 | -1.51 |
| PAS2 19351S001 | E | 1.14 | -0.14 | -0.53 | -0.08 | 0.71 | 1.59 | 0.30 | -2.08 |
| PAS2 19351S001 | U | 1.92 | 0.20 | 2.00 | 3.19 | -1.63 | 1.98 | 0.81 | -0.83 |
| PASA 19351S001 | N | 0.73 | 0.36 | 0.39 | 0.62 | 0.46 | -1.09 | 0.28 | -1.02 |
| PASA 19351S001 | E | 0.73 | -0.78 | -0.72 | -0.26 | 0.85 | 0.99 | 0.09 | -0.54 |
| PASA 19351S001 | U | 2.03 | 0.61 | 2.49 | 1.94 | -1.83 | 1.68 | 1.89 | -2.16 |
| RI01 13448M002 | N | 0.59 | -0.37 | -0.29 | 1.20 | 0.27 | 0.11 | -0.25 | -0.55 |
| RI01 13448M002 | E | 0.39 | 0.20 | 0.53 | 0.02 | 0.01 | 0.59 | 0.29 | -0.41 |
| RI01 13448M002 | U | 1.88 | 0.08 | 3.00 | 1.10 | -1.95 | -1.05 | 2.45 | 0.15 |
| SALA 13469M001 | N | 0.54 | 0.35 | -0.01 | -0.29 | 0.27 | | -0.39 | -1.00 |
| SALA 13469M001 | E | 0.49 | -0.19 | -0.26 | 0.69 | -0.45 | | -0.22 | 0.62 |
| SALA 13469M001 | U | 2.47 | -2.82 | 0.46 | 1.92 | 2.85 | | -1.69 | -2.79 |
| SCDA 10088M002 | N | 0.66 | -0.57 | -0.94 | -0.42 | 0.03 | 0.02 | 0.06 | 1.10 |
| SCDA 10088M002 | E | 0.54 | 0.19 | -1.00 | -0.20 | 0.13 | 0.79 | -0.18 | 0.08 |
| SCDA 10088M002 | U | 3.40 | -2.05 | 3.20 | 1.45 | -4.74 | 4.72 | 2.74 | 0.85 |
| TERU 13487M001 | N | 0.79 | -0.10 | 0.91 | 0.83 | 0.91 | -0.72 | -0.79 | -0.45 |
| TERU 13487M001 | E | 0.68 | -0.24 | -0.45 | 0.04 | 0.16 | -1.10 | -1.04 | -0.45 |
| TERU 13487M001 | U | 3.17 | 1.75 | 1.52 | -4.55 | 2.15 | 3.74 | 1.02 | -3.81 |
| YEBE 13420M001 | N | 0.97 | 1.06 | 0.12 | -0.77 | 0.69 | | -0.18 | -1.56 |

| | | | | | | | | | | |
|------|-----------|---|------|-------|------|-------|-------|-------|-------|-------|
| YEBE | 13420M001 | E | 0.36 | -0.23 | 0.15 | -0.01 | -0.02 | | 0.15 | 0.74 |
| YEBE | 13420M001 | U | 2.18 | -1.73 | 0.19 | 1.67 | -3.60 | | -1.75 | 1.42 |
| ZARA | 13462M001 | N | 0.43 | 0.11 | 0.10 | 0.56 | -0.13 | -0.54 | 0.37 | -0.58 |
| ZARA | 13462M001 | E | 0.54 | -0.76 | 0.06 | 0.18 | -0.12 | 0.94 | 0.36 | -0.33 |
| ZARA | 13462M001 | U | 1.60 | 0.07 | 0.80 | -1.39 | -1.99 | 2.48 | -0.24 | -1.62 |

6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

TRANSFORMATION IN EQUATORIAL SYSTEM (X, Y, Z):
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

LIST OF REMOVED STATIONS:

OUTLIER CRITERIA: 15.00 15.00 20.00

| NUM | NAME | FLG | RESIDUALS IN MILLIMETERS | | |
|-----------------------------|----------------|-----|--------------------------|--------|-------------------------|
| 1 | ACOR 13434M001 | I W | -1.00 | 2.41 | 0.46 |
| 2 | ALAC 13433M001 | I W | -1.58 | 1.43 | 2.73 |
| 3 | ALBA 13452M001 | I W | 4.20 | -1.79 | -4.00 |
| 4 | ALME 13437M001 | I W | -1.52 | -0.12 | 3.72 |
| 5 | BCLN 13412M001 | I W | 1.54 | -2.07 | 0.46 |
| 6 | BELL 13431M001 | I W | -1.23 | -1.25 | 3.32 |
| 7 | BORR 13480M001 | I W | -1.36 | 2.07 | -0.05 |
| 8 | BRST 10004M004 | I W | -2.80 | 1.27 | 1.22 |
| 9 | CACE 13447M001 | I W | 0.68 | 0.56 | 2.45 |
| 10 | CANT 13438M001 | I W | -4.09 | 2.55 | -5.64 |
| 11 | CARG 19412M001 | I W | 1.24 | 0.92 | -3.40 |
| 12 | CASE 13494M001 | I W | -4.84 | 1.93 | 1.27 |
| 13 | CEU1 13449M002 | I W | 0.71 | -1.35 | -4.12 |
| 14 | COBA 13453M001 | I W | 2.06 | 0.90 | -4.56 |
| 15 | CREU 13432M001 | I W | -2.15 | 0.48 | 0.80 |
| 17 | ESCO 13435M001 | I W | -3.82 | 0.50 | -0.34 |
| 18 | HUEL 13451M001 | I W | 10.59 | -8.33 | 8.06 |
| 20 | IZAN 31309M002 | I W | 2.03 | 1.77 | -2.35 |
| 21 | LLIV 13436M001 | I W | -0.18 | 0.14 | 1.36 |
| 23 | LROC 10023M001 | I W | -0.10 | 1.75 | 6.68 |
| 25 | MAS1 31303M002 | I W | 0.73 | -1.05 | -2.25 |
| 26 | MELI 19379M001 | I W | 4.72 | 0.42 | -5.43 |
| 27 | PASA 19351S001 | I W | 1.11 | 1.14 | -5.34 |
| 28 | RID1 13448M002 | I W | -2.39 | -1.55 | 1.00 |
| 29 | SALA 13469M001 | I W | 1.63 | 0.43 | -2.00 |
| 31 | SFER 13402M004 | I W | -3.72 | -10.79 | 4.62 |
| 32 | SONS 13446M001 | I W | 0.31 | 2.50 | -0.37 |
| 33 | VALA 13463M002 | I W | 1.12 | 0.09 | 0.14 |
| 34 | VALE 13439M001 | I W | -4.56 | 3.24 | -6.63 |
| 35 | VIGO 13450M001 | I W | 3.23 | -0.43 | 1.98 |
| 38 | ZARA 13462M001 | I W | -0.66 | 0.69 | -1.37 |
| 39 | ZIMM 14001M004 | I W | -2.71 | -1.70 | 5.47 |
| RMS / COMPONENT | | | 3.14 | 2.87 | 3.71 |
| IQR | | | 3.66 | 2.74 | 5.09 |
| MEAN | | | -0.09 | -0.10 | -0.07 |
| MEDIAN | | | -0.14 | 0.49 | 0.30 |
| MIN | | | -4.84 | -10.79 | -6.63 |
| MAX | | | 10.59 | 3.24 | 8.06 |
| OVERALL RMS/IQR/MAX(3D) | | | 3.26 | 3.33 | 15.70 |
| | | | | | HUEL 13451M001 #SUM |
| ALL RMS / COMPONENT | | | 3.14 | 2.87 | 3.71 |
| ALL IQR | | | 3.66 | 2.74 | 5.09 |
| ALL MEAN | | | -0.09 | -0.10 | -0.07 |
| ALL MEDIAN | | | -0.14 | 0.49 | 0.30 |
| ALL MIN | | | -4.84 | -10.79 | -6.63 |
| ALL MAX | | | 10.59 | 3.24 | 8.06 |
| ALL OVERALL RMS/IQR/MAX(3D) | | | 3.26 | 3.33 | 15.70 |
| | | | | | HUEL 13451M001 #SUM_ALL |

NUMBER OF PARAMETERS : 3
NUMBER OF STATIONS : 32
NUMBER OF COORDINATES : 96
RMS OF TRANSFORMATION : 3.26 MM

PARAMETERS:

TRANSLATION IN X : -0.00 +- 0.58 MM
TRANSLATION IN Y : 0.00 +- 0.58 MM
TRANSLATION IN Z : -0.00 +- 0.58 MM

NUMBER OF ITERATIONS : 1

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
*_STATISTICAL PARAMETER_-----VALUE(S)-----
NUMBER OF OBSERVATIONS          16138419
NUMBER OF UNKNOWNNS             175780
NUMBER OF DEGREES OF FREEDOM    15962639
PHASE MEASUREMENTS SIGMA       0.00100
SAMPLING INTERVAL (SECONDS)     180
VARIANCE FACTOR                 1.865341285634225
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ FIRMWARE____
ACOR A 1 P 23:267:00000 23:273:86370 LEICA GR50 -----
ALSA A 1 P 23:267:00000 23:273:86370 LEICA GR50 -----
BIAZ A 1 P 23:267:00000 23:273:86370 SPECTRA SP90M -----
BIDA A 1 P 23:267:00000 23:273:86370 LEICA GR10 -----
CACE A 1 P 23:267:00000 23:273:86370 TRIMBLE NETR9 -----
CANT A 1 P 23:267:00000 23:273:86370 LEICA GR10 -----
CREU A 1 P 23:267:00000 23:273:86370 LEICA GR50 -----
EBRE A 1 P 23:267:00000 23:273:86370 LEICA GR50 -----
ELGE A 1 P 23:267:00000 23:273:86370 LEICA GR30 -----
HOND A 1 P 23:267:00000 23:273:86370 LEICA GR50 -----
IGEL A 1 P 23:267:00000 23:273:86370 LEICA GR30 -----
ISPS A 1 P 23:267:00000 23:273:86370 TRIMBLE NETR9 -----
LARE A 1 P 23:267:00000 23:273:86370 LEICA GR50 -----
LAZK A 1 P 23:267:00000 23:273:86370 LEICA GR30 -----
LEIT A 1 P 23:267:00000 23:273:86370 LEICA GR50 -----
ORON A 1 P 23:267:00000 23:273:86370 LEICA GR50 -----
PAS2 A 1 P 23:267:00000 23:273:86370 STONEX SC2200 -----
PASA A 1 P 23:267:00000 23:273:86370 LEICA GR30 -----
RI01 A 1 P 23:267:00000 23:273:86370 LEICA GR25 -----
SALA A 1 P 23:267:00000 23:273:86370 LEICA GR50 -----
SCDA A 1 P 23:267:00000 23:273:86370 LEICA GR50 -----
TERU A 1 P 23:267:00000 23:273:86370 LEICA GR50 -----
YEBE A 1 P 23:267:00000 23:273:86370 LEICA GR50 -----
ZARA A 1 P 23:267:00000 23:273:86370 TRIMBLE NETR9 -----
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are used.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ DAZI
ACOR A 1 P 23:267:00000 23:273:86370 LEIAT504 LEIS -----
ALSA A 1 P 23:267:00000 23:273:86370 LEIAR10 NONE -----
BIAZ A 1 P 23:267:00000 23:273:86370 LEIAR25 LEIT -----
BIDA A 1 P 23:267:00000 23:273:86370 LEIAS10 NONE -----
CACE A 1 P 23:267:00000 23:273:86370 TRM29659.00 NONE -----
CANT A 1 P 23:267:00000 23:273:86370 LEIAR25_R4 LEIT -----
CREU A 1 P 23:267:00000 23:273:86370 LEIAR25_R4 NONE -----
EBRE A 1 P 23:267:00000 23:273:86370 LEIAR25_R4 NONE -----
ELGE A 1 P 23:267:00000 23:273:86370 LEIAR25_R4 LEIT -----
HOND A 1 P 23:267:00000 23:273:86370 LEIAR20 LEIM -----
IGEL A 1 P 23:267:00000 23:273:86370 LEIAR20 LEIM -----
ISPS A 1 P 23:267:00000 23:273:86370 TRM59900.00 SCIS -----
LARE A 1 P 23:267:00000 23:273:86370 LEIAR20 LEIM -----
LAZK A 1 P 23:267:00000 23:273:86370 LEIAR25_R4 LEIT -----
LEIT A 1 P 23:267:00000 23:273:86370 LEIAR10 NONE -----
ORON A 1 P 23:267:00000 23:273:86370 LEIAR10 NONE -----
PAS2 A 1 P 23:267:00000 23:273:86370 LEIAR20 LEIM -----
PASA A 1 P 23:267:00000 23:273:86370 LEIAR20 LEIM -----
RI01 A 1 P 23:267:00000 23:273:86370 LEIAR25_R4 LEIT -----
SALA A 1 P 23:267:00000 23:273:86370 LEIAR25 NONE -----
SCDA A 1 P 23:267:00000 23:273:86370 TRM55971.00 NONE -----
TERU A 1 P 23:267:00000 23:273:86370 LEIAR20 LEIM -----
YEBE A 1 P 23:267:00000 23:273:86370 LEIAR20 LEIM -----
ZARA A 1 P 23:267:00000 23:273:86370 TRM29659.00 NONE -----
```

7.3 Eccentricities

```
*
*SITE PT SOLN T DATA_START__ DATA_END_____ AXE ARP->BENCHMARK(M)-----
ACOR A 1 P 23:267:00000 23:273:86370 UNE 3.0460 0.0000 0.0000
ALSA A 1 P 23:267:00000 23:273:86370 UNE 0.0000 0.0000 0.0000
BIAZ A 1 P 23:267:00000 23:273:86370 UNE 0.0000 0.0000 0.0000
BIDA A 1 P 23:267:00000 23:273:86370 UNE 0.0000 0.0000 0.0000
CACE A 1 P 23:267:00000 23:273:86370 UNE 0.0600 0.0000 0.0000
CANT A 1 P 23:267:00000 23:273:86370 UNE 3.0490 0.0000 0.0000
CREU A 1 P 23:267:00000 23:273:86370 UNE 0.0770 0.0000 0.0000
```

| | | | | | | | | | |
|------|---|---|---|--------------|--------------|-----|--------|--------|--------|
| EBRE | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0770 | 0.0000 | 0.0000 |
| ELGE | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0000 | 0.0000 | 0.0000 |
| HOND | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0771 | 0.0000 | 0.0000 |
| IGEL | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0000 | 0.0000 | 0.0000 |
| ISPS | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0350 | 0.0000 | 0.0000 |
| LARE | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0000 | 0.0000 | 0.0000 |
| LAZK | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0000 | 0.0000 | 0.0000 |
| LEIT | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0000 | 0.0000 | 0.0000 |
| ORON | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0000 | 0.0000 | 0.0000 |
| PAS2 | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0000 | 0.0000 | 0.0000 |
| PASA | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0000 | 0.0000 | 0.0000 |
| RI01 | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0606 | 0.0000 | 0.0000 |
| SALA | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0600 | 0.0000 | 0.0000 |
| SCDA | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0000 | 0.0000 | 0.0000 |
| TERU | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0600 | 0.0000 | 0.0000 |
| YEBE | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 0.0600 | 0.0000 | 0.0000 |
| ZARA | A | 1 | P | 23:267:00000 | 23:273:86370 | UNE | 3.2590 | 0.0000 | 0.0000 |

8 Inconsistencies (logsheets-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

```

2023-10-15 03:44 UTC | LARE2670.230 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log
2023-10-15 06:28 UTC | LARE2680.230 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log
2023-10-15 09:27 UTC | LARE2690.230 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log
2023-10-15 12:23 UTC | LARE2700.230 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log
2023-10-15 15:26 UTC | LARE2710.230 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log
2023-10-15 17:38 UTC | LARE2720.230 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log
2023-10-15 20:44 UTC | LARE2730.230 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log
    
```

9 References



C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. etrs89.ensg.ign.fr/memo-V8.pdf


EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf

Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf


10 Cumulative Time Series

Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.







3) AMUR




4) BIAZ




5) BIDA




6) CACE




7) CANT




8) CHER




9) EBRE




10) ELGE




11) EMAZ




12) HOND




13) IGEL




14) ISPS




15) LARE




16) LAZK




17) LEIT






18) PAS2




19) PASA




20) RIO1





24) YEBE



25) ZARA