

ARA-DAC Weekly Analysis Result: 2299 (GFA)

Technical Report

GPS Week: 2299 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus

Report generated on 2024/02/19 at 03:59:20




ARANZADI zientzia elkartea
sociedad de ciencias . society of sciences . société de sciences

1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites



GM 2024 Feb 19 03:59:15

Fig.1: Computed Sites for GPS Week2299 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences: 0.002 m.
 - sampling (for ambiguity resolution): 30 s
 - sampling (for final processing): 180 s
 - Systems: GPS+GLONASS observations are used (Galileo is used if available starting GPS week 1986)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I20 file and individual calibrations from EPNC_20.ATX. In case no calibration values of an antenna/radome pairs are not available for a certain GNSS system at some station, the observation of this/these GNSS/GNSSs are excluded from the analysis of that station.
- Reference sites: the latest IGS cumulative solution is used to align our solution to the latest IGS20 release, regularly updated and available at: IGS0OPSSNX_1994002_00U_00U_CRD.SNX.gz. Following the EUREF guidelines, no other individual calibrations are included in the analysis starting GPSW 2238 (IGS20); also applies to repro3 solutions, which are based on IGS20 standards.
- Troposphere:
 - minimum elevation is 3 deg.; elevation dependent weighting.
 - VMF3 mapping function. ZPD parameters are estimated using the VMF3 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2014b (Scherneck).
- Atmospheric loading: not corrected, following the latest recommendations for IGS20 products.
- Tidal displacements:
 - Mean pole model : IERS2010_v1.2.0
 - Subdaily pole model: DESAI2016
 - Nutation model : IAU2000R06

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3σ rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to IGS sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.

- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE421 planetary ephemeris and JGM3 Earth geopotential model is used.
- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Widelane (WL) and Narrow Line (NR) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Widelane (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF) AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W (IGS cumulative solution) are the ones used in the Minimal Constraints condition.

5.1 IGS20

The Reference Frame considered in this section is the IGS20 (IGS cumulative solution), mapped from 2015.0 to the observation epoch.

ARA FINAL WEEKLY COMBINATION: FINAL ORBITS 19-FEB-24 03:01

LOCAL GEODETIC DATUM: IGS20 EPOCH: 2024-01-31 11:59:45

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACDR 13434M001	4594489.51832	-678367.33954	4357066.33000	W	G
50	ALSA 19419M001	4677250.78324	-176770.30591	4319079.92687	A	GRE
384	BLAZ 10074M002	4634455.99556	-124344.88674	4365785.50594	W	GR
101	BIDA 00000M000	4644177.76910	-145778.23383	4354832.53173	A	GR
113	BRZR 19387M001	4662220.94199	-220769.80975	4333309.49057	A	GR
573	CACE 13447M001	4899866.45952	-544566.94592	4033770.26046	W	GRE
592	CANT 13438M001	4625924.26979	-307096.14715	4365771.61423	W	GRE
908	CREU 13432M001	4715420.07221	273178.14779	4271946.89622	W	GRE
135	EBRE 13410M001	4833519.93796	41537.48046	4147461.77036	W	GRE
180	ELGE 19353S001	4657557.34420	-202241.38218	4338991.93936	A	GRE
209	GERN 19389M001	4642811.26842	-217222.83401	4353278.92708	A	GR
257	HOND 15012M002	4640529.26596	-145675.89682	4358781.80826	A	GRE
235	IGEL 19352S001	4645951.37567	-165574.41513	4352550.47461	A	GRE
240	ISPS 19484M001	4640596.42923	-206963.68793	4356391.96643	A	GRE
252	LARE 19440M001	4632831.90811	-279026.05485	4360314.48352	A	GRE
256	LAZK 19354S001	4666098.29293	-178186.10282	4330463.72423	A	GRE
261	LEIT 19428M001	4663520.88394	-155858.62915	4334519.93762	A	GRE
334	ORND 19427M001	4659695.72768	-130864.64750	4338948.93615	A	GRE
345	PASZ 19351S001	4644909.00945	-156644.98048	4353623.12959	A	GRE
493	PASA 19351S001	4644909.00925	-156644.98063	4353623.12912	A	GRE
553	RI01 13448M002	4708447.77562	-199490.19276	4284089.78653	A	GRE
558	SALA 13469M001	4803054.43665	-462130.98045	4158379.13008	A	GR
526	SCDA 10088M002	4639940.45409	-136224.86523	4359552.47320	W	GRE
715	SOPU 19386M001	4643997.85904	-255913.81822	4350063.19279	W	GR
443	TERU 13487M001	4867391.26963	-95523.26520	4108341.73881	A	GR
616	YEBE 13420M001	4848724.51869	-261631.83777	4123094.38355	W	GRE
655	ZARA 13462M001	4773803.11585	-73505.89682	4215454.14810	W	GRE

5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

CONVERT TO ETRF2000 19-FEB-24 03:01

LOCAL GEODETIC DATUM: ETRF2000 EPOCH: 2024-01-31 11:59:45

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACDR 13434M001	4594489.85971	-678367.96891	4357065.85424	W	
50	ALSA 19419M001	4677251.18931	-176770.94428	4319079.45100	A	
384	BLAZ 10074M002	4634456.41245	-124345.51982	4365785.03451	W	
101	BIDA 00000M000	4644178.18222	-145778.86814	4354832.05916	A	
113	BRZR 19387M001	4662221.34327	-220770.44643	4333309.01539	A	
573	CACE 13447M001	4899866.79299	-544567.61154	4033769.76004	W	
592	CANT 13438M001	4625924.66203	-307096.77967	4365771.14099	W	
908	CREU 13432M001	4715420.53509	273177.50639	4271946.42321	W	
135	EBRE 13410M001	4833520.35964	41536.82411	4147461.28391	W	
180	ELGE 19353S001	4657557.74843	-202242.01825	4338991.46484	A	
209	GERN 19389M001	4642811.67178	-217223.46834	4353278.45363	A	
257	HOND 15012M002	4640529.67941	-145676.53069	4358781.33600	A	
235	IGEL 19352S001	4645951.78594	-165575.04971	4352550.00161	A	
240	ISPS 19484M001	4640596.83422	-206964.32197	4356391.49332	A	
252	LARE 19440M001	4632832.30370	-279026.68814	4360314.01007	A	
256	LAZK 19354S001	4666098.69972	-178186.73985	4330463.24930	A	
261	LEIT 19428M001	4663521.29407	-155859.26582	4334519.46323	A	
334	ORND 19427M001	4659696.14153	-130865.28363	4338948.46244	A	
345	PASZ 19351S001	4644909.42100	-156645.61490	4353622.65680	A	
493	PASA 19351S001	4644909.42080	-156645.61505	4353622.65633	A	
553	RI01 13448M002	4708447.17581	-199490.83492	4284089.30763	A	
558	SALA 13469M001	4803054.79129	-462131.63448	4158378.63927	A	
526	SCDA 10088M002	4639940.86887	-136225.48900	4359552.00113	W	
715	SOPU 19386M001	4643998.25692	-255914.45279	4350062.71870	W	
443	TERU 13487M001	4867391.66970	-95523.91602	4108341.24752	A	
616	YEBE 13420M001	4848724.89755	-261632.49682	4123093.89158	W	
655	ZARA 13462M001	4773803.52751	-73506.54643	4215453.66526	W	

5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

CONVERT TO ETRF2014 19-FEB-24 03:01

LOCAL GEODETIC DATUM: ETRF2014 EPOCH: 2024-01-31 11:59:45

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACDR 13434M001	4594489.81967	-678368.00581	4357065.90661	W	
50	ALSA 19419M001	4677251.14682	-176770.98268	4319079.50327	A	
384	BLAZ 10074M002	4634456.37024	-124345.55860	4365785.08694	W	
101	BIDA 00000M000	4644178.13998	-145778.90679	4354832.11155	A	
113	BRZR 19387M001	4662221.30110	-220770.48473	4333309.06769	A	
573	CACE 13447M001	4899866.74907	-544567.64756	4033769.81156	W	
592	CANT 13438M001	4625924.62054	-307096.81781	4365771.19336	W	
908	CREU 13432M001	4715420.49045	273177.46652	4271946.47570	W	
135	EBRE 13410M001	4833520.31457	41536.78562	4147461.33588	W	
180	ELGE 19353S001	4657557.70625	-202242.05664	4338991.51716	A	
209	GERN 19389M001	4642811.62981	-217223.50674	4353278.50599	A	
257	HOND 15012M002	4640529.63721	-145676.56936	4358781.38841	A	
235	IHEL 19352S001	4645951.74375	-165575.08829	4352550.05399	A	
240	ISPS 19484M001	4640596.79224	-206964.36042	4356391.54569	A	
252	LARE 19440M001	4632832.26204	-279026.72635	4360314.06244	A	
256	LAZK 19354S001	4666098.65736	-178186.77829	4330463.30161	A	
261	LEIT 19428M001	4663521.25166	-155859.30435	4334519.51556	A	
334	ORON 19427M001	4659696.09907	-130865.32227	4338948.51479	A	
345	PAS2 19351S001	4644909.37880	-156645.65352	4353622.70919	A	
493	PASA 19351S001	4644909.37860	-156645.65367	4353622.70872	A	
553	RI01 13448M002	4708447.13305	-199490.87310	4284089.35980	A	
558	SALA 13469M001	4803054.74829	-462131.67125	4158378.69106	A	
526	SC0A 10088M002	4639940.82665	-136225.52771	4359552.05354	W	
715	SOPU 19386M001	4643998.21507	-255914.49105	4350062.77104	W	
443	TERU 13487M001	4867391.62474	-95523.95386	4108341.29930	A	
616	YEBE 13420M001	4848724.85338	-261632.53413	4123093.94332	W	
655	ZARA 13462M001	4773803.48355	-73506.58478	4215453.71732	W	

6 Quality Control

6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGS20 solution and are given with respect to the Local frame (North-East-Up).

GFA FINAL WEEKLY COMBINATION: FINAL ORBITS 19-FEB-24 03:01

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACOR 13434M001	7	XXXXXX	1.23	0.61	2.72
ALSA 19419M001	6	XXXXXX	3.74	0.59	2.51
BIAZ 10074M002	7	XXXXXX	0.63	0.43	2.81
BIDA 00000M000	7	XXXXXX	0.95	0.90	2.32
BRZR 19387M001	7	XXXXXX	1.41	0.85	4.53
CACE 13447M001	6	XX XXXX	0.41	0.48	1.49
CANT 13438M001	7	XXXXXX	0.64	0.49	1.28
CREU 13432M001	7	XXXXXX	0.99	0.33	4.26
EBRE 13410M001	7	XXXXXX	0.51	0.54	1.92
ELGE 19353S001	7	XXXXXX	1.03	0.62	4.17
GERN 19389M001	7	XXXXXX	2.36	1.79	4.34
HOND 15012M002	7	XXXXXX	0.81	0.39	2.04
IGEL 19352S001	7	XXXXXX	1.90	0.48	2.02
ISPS 19484M001	7	XXXXXX	1.99	1.68	3.63
LARE 19440M001	7	XXXXXX	1.04	0.53	1.18
LAZK 19354S001	7	XXXXXX	1.16	0.86	3.78
LEIT 19428M001	7	XXXXXX	1.21	1.74	5.45
ORON 19427M001	7	XXXXXX	0.82	0.93	4.78
PAS2 19351S001	5	XXX X	0.66	0.43	3.32
PASA 19351S001	7	XXXXXX	0.49	0.33	2.89
RID1 13448M002	7	XXXXXX	0.39	0.44	2.80
SALA 13469M001	7	XXXXXX	0.33	0.50	1.11
SCDA 10088M002	7	XXXXXX	1.22	1.72	2.38
SOPU 19386M001	7	XXXXXX	0.77	0.43	3.37
TERU 13487M001	7	XXXXXX	0.70	0.47	0.98
YEBE 13420M001	7	XXXXXX	0.31	0.42	1.26
ZARA 13462M001	7	XXXXXX	0.52	0.43	2.88

Comparison of individual solutions:

ACOR 13434M001	N	1.23	1.45	0.76	-1.64	0.41	-0.67	-1.64	0.64
ACOR 13434M001	E	0.61	0.83	0.11	-0.75	-0.11	0.42	0.66	-0.62
ACOR 13434M001	U	2.72	-0.12	1.01	4.81	-0.95	1.17	2.67	-3.26
ALSA 19419M001	N	3.74			-7.06	0.72	0.64	2.44	3.65
ALSA 19419M001	E	0.59			0.27	0.59	-0.75	-0.51	-0.69
ALSA 19419M001	U	2.51			-2.46	-1.05	1.26	3.33	2.16
BIAZ 10074M002	N	0.63	-0.83	0.57	0.91	-0.50	-0.22	0.37	-0.32
BIAZ 10074M002	E	0.43	-0.55	-0.26	-0.61	-0.30	0.02	0.27	0.44
BIAZ 10074M002	U	2.81	5.02	0.47	3.10	-2.45	-0.70	-1.69	-1.72
BIDA 00000M000	N	0.95	-1.93	0.68	0.74	0.17	0.54	0.32	-0.55
BIDA 00000M000	E	0.90	-0.78	0.94	0.33	-1.15	-1.30	0.33	0.31
BIDA 00000M000	U	2.32	-0.64	5.34	-0.54	-0.22	0.65	-0.31	-1.60
BRZR 19387M001	N	1.41	-2.60	-0.06	1.32	0.75	1.68	0.03	0.06
BRZR 19387M001	E	0.85	-0.67	-0.23	-0.66	-0.54	1.48	0.37	-0.90
BRZR 19387M001	U	4.53	-3.75	-1.01	-6.34	0.74	2.16	7.82	-1.14
CACE 13447M001	N	0.41	-0.23	-0.48			-0.59	-0.38	0.22
CACE 13447M001	E	0.48	-0.33	0.54			-0.05	-0.24	0.26
CACE 13447M001	U	1.49	0.38	-0.73			-1.48	-0.43	1.49
CANT 13438M001	N	0.64	0.33	0.82	0.36	-1.05	-0.26	-0.29	-0.54
CANT 13438M001	E	0.49	0.54	0.54	-0.38	-0.71	-0.26	-0.19	-0.33
CANT 13438M001	U	1.28	-0.29	-0.46	0.73	-2.91	-0.22	0.45	0.45
CREU 13432M001	N	0.99	0.36	0.85	1.50	0.77	-0.93	-1.11	-0.21
CREU 13432M001	E	0.33	0.47	-0.26	-0.10	-0.41	0.10	-0.04	-0.42
CREU 13432M001	U	4.26	-2.05	-4.56	-7.01	0.27	4.34	3.69	1.52
EBRE 13410M001	N	0.51	-0.35	0.49	0.56	0.48	0.62	-0.37	-0.36
EBRE 13410M001	E	0.54	0.55	0.46	0.00	-0.60	-0.51	-0.77	-0.02
EBRE 13410M001	U	1.92	-2.27	-0.80	-3.63	0.97	0.10	1.49	0.31
ELGE 19353S001	N	1.03	1.74	1.31	-0.12	-0.33	-0.34	-1.18	0.15
ELGE 19353S001	E	0.62	-1.25	-0.34	-0.21	-0.28	0.69	0.17	-0.17
ELGE 19353S001	U	4.17	6.47	5.05	-3.17	-1.33	-2.81	-2.31	-3.42
GERN 19389M001	N	2.36	-1.80	4.53	1.24	2.00	0.52	0.03	-1.98
GERN 19389M001	E	1.79	2.02	0.41	-1.23	-3.04	-1.87	0.03	-0.83
GERN 19389M001	U	4.34	4.24	6.82	-3.17	-4.54	2.50	1.89	-2.85
HOND 15012M002	N	0.81	-0.68	1.37	0.76	-0.07	-0.21	-0.19	-0.96
HOND 15012M002	E	0.39	-0.73	0.19	-0.25	-0.27	-0.44	0.20	-0.02
HOND 15012M002	U	2.04	2.53	1.40	-3.22	-0.28	2.48	-0.19	0.24
IGEL 19352S001	N	1.90	3.64	1.37	-0.33	-0.58	-1.55	-1.55	-1.09
IGEL 19352S001	E	0.48	-0.91	-0.64	0.20	-0.11	-0.03	-0.16	0.27
IGEL 19352S001	U	2.02	2.35	1.45	-0.66	-0.98	3.64	-0.76	-1.27
ISPS 19484M001	N	1.99	-2.94	-0.79	1.87	2.53	1.12	1.66	0.71
ISPS 19484M001	E	1.68	-0.85	-2.01	0.61	-3.21	-0.48	0.25	1.05
ISPS 19484M001	U	3.63	-3.95	2.07	-2.80	-0.54	6.27	3.40	0.09
LARE 19440M001	N	1.04	0.03	0.23	1.17	0.84	-2.01	-0.58	-0.13
LARE 19440M001	E	0.53	0.73	0.32	-0.45	-0.85	0.02	-0.22	-0.31
LARE 19440M001	U	1.18	-0.20	-0.17	-1.43	-2.04	0.12	0.08	1.45
LAZK 19354S001	N	1.16	-1.99	-1.36	0.82	0.72	0.88	0.24	0.55
LAZK 19354S001	E	0.86	0.34	0.79	-0.47	-1.15	-0.11	0.84	-1.19
LAZK 19354S001	U	3.78	5.93	3.96	-1.07	-3.55	-3.35	0.97	-3.00
LEIT 19428M001	N	1.21	-1.87	1.05	-0.76	-0.03	1.65	0.82	-0.38
LEIT 19428M001	E	1.74	2.00	2.40	0.00	-1.76	-1.47	-1.04	-1.41
LEIT 19428M001	U	5.45	-8.68	-5.58	0.67	4.10	6.43	3.53	0.71
ORON 19427M001	N	0.82	-1.07	-0.09	1.40	0.19	0.86	-0.27	-0.39
ORON 19427M001	E	0.93	-1.70	0.78	0.12	-1.13	-0.62	-0.19	0.13
ORON 19427M001	U	4.78	8.04	7.23	-1.20	-0.19	0.02	-2.35	-3.65
PAS2 19351S001	N	0.66	-0.49	0.70	0.26	-0.10			0.95
PAS2 19351S001	E	0.43	-0.41	0.22	-0.10	-0.49			-0.53
PAS2 19351S001	U	3.32	0.98	5.44	-3.30	-1.60			-0.40
PASA 19351S001	N	0.49	-0.66	0.45	0.09	-0.33	-0.34	0.74	0.05
PASA 19351S001	E	0.33	-0.27	0.11	0.04	-0.58	-0.23	-0.41	-0.03
PASA 19351S001	U	2.89	0.52	5.80	-2.22	-1.74	2.55	-0.33	-1.27
RID1 13448M002	N	0.39	-0.29	0.46	0.59	-0.10	-0.05	-0.39	-0.34
RID1 13448M002	E	0.44	0.35	0.28	-0.29	-0.43	-0.76	-0.03	-0.30
RID1 13448M002	U	2.80	-2.65	0.36	-1.45	1.74	2.48	3.65	-3.89
SALA 13469M001	N	0.33	-0.20	-0.01	-0.19	-0.03	-0.73	0.20	0.07

SALA 13469M001	E	0.50	0.01	0.26	0.21	-1.08	0.39	-0.25	0.11
SALA 13469M001	U	1.11	0.43	0.04	-1.89	-0.67	-0.55	1.56	-0.65
SCDA 10088M002	N	1.22	1.09	1.04	-0.09	0.38	-0.73	1.36	-2.04
SCDA 10088M002	E	1.72	-2.16	-3.20	-0.16	1.03	0.42	1.11	0.51
SCDA 10088M002	U	2.38	3.91	2.82	-0.74	1.00	-0.26	-2.72	-1.32
SOPU 19386M001	N	0.77	-0.91	-0.75	0.32	0.78	1.12	-0.43	0.13
SOPU 19386M001	E	0.43	-0.27	-0.65	-0.42	-0.25	0.37	0.42	-0.23
SOPU 19386M001	U	3.37	-1.16	5.12	-0.45	-3.34	-4.72	-1.28	-2.27
TERU 13487M001	N	0.70	0.19	0.67	-0.10	1.26	0.36	-0.34	-0.77
TERU 13487M001	E	0.47	0.33	0.50	-0.09	0.42	-0.64	-0.05	-0.61
TERU 13487M001	U	0.98	-0.71	0.17	0.31	0.73	0.96	1.44	-1.26
YEBE 13420M001	N	0.31	-0.05	-0.01	0.26	-0.05	-0.38	-0.60	0.01
YEBE 13420M001	E	0.42	0.18	0.35	0.01	-0.83	-0.39	-0.02	0.30
YEBE 13420M001	U	1.26	-0.73	-1.54	0.65	-1.81	-0.86	1.46	0.36
ZARA 13462M001	N	0.52	-0.82	0.18	0.50	0.04	0.25	-0.36	-0.70
ZARA 13462M001	E	0.43	-0.15	-0.08	0.01	-0.83	-0.33	0.35	-0.39
ZARA 13462M001	U	2.88	-0.58	1.24	-4.91	2.93	-1.71	3.49	0.48

6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

TRANSFORMATION IN EQUATORIAL SYSTEM (X, Y, Z):
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

LIST OF REMOVED STATIONS:

OUTLIER CRITERIA: 15.00 15.00 20.00

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
1	ACOR 13434M001	I W	3.91	-3.51	2.12
2	ALAC 13433M001	I W	-0.69	0.72	2.34
3	ALME 13437M001	I W	-1.17	-0.15	1.88
4	BCL1 19482M001	I W	-1.90	1.31	1.96
5	BELL 13431M001	I W	-0.12	0.46	5.25
6	BIAZ 10074M002	I W	2.03	0.96	1.89
7	BORR 13480M001	I W	-3.59	-0.89	3.04
8	BRST 10004M004	I W	0.38	-2.51	5.52
9	CACE 13447M001	I W	0.40	1.02	5.84
10	CANT 13438M001	I W	2.02	0.52	-2.65
11	CASC 13909S001	I W	1.14	-1.88	1.76
12	CEU1 13449M002	I W	0.20	-0.23	-6.85
13	CREU 13432M001	A W	-1.94	-2.37	-4.49
14	EBRE 13410M001	I W	0.33	3.36	3.01
16	FLRS 31907M001	I W	-1.92	-6.32	-13.47
17	FUER 31330M001	I W	-1.11	-1.95	-3.09
19	HUEL 13451M001	I W	0.74	1.78	-7.22
20	IBIZ 13454S001	I W	-1.10	1.51	3.31
21	IZAN 31309M002	I W	-2.59	-2.18	-4.56
22	LAGO 13903M001	I W	-0.49	-2.01	0.31
23	LLIV 13436M001	I W	-3.10	1.81	5.88
24	LPAL 81701M001	I W	-0.89	-2.00	-8.80
25	LROC 10023M001	I W	0.41	0.05	5.28
26	MADR 13407S012	I W	-1.91	0.52	1.10
27	MAL1 13444M002	I W	2.06	0.95	-5.06
28	MALA 13443M001	I W	1.87	-1.47	2.50
29	MALL 13444M001	I W	-1.83	1.60	4.17
30	MAS1 31303M002	I W	-2.86	-3.37	-4.10
31	MELI 19379M001	I W	-0.91	0.50	0.75
32	PDEL 31906M004	I W	-0.22	-3.89	-7.11
33	RABT 35001M002	I W	-0.32	-1.35	-6.19
34	SCOA 10088M002	I W	0.97	1.16	-6.28
35	SFER 13402M004	I W	-0.94	-2.19	1.32
36	SOPU 19386M001	I W	1.77	0.71	1.44
37	VALE 13439M001	I W	-0.70	3.18	0.29
38	VIGO 13450M001	I W	1.67	-0.96	-0.09
39	VILL 13406M001	I W	-1.23	-1.24	5.00
40	YEBE 13420M001	I W	-0.72	0.17	6.64
41	ZARA 13462M001	I W	-0.16	1.95	2.69
42	ZIMM 14001M004	I W	-0.58	1.35	11.81
RMS / COMPONENT			1.65	2.08	5.16
IQR			1.77	3.07	7.47
MEAN			-0.33	-0.37	0.18
MEDIAN			-0.54	0.11	1.60
MIN			-3.59	-6.32	-13.47
MAX			3.91	3.36	11.81
OVERALL RMS/IQR/MAX(3D)			3.35	3.68	15.00
ALL	FLRS 31907M001	#SUM			
RMS / COMPONENT			1.65	2.08	5.16
IQR			1.77	3.07	7.47
MEAN			-0.33	-0.37	0.18
MEDIAN			-0.54	0.11	1.60
MIN			-3.59	-6.32	-13.47
MAX			3.91	3.36	11.81
ALL	OVERALL RMS/IQR/MAX(3D)		3.35	3.68	15.00
ALL	FLRS 31907M001	#SUM_ALL			

NUMBER OF PARAMETERS : 3
NUMBER OF STATIONS : 40
NUMBER OF COORDINATES : 120
RMS OF TRANSFORMATION : 3.35 MM

PARAMETERS:

TRANSLATION IN X : 0.00 +- 0.53 MM
TRANSLATION IN Y : 0.00 +- 0.53 MM
TRANSLATION IN Z : -0.00 +- 0.53 MM

NUMBER OF ITERATIONS : 1

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          17821952
NUMBER OF UNKNOWN(S)            185524
NUMBER OF DEGREES OF FREEDOM    17636428
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)     180
VARIANCE FACTOR                  121.297495355968110
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ FIRMWARE____
ACOR A 1 P 24:028:00000 24:034:86370 LEICA GR50 -----
ALSA A 1 P 24:029:00000 24:034:86370 LEICA GR50 -----
BIAZ A 1 P 24:028:00000 24:034:86370 SPECTRA SP90M -----
BIDA A 1 P 24:028:00000 24:034:86370 LEICA GR10 -----
BRZR A 1 P 24:028:00000 24:034:86370 LEICA GR30 -----
CACE A 1 P 24:028:00000 24:034:86370 TRIMBLE NETR9 -----
CANT A 1 P 24:028:00000 24:034:86370 LEICA GR10 -----
CREU A 1 P 24:028:00000 24:034:86370 LEICA GR50 -----
EBRE A 1 P 24:028:00000 24:034:86370 LEICA GR50 -----
ELGE A 1 P 24:028:00000 24:034:86370 LEICA GR30 -----
GERN A 1 P 24:028:00000 24:034:86370 LEICA GR30 -----
HOND A 1 P 24:028:00000 24:034:86370 LEICA GR50 -----
IGEL A 1 P 24:028:00000 24:034:86370 LEICA GR30 -----
ISPS A 1 P 24:028:00000 24:034:86370 TRIMBLE NETR9 -----
LARE A 1 P 24:028:00000 24:034:86370 LEICA GR50 -----
LAZK A 1 P 24:028:00000 24:034:86370 LEICA GR30 -----
LEIT A 1 P 24:028:00000 24:034:86370 LEICA GR50 -----
ORON A 1 P 24:028:00000 24:034:86370 LEICA GR50 -----
PAS2 A 1 P 24:028:00000 24:033:86370 STONEX SC2200 -----
PASA A 1 P 24:028:00000 24:034:86370 LEICA GR30 -----
RI01 A 1 P 24:028:00000 24:034:86370 LEICA GR25 -----
SALA A 1 P 24:028:00000 24:034:86370 LEICA GR50 -----
SCOA A 1 P 24:028:00000 24:034:86370 LEICA GR50 -----
SOPU A 1 P 24:028:00000 24:034:86370 LEICA GR30 -----
TERU A 1 P 24:028:00000 24:034:86370 LEICA GR50 -----
YEBE A 1 P 24:028:00000 24:034:86370 LEICA GR50 -----
ZARA A 1 P 24:028:00000 24:034:86370 TRIMBLE NETR9 -----
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are used.

```
*SITE PT SOLN T DATA_START__ DATA_END_____ DESCRIPTION_____ S/N__ DAZI
ACOR A 1 P 24:028:00000 24:034:86370 LEIAT504 LEIS -----
ALSA A 1 P 24:029:00000 24:034:86370 LEIAR10 NONE -----
BIAZ A 1 P 24:028:00000 24:034:86370 LEIAR25 LEIT -----
BIDA A 1 P 24:028:00000 24:034:86370 LEIAS10 NONE -----
BRZR A 1 P 24:028:00000 24:034:86370 LEIAS10 NONE -----
CACE A 1 P 24:028:00000 24:034:86370 TRM29659.00 NONE -----
CANT A 1 P 24:028:00000 24:034:86370 LEIAR25_R4 LEIT -----
CREU A 1 P 24:028:00000 24:034:86370 LEIAR25_R4 NONE -----
EBRE A 1 P 24:028:00000 24:034:86370 LEIAR25_R4 NONE -----
ELGE A 1 P 24:028:00000 24:034:86370 LEIAR25_R4 LEIT -----
GERN A 1 P 24:028:00000 24:034:86370 LEIAS10 NONE -----
HOND A 1 P 24:028:00000 24:034:86370 LEIAR20 LEIM -----
IGEL A 1 P 24:028:00000 24:034:86370 LEIAR20 LEIM -----
ISPS A 1 P 24:028:00000 24:034:86370 TRM59900.00 SCIS -----
LARE A 1 P 24:028:00000 24:034:86370 LEIAR20 LEIM -----
LAZK A 1 P 24:028:00000 24:034:86370 LEIAR25_R4 LEIT -----
LEIT A 1 P 24:028:00000 24:034:86370 LEIAR10 NONE -----
ORON A 1 P 24:028:00000 24:034:86370 LEIAR10 NONE -----
PAS2 A 1 P 24:028:00000 24:033:86370 LEIAR20 LEIM -----
PASA A 1 P 24:028:00000 24:034:86370 LEIAR20 LEIM -----
RI01 A 1 P 24:028:00000 24:034:86370 LEIAR25_R4 LEIT -----
SALA A 1 P 24:028:00000 24:034:86370 LEIAR25 NONE -----
SCOA A 1 P 24:028:00000 24:034:86370 TRM55971.00 NONE -----
SOPU A 1 P 24:028:00000 24:034:86370 LEIAS10 NONE -----
TERU A 1 P 24:028:00000 24:034:86370 LEIAR20 LEIM -----
YEBE A 1 P 24:028:00000 24:034:86370 LEIAR20 LEIM -----
ZARA A 1 P 24:028:00000 24:034:86370 TRM29659.00 NONE -----
```

7.3 Eccentricities

```
* SITE PT SOLN T DATA_START__ DATA_END_____ UP_____ NORTH_____ EAST_____
*SITE PT SOLN T DATA_START__ DATA_END_____ AXE ARP->BENCHMARK(M)-----
ACOR A 1 P 24:028:00000 24:034:86370 UNE 3.0460 0.0000 0.0000
```

ALSA	A	1	P	24:029:00000	24:034:86370	UNE	0.0000	0.0000	0.0000
BIAZ	A	1	P	24:028:00000	24:034:86370	UNE	0.0000	0.0000	0.0000
BIDA	A	1	P	24:028:00000	24:034:86370	UNE	0.0000	0.0000	0.0000
BRZR	A	1	P	24:028:00000	24:034:86370	UNE	0.0771	0.0000	0.0000
CACE	A	1	P	24:028:00000	24:034:86370	UNE	0.0600	0.0000	0.0000
CANT	A	1	P	24:028:00000	24:034:86370	UNE	3.0490	0.0000	0.0000
CREU	A	1	P	24:028:00000	24:034:86370	UNE	0.0770	0.0000	0.0000
EBRE	A	1	P	24:028:00000	24:034:86370	UNE	0.0770	0.0000	0.0000
ELGE	A	1	P	24:028:00000	24:034:86370	UNE	0.0000	0.0000	0.0000
GERN	A	1	P	24:028:00000	24:034:86370	UNE	0.0771	0.0000	0.0000
HOND	A	1	P	24:028:00000	24:034:86370	UNE	0.0771	0.0000	0.0000
IGEL	A	1	P	24:028:00000	24:034:86370	UNE	0.0000	0.0000	0.0000
ISPS	A	1	P	24:028:00000	24:034:86370	UNE	0.0350	0.0000	0.0000
LARE	A	1	P	24:028:00000	24:034:86370	UNE	0.0000	0.0000	0.0000
LAZK	A	1	P	24:028:00000	24:034:86370	UNE	0.0000	0.0000	0.0000
LEIT	A	1	P	24:028:00000	24:034:86370	UNE	0.0000	0.0000	0.0000
ORDN	A	1	P	24:028:00000	24:034:86370	UNE	0.0000	0.0000	0.0000
PAS2	A	1	P	24:028:00000	24:033:86370	UNE	0.0000	0.0000	0.0000
PASA	A	1	P	24:028:00000	24:034:86370	UNE	0.0000	0.0000	0.0000
RID1	A	1	P	24:028:00000	24:034:86370	UNE	0.0606	0.0000	0.0000
SALA	A	1	P	24:028:00000	24:034:86370	UNE	0.0600	0.0000	0.0000
SCDA	A	1	P	24:028:00000	24:034:86370	UNE	0.0000	0.0000	0.0000
SOPU	A	1	P	24:028:00000	24:034:86370	UNE	0.0771	0.0000	0.0000
TERU	A	1	P	24:028:00000	24:034:86370	UNE	0.0600	0.0000	0.0000
YEBE	A	1	P	24:028:00000	24:034:86370	UNE	0.0600	0.0000	0.0000
ZARA	A	1	P	24:028:00000	24:034:86370	UNE	3.2590	0.0000	0.0000

8 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

```

2024-02-18 03:35 UTC | LARE0280.240 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log)
2024-02-18 06:27 UTC | LARE0290.240 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log)
2024-02-18 09:14 UTC | LARE0300.240 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log)
2024-02-18 12:02 UTC | LARE0310.240 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log)
2024-02-18 15:03 UTC | LARE0320.240 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log)
2024-02-18 18:00 UTC | LARE0330.240 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log)
2024-02-18 21:07 UTC | LARE0340.240 | RECEIVER FIRM. VERS. | 4.70/7.813 -> 4.61/7.811 (source: lare00esp_20230308.log)

```

9 References

C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. etrs89.ensg.ign.fr/memo-V8.pdf



EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf


Johnston, G., Riddell, A., Hausler, G. (2017). The International GNSS Service. Teunissen, Peter J.G., Montenbruck, O. (Eds.), Springer Handbook of Global Navigation Satellite Systems (1st ed., pp. 967-982). Cham, Switzerland: Springer International Publishing. DOI: 10.1007/978-3-319-42928-1

Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf


10 Cumulative Time Series

Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.







3) AMUR




4) BLAZ




5) BIDA




6) CACE




7) CANT




8) CHER




9) EBRE




10) ELGE




11) EMAZ




12) HOND




13) IGEL




14) ISPS




15) LARE




16) LAZK



17) LEIT



24) YEBE



25) ZARA