

ARA-DAC Weekly Analysis Result: 2308 (GFA)

Technical Report

GPS Week: 2308 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus

Report generated on 2024/04/22 at 06:31:46




ARANZADI zientzia elkartea
sociedad de ciencias . society of sciences . société de sciences

1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites



GM 2024 Apr 22 06:31:41

Fig.1: Computed Sites for GPS Week2308 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences: 0.002 m.
 - sampling (for ambiguity resolution): 30 s
 - sampling (for final processing): 180 s
 - Systems: GPS+GLONASS observations are used (Galileo is used if available starting GPS week 1986)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I20 file and individual calibrations from EPNC_20.ATX. In case no calibration values of an antenna/radome pairs are not available for a certain GNSS system at some station, the observation of this/these GNSS/GNSSs are excluded from the analysis of that station.
- Reference sites: the latest IGS cumulative solution is used to align our solution to the latest IGS20 release, regularly updated and available at: IGS0OPSSNX_1994002_00U_00U_CRD.SNX.gz. Following the EUREF guidelines, no other individual calibrations are included in the analysis starting GPSW 2238 (IGS20); also applies to repro3 solutions, which are based on IGS20 standards.
- Troposphere:
 - minimum elevation is 3 deg.; elevation dependent weighting.
 - VMF3 mapping function. ZPD parameters are estimated using the VMF3 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2014b (Scherneck).
- Atmospheric loading: not corrected, following the latest recommendations for IGS20 products.
- Tidal displacements:
 - Mean pole model : IERS2010_v1.2.0
 - Subdaily pole model: DESAI2016
 - Nutation model : IAU2000R06

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3σ rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to IGS sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.

- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE421 planetary ephemeris and JGM3 Earth geopotential model is used.
- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Widelane (WL) and Narrow Line (NR) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Widelane (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF) AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W (IGS cumulative solution) are the ones used in the Minimal Constraints condition.

5.1 IGS20

The Reference Frame considered in this section is the IGS20 (IGS cumulative solution), mapped from 2015.0 to the observation epoch.

ARA FINAL WEEKLY COMBINATION: FINAL ORBITS 22-APR-24 05:15

LOCAL GEODETIC DATUM: IGS20 EPOCH: 2024-04-03 11:59:45

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACOR 13434M001	4594489.51850	-678367.33068	4357066.33503	W	G
39	ALDA 19383M001	4687280.10902	-190876.47369	4308107.01703	A	GR
50	ALSA 19419M001	4677250.77996	-176770.30443	4319079.93195	A	GRE
53	AMUR 19388M001	4661499.40350	-244591.16669	4332269.93973	A	GR
384	BIAZ 10074M002	4634455.99957	-124344.88421	4365785.51630	W	GR
101	BIDA 00000M000	4644177.76386	-145778.23111	4354832.53327	A	GR
113	BRZR 19387M001	4662220.93652	-220769.81105	4333309.48721	A	GR
573	CACE 13447M001	4899866.45982	-544566.94373	4033770.26140	W	GRE
592	CANT 13438M001	4625924.26868	-307096.14441	4365771.61826	W	GRE
908	CREU 13432M001	4715420.06768	273178.15068	4271946.89755	W	GRE
135	EBRE 13410M001	4833519.93622	41537.48460	4147461.77274	W	GRE
180	ELGE 19353S001	4657557.34503	-202241.37971	4338991.94368	A	GRE
182	EMAZ 17001M001	4645924.16117	-276949.77809	4347759.62691	A	GR
257	HOND 15012M002	4640529.26481	-145675.89488	4358781.81312	A	GRE
235	IGEL 19352S001	4645951.37580	-165574.41287	4352550.48041	A	GRE
240	ISPS 19484M001	4640596.42601	-206963.68605	4356391.97048	A	GRE
245	KAST 19499M001	4646949.02067	-240747.17685	4348015.04294	A	GR
252	LARE 19440M001	4632831.90732	-279026.05191	4360314.48659	A	GRE
256	LAZK 19354S001	4666098.29418	-178186.10043	4330463.73160	A	GRE
261	LEIT 19428M001	4663520.88529	-155858.62676	4334519.94521	A	GRE
334	ORDN 19427M001	4659696.72902	-130864.64561	4338948.94089	A	GRE
345	PAS2 19351S001	4644909.00618	-156644.97855	4353623.13596	A	GRE
493	PASA 19351S001	4644909.00947	-156644.97799	4353623.13537	A	GRE
553	RID1 13448M002	4708446.77760	-199490.19073	4284089.79389	A	GRE
558	SALA 13469M001	4803054.43846	-462130.97725	4158379.13474	A	GR
526	SCDA 10088M002	4639940.45317	-136224.85096	4359552.47768	W	GRE
715	SOPU 19386M001	4643997.85512	-255913.81612	4350063.19651	W	GR
443	TERU 13487M001	4867391.27130	-95523.25166	4108341.74243	A	GRE
493	VITO 19385M001	4679397.64953	-218436.41359	4314898.42038	A	GR
616	YEBE 13420M001	4848724.51729	-261631.83452	4123094.38650	W	GRE
655	ZARA 13462M001	4773803.11694	-73505.89291	4215454.15382	W	GRE

5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

CONVERT TO ETRF2000 22-APR-24 05:15

LOCAL GEODETIC DATUM: ETRF2000 EPOCH: 2024-04-03 11:59:45

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACOR 13434M001	4594489.83346	-678367.98750	4357065.88177	W	
39	ALDA 19383M001	4687280.48268	-190877.14014	4308106.56255	A	
50	ALSA 19419M001	4677251.15638	-176770.96971	4319079.47860	A	
53	AMUR 19388M001	4661499.77231	-244591.83035	4332269.48682	A	
384	BIAZ 10074M002	4634456.38674	-124345.54449	4365785.06767	W	
101	BIDA 00000M000	4644178.14733	-145778.89255	4354832.08343	A	
113	BRZR 19387M001	4662221.30849	-220770.47474	4333309.03459	A	
573	CACE 13447M001	4899866.76431	-544567.63467	4033769.78196	W	
592	CANT 13438M001	4625924.63230	-307096.80419	4365771.16770	W	
908	CREU 13432M001	4715420.49795	273177.48266	4271946.44727	W	
135	EBRE 13410M001	4833520.32602	41536.80245	4147461.30818	W	
180	ELGE 19353S001	4657557.71987	-202242.04283	4338991.49177	A	
182	EMAZ 17001M001	4645924.52713	-276950.44008	4347759.17496	A	
257	HOND 15012M002	4640529.64863	-145676.55591	4358781.36361	A	
235	IGEL 19352S001	4645951.75652	-165575.07457	4352550.03011	A	
240	ISPS 19484M001	4640596.80173	-206964.34725	4356391.52006	A	
245	KAST 19499M001	4646949.39132	-240747.83886	4348014.59143	A	
252	LARE 19440M001	4632832.27409	-279026.71241	4360314.03581	A	
256	LAZK 19354S001	4666098.67139	-178186.76444	4330463.27926	A	
261	LEIT 19428M001	4663521.26572	-155859.29043	4334519.49344	A	
334	ORDN 19427M001	4659696.11305	-130865.30877	4338948.48984	A	
345	PAS2 19351S001	4644909.38815	-156645.64010	4353622.68589	A	
493	PASA 19351S001	4644909.39144	-156645.63954	4353622.68530	A	
553	RID1 13448M002	4708447.14809	-199490.85958	4284089.33732	A	
558	SALA 13469M001	4803054.76430	-462131.65729	4158378.66551	A	
526	SCDA 10088M002	4639940.83827	-136225.51190	4359552.02837	W	
715	SOPU 19386M001	4643998.22399	-255914.47783	4350062.74505	W	
443	TERU 13487M001	4867391.64010	-95523.93804	4108341.27272	A	
493	VITO 19385M001	4679398.02022	-218437.07922	4314897.96621	A	
616	YEBE 13420M001	4848724.86596	-261632.51926	4123093.91605	W	
655	ZARA 13462M001	4773803.49777	-73506.56875	4215453.69308	W	

5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2014                                22-APR-24 05:15
-----
LOCAL GEODETIC DATUM: ETRF2014                    EPOCH: 2024-04-03 11:59:45
NUM  STATION NAME      X (M)      Y (M)      Z (M)      FLAG  SYSTEM
111  ACDR 13434M001    4594489.81438 -678367.98762 4357065.91889 W
 39  ALDA 19383M001    4687280.46327 -190877.14206 4308106.59985 A
 50  ALSA 19419M001    4677251.13700 -176770.97168 4319079.51586 A
 53  AMUR 19388M001    4661499.75299 -244591.83208 4332269.52403 A
384  BIAZ 10074M002    4634456.36752 -124345.54666 4365785.10476 W
101  BIDA 00000M000    4644178.12807 -145778.89464 4354832.12055 A
113  BRZR 19387M001    4662221.28916 -220770.47656 4333309.07180 A
 573  CACE 13447M001    4899866.74412 -544567.63528 4033769.82027 W
 592  CANT 13438M001    4625924.61311 -307096.80568 4365771.20479 W
 908  CREU 13432M001    4715420.47843 273177.47902 4271946.48471 W
135  EBRE 13410M001    4833520.30607 41536.79967 4147461.34607 W
180  ELGE 19353S001    4657557.70057 -202242.04471 4338991.52895 A
182  EMAZ 17001M001    4645924.50787 -276950.44169 4347759.21211 A
257  HOND 15012M002    4640529.62939 -145676.55800 4358781.40073 A
235  IGEL 19352S001    4645951.73726 -165575.07659 4352550.06725 A
240  ISPS 19484M001    4640596.78249 -206964.34912 4356391.55718 A
245  KAST 19499M001    4646949.37205 -240747.84060 4348014.62859 A
252  LARE 19440M001    4632832.25487 -279026.71401 4360314.07292 A
256  LAZK 19354S001    4666098.65205 -178186.76641 4330463.31647 A
261  LEIT 19428M001    4663521.24640 -155859.29248 4334519.53064 A
334  ORON 19427M001    4659696.09374 -130865.31091 4338948.52702 A
345  PAS2 19351S001    4644909.36889 -156645.64215 4353622.72302 A
493  PASA 19351S001    4644909.37218 -156645.64159 4353622.72243 A
553  RIO1 13448M002    4708447.12860 -199490.86147 4284089.37471 A
558  SALA 13469M001    4803054.74446 -462131.65821 4158378.70336 A
526  SOGA 10088M002    4639940.81903 -136225.51402 4359552.06548 W
715  SOPU 19386M001    4643998.20473 -255914.47951 4350062.78219 W
443  TERU 13487M001    4867391.62002 -95523.94032 4108341.31075 A
493  VITO 19385M001    4679398.00083 -218437.08104 4314898.00349 A
616  YEBE 13420M001    4848724.84595 -261632.52092 4123093.95403 W
655  ZARA 13462M001    4773803.47804 -73506.57111 4215453.73073 W

```


ORDN 19427M001	N	2.84	2.79	2.51	0.63	1.16	1.47	-1.86	-5.19
ORDN 19427M001	E	1.24	0.85	-0.33	-0.41	-0.39	2.34	-1.51	-0.50
ORDN 19427M001	U	5.05	0.45	-4.53	4.88	-1.75	6.37	-3.58	-7.21
PAS2 19351S001	N	0.49							0.49
PAS2 19351S001	E	0.36							-0.36
PAS2 19351S001	U	1.40							-1.40
PASA 19351S001	N	1.48	-0.19	-0.21	-2.27	-0.67	-0.29	0.79	2.60
PASA 19351S001	E	0.79	0.07	-0.51	-0.17	-0.46	0.08	1.46	-1.05
PASA 19351S001	U	5.24	4.69	-4.07	1.65	-1.68	3.11	-10.34	-2.00
RID1 13448M002	N	1.23	0.14	0.59	-1.66	-0.75	-1.14	0.42	1.98
RID1 13448M002	E	0.71	1.04	-0.63	-0.33	-0.70	-0.21	0.79	-0.56
RID1 13448M002	U	3.14	0.78	-4.54	1.35	-0.42	-4.05	-4.41	0.19
SALA 13469M001	N	0.64	0.81	0.09	-0.89	0.08	-0.48	-0.60	-0.61
SALA 13469M001	E	0.74	-1.11	0.55	-1.07	-0.57	0.53	0.05	-0.09
SALA 13469M001	U	1.48	0.15	1.43	-1.14	2.65	0.34	0.53	1.54
SCDA 10088M002	N	1.28	0.28	2.47	-1.42	-0.32	0.79	-0.49	-0.82
SCDA 10088M002	E	1.16	-0.01	-0.96	-0.04	-1.55	-0.42	1.74	1.25
SCDA 10088M002	U	5.79	2.93	0.12	0.15	2.34	2.50	-12.30	-5.44
SOPU 19386M001	N	2.67	-1.21	0.51	-3.07	-1.88	-0.29	5.02	1.66
SOPU 19386M001	E	0.76	-0.41	-0.55	-0.63	-0.98	-0.29	1.23	0.09
SOPU 19386M001	U	6.26	6.46	4.97	4.98	-7.19	-1.04	-9.24	-2.42
TERU 13487M001	N	2.51	-1.25			2.18			
TERU 13487M001	E	0.68	0.30			-0.61			
TERU 13487M001	U	8.49	7.98			-2.89			
VITO 19385M001	N	1.45	0.70	-1.90	-1.72	1.64	1.18	-0.75	0.94
VITO 19385M001	E	0.63	0.38	-0.62	-0.00	-1.35	-0.13	0.06	-0.06
VITO 19385M001	U	4.23	3.87	-7.11	2.69	-5.28	0.26	-1.06	-2.35
YEBE 13420M001	N	0.46	-0.09	0.67	-0.54	-0.27	-0.56	-0.39	-0.04
YEBE 13420M001	E	0.38	-0.58	-0.16	-0.42	-0.56	0.06	-0.02	-0.12
YEBE 13420M001	U	1.88	2.18	1.34	1.33	0.33	-0.90	-1.30	3.22
ZARA 13462M001	N	0.79	-0.96	0.43	-1.34	0.67	-0.03	0.22	0.57
ZARA 13462M001	E	0.52	-0.22	-0.96	-0.34	0.11	0.71	-0.03	-0.14
ZARA 13462M001	U	3.96	3.58	-3.44	0.96	1.85	-5.64	-5.43	-2.02

6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

TRANSFORMATION IN EQUATORIAL SYSTEM (X, Y, Z):
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

LIST OF REMOVED STATIONS:

OUTLIER CRITERIA: 15.00 15.00 20.00

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
1	ACOR 13434M001	I W	2.39	-8.72	-0.88
2	ALAC 13433M001	I W	-0.95	-0.06	4.63
3	ALME 13437M001	I W	-0.52	-0.03	6.45
4	BCL1 19482M001	I W	-0.75	0.23	2.58
5	BELL 13431M001	I W	-0.36	0.60	4.50
6	BIAZ 10074M002	I W	0.16	1.65	-8.44
7	BORR 13480M001	I W	-2.77	-2.30	-0.20
8	BRST 10004M004	I W	0.58	0.40	2.32
9	CACE 13447M001	I W	2.65	2.00	5.16
10	CANT 13438M001	I W	1.08	1.05	-4.58
11	CASC 13909S001	I W	1.91	-0.47	-0.14
12	CEU1 13449M002	I W	0.29	1.60	2.63
13	CREU 13432M001	A W	-3.88	-9.67	-14.96
14	EBRE 13410M001	I W	0.18	2.64	2.66
16	FLRS 31907M001	I W	-0.40	-4.75	-8.76
17	FUER 31330M001	I W	-0.34	-0.96	-3.41
18	FUNC 13911S001	I W	3.34	-2.86	-14.07
20	HUEL 13451M001	I W	1.32	2.75	-4.87
21	IBIZ 13454S001	I W	-1.31	1.41	5.33
22	IZAN 31309M002	I W	-1.15	-1.46	-4.10
23	LAGO 13903M001	I W	-0.43	-1.63	3.79
24	LLIV 13436M001	I W	-2.19	2.06	2.51
25	LPAL 81701M001	I W	1.16	-0.49	-4.82
26	LROC 10023M001	I W	0.77	2.77	2.47
27	MADR 13407S012	I W	-1.16	0.62	-1.68
28	MAL1 13444M002	I W	2.50	1.28	-0.51
29	MALA 13443M001	I W	2.23	-0.93	6.87
30	MALL 13444M001	I W	-1.93	1.76	9.93
31	MAS1 31303M002	I W	-0.81	-2.25	1.73
32	MELI 19379M001	I W	-0.51	0.04	7.89
33	PDEL 31906M004	I W	-0.76	-3.84	-2.73
34	RABT 35001M002	I W	-0.18	-1.30	-2.07
35	SCOA 10088M002	I W	-0.16	0.15	-8.92
36	SFER 13402M004	I W	-1.38	-2.60	4.38
37	SOPU 19386M001	I W	-0.86	2.06	1.72
38	VALE 13439M001	I W	-0.73	2.64	-1.07
39	VIGO 13450M001	I W	0.88	2.25	-0.64
40	VILL 13406M001	I W	-0.94	-0.73	3.51
41	YEBE 13420M001	I W	-1.17	0.26	5.91
42	ZARA 13462M001	I W	-0.97	1.33	-2.00
43	ZIMM 14001M004	I W	0.13	1.68	5.31
RMS / COMPONENT			1.51	2.77	5.63
IQR			1.71	2.95	7.11
MEAN			-0.12	-0.29	0.08
MEDIAN			-0.40	0.23	1.72
MIN			-3.88	-9.67	-14.96
MAX			3.34	2.77	9.93
OVERALL RMS/IQR/MAX(3D)			3.72	3.35	18.23
					CREU 13432M001 #SUM
ALL RMS / COMPONENT			1.51	2.77	5.63
ALL IQR			1.71	2.95	7.11
ALL MEAN			-0.12	-0.29	0.08
ALL MEDIAN			-0.40	0.23	1.72
ALL MIN			-3.88	-9.67	-14.96
ALL MAX			3.34	2.77	9.93
ALL OVERALL RMS/IQR/MAX(3D)			3.72	3.35	18.23
					CREU 13432M001 #SUM_ALL

NUMBER OF PARAMETERS : 3
NUMBER OF STATIONS : 41
NUMBER OF COORDINATES : 123
RMS OF TRANSFORMATION : 3.72 MM

PARAMETERS:

TRANSLATION IN X : 0.00 +- 0.58 MM
TRANSLATION IN Y : -0.00 +- 0.58 MM
TRANSLATION IN Z : -0.00 +- 0.58 MM

NUMBER OF ITERATIONS : 1

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          19254430
NUMBER OF UNKNOWNNS             194462
NUMBER OF DEGREES OF FREEDOM    19059965
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)     180
VARIANCE FACTOR                  1.992234335656003
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START_ DATA_END_ DESCRIPTION----- S/N_ FIRMWARE____
ACOR A 1 P 24:091:00000 24:097:86370 LEICA GR50 -----
ALDA A 1 P 24:091:00000 24:097:86370 LEICA GR30 -----
ALSA A 1 P 24:091:00000 24:097:86370 LEICA GR50 -----
AMUR A 1 P 24:091:00000 24:097:86370 LEICA GR30 -----
BIAZ A 1 P 24:091:00000 24:097:86370 SPECTRA SP90M -----
BIDA A 1 P 24:091:00000 24:097:86370 LEICA GR10 -----
BRZR A 1 P 24:091:00000 24:097:86370 LEICA GR30 -----
CACE A 1 P 24:091:00000 24:097:86370 TRIMBLE NETR9 -----
CANT A 1 P 24:091:00000 24:097:86370 LEICA GR10 -----
CREU A 1 P 24:091:00000 24:097:86370 LEICA GR50 -----
EBRE A 1 P 24:091:00000 24:097:86370 LEICA GR50 -----
ELGE A 1 P 24:091:00000 24:097:86370 LEICA GR30 -----
EMAZ A 1 P 24:091:00000 24:097:86370 LEICA GR30 -----
HOND A 1 P 24:091:00000 24:097:86370 LEICA GR50 -----
IGEL A 1 P 24:091:00000 24:097:86370 LEICA GR30 -----
ISPS A 1 P 24:091:00000 24:097:86370 TRIMBLE NETR9 -----
KAST A 1 P 24:091:00000 24:097:86370 LEICA GR30 -----
LARE A 1 P 24:091:00000 24:097:86370 LEICA GR50 -----
LAZK A 1 P 24:091:00000 24:097:86370 LEICA GR30 -----
LEIT A 1 P 24:091:00000 24:097:86370 LEICA GR50 -----
ORON A 1 P 24:091:00000 24:097:86370 LEICA GR50 -----
PAS2 A 1 P 24:097:00000 24:097:86370 STONEX SC2200 -----
PASA A 1 P 24:091:00000 24:097:86370 LEICA GR30 -----
RIO1 A 1 P 24:091:00000 24:097:86370 LEICA GR25 -----
SALA A 1 P 24:091:00000 24:097:86370 LEICA GR50 -----
SCDA A 1 P 24:091:00000 24:097:86370 LEICA GR50 -----
SOPU A 1 P 24:091:00000 24:097:86370 LEICA GR30 -----
TERU A 1 P 24:091:00000 24:094:86370 LEICA GR50 -----
VITO A 1 P 24:091:00000 24:097:86370 LEICA GR30 -----
YEBE A 1 P 24:091:00000 24:097:86370 LEICA GR50 -----
ZARA A 1 P 24:091:00000 24:097:86370 TRIMBLE NETR9 -----
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are used.

```
*SITE PT SOLN T DATA_START_ DATA_END_ DESCRIPTION----- S/N_ DAZI
ACOR A 1 P 24:091:00000 24:097:86370 LEIAT504 LEIS -----
ALDA A 1 P 24:091:00000 24:097:86370 LEIAS10 NONE -----
ALSA A 1 P 24:091:00000 24:097:86370 LEIAR10 NONE -----
AMUR A 1 P 24:091:00000 24:097:86370 LEIAS10 NONE -----
BIAZ A 1 P 24:091:00000 24:097:86370 LEIAR25 LEIT -----
BIDA A 1 P 24:091:00000 24:097:86370 LEIAS10 NONE -----
BRZR A 1 P 24:091:00000 24:097:86370 LEIAS10 NONE -----
CACE A 1 P 24:091:00000 24:097:86370 TRM29659.00 NONE -----
CANT A 1 P 24:091:00000 24:097:86370 LEIAR25_R4 LEIT -----
CREU A 1 P 24:091:00000 24:097:86370 LEIAR25_R4 NONE -----
EBRE A 1 P 24:091:00000 24:097:86370 LEIAR25_R4 NONE -----
ELGE A 1 P 24:091:00000 24:097:86370 LEIAR25_R4 LEIT -----
EMAZ A 1 P 24:091:00000 24:097:86370 LEIAS10 NONE -----
HOND A 1 P 24:091:00000 24:097:86370 LEIAR20 LEIM -----
IGEL A 1 P 24:091:00000 24:097:86370 LEIAR20 LEIM -----
ISPS A 1 P 24:091:00000 24:097:86370 TRM59900.00 SCIS -----
KAST A 1 P 24:091:00000 24:097:86370 LEIAS10 NONE -----
LARE A 1 P 24:091:00000 24:097:86370 LEIAR20 LEIM -----
LAZK A 1 P 24:091:00000 24:097:86370 LEIAR25_R4 LEIT -----
LEIT A 1 P 24:091:00000 24:097:86370 LEIAR10 NONE -----
ORON A 1 P 24:091:00000 24:097:86370 LEIAR10 NONE -----
PAS2 A 1 P 24:097:00000 24:097:86370 LEIAR20 LEIM -----
PASA A 1 P 24:091:00000 24:097:86370 LEIAR20 LEIM -----
RIO1 A 1 P 24:091:00000 24:097:86370 LEIAR25_R4 LEIT -----
SALA A 1 P 24:091:00000 24:097:86370 LEIAR25 NONE -----
SCDA A 1 P 24:091:00000 24:097:86370 TRM55971.00 NONE -----
SOPU A 1 P 24:091:00000 24:097:86370 LEIAS10 NONE -----
TERU A 1 P 24:091:00000 24:094:86370 LEIAR20 LEIM -----
VITO A 1 P 24:091:00000 24:097:86370 LEIAS10 NONE -----
YEBE A 1 P 24:091:00000 24:097:86370 LEIAR20 LEIM -----
ZARA A 1 P 24:091:00000 24:097:86370 TRM29659.00 NONE -----
```

7.3 Eccentricities

```

*
*SITE PT SOLN T DATA_START__ DATA_END_____ AXE ARP->BENCHMARK(M)-----
ACOR A 1 P 24:091:00000 24:097:86370 UNE 3.0460 0.0000 0.0000
ALDA A 1 P 24:091:00000 24:097:86370 UNE 0.0000 0.0000 0.0000
ALSA A 1 P 24:091:00000 24:097:86370 UNE 0.0000 0.0000 0.0000
AMUR A 1 P 24:091:00000 24:097:86370 UNE 0.0000 0.0000 0.0000
BIAZ A 1 P 24:091:00000 24:097:86370 UNE 0.0000 0.0000 0.0000
BIDA A 1 P 24:091:00000 24:097:86370 UNE 0.0000 0.0000 0.0000
BRZR A 1 P 24:091:00000 24:097:86370 UNE 0.0771 0.0000 0.0000
CACE A 1 P 24:091:00000 24:097:86370 UNE 0.0600 0.0000 0.0000
CANT A 1 P 24:091:00000 24:097:86370 UNE 3.0490 0.0000 0.0000
CREU A 1 P 24:091:00000 24:097:86370 UNE 0.0770 0.0000 0.0000
EBRE A 1 P 24:091:00000 24:097:86370 UNE 0.0770 0.0000 0.0000
ELGE A 1 P 24:091:00000 24:097:86370 UNE 0.0000 0.0000 0.0000
EMAZ A 1 P 24:091:00000 24:097:86370 UNE 0.0350 0.0000 0.0000
HOND A 1 P 24:091:00000 24:097:86370 UNE 0.0771 0.0000 0.0000
IGEL A 1 P 24:091:00000 24:097:86370 UNE 0.0000 0.0000 0.0000
ISPS A 1 P 24:091:00000 24:097:86370 UNE 0.0350 0.0000 0.0000
KAST A 1 P 24:091:00000 24:097:86370 UNE 0.0350 0.0000 0.0000
LARE A 1 P 24:091:00000 24:097:86370 UNE 0.0000 0.0000 0.0000
LAZK A 1 P 24:091:00000 24:097:86370 UNE 0.0000 0.0000 0.0000
LEIT A 1 P 24:091:00000 24:097:86370 UNE 0.0000 0.0000 0.0000
ORDN A 1 P 24:091:00000 24:097:86370 UNE 0.0000 0.0000 0.0000
PAS2 A 1 P 24:097:00000 24:097:86370 UNE 0.0000 0.0000 0.0000
PASA A 1 P 24:091:00000 24:097:86370 UNE 0.0000 0.0000 0.0000
RID1 A 1 P 24:091:00000 24:097:86370 UNE 0.0606 0.0000 0.0000
SALA A 1 P 24:091:00000 24:097:86370 UNE 0.0600 0.0000 0.0000
SCDA A 1 P 24:091:00000 24:097:86370 UNE 0.0000 0.0000 0.0000
SOPU A 1 P 24:091:00000 24:097:86370 UNE 0.0771 0.0000 0.0000
TERU A 1 P 24:091:00000 24:094:86370 UNE 0.0600 0.0000 0.0000
VITO A 1 P 24:091:00000 24:097:86370 UNE 0.0000 0.0000 0.0000
YEBE A 1 P 24:091:00000 24:097:86370 UNE 0.0600 0.0000 0.0000
ZARA A 1 P 24:091:00000 24:097:86370 UNE 3.2590 0.0000 0.0000
    
```

8 References

C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. etrs89.ensg.ign.fr/memo-V8.pdf



EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf


Johnston, G., Riddell, A., Hausler, G. (2017). The International GNSS Service. Teunissen, Peter J.G., Montenbruck, O. (Eds.), Springer Handbook of Global Navigation Satellite Systems (1st ed., pp. 967-982). Cham, Switzerland: Springer International Publishing. DOI: 10.1007/978-3-319-42928-1

Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf


9 Cumulative Time Series

Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.









3) AMUR




4) BIAZ




5) BIDA







9) EBRE




10) ELGE




11) EMAZ




12) HOND




13) IGEL




14) ISPS




15) LARE




16) LAZK




17) LEIT




18) PAS2




19) PASA




20) RIO1




21) SCOA




22) SOPU



23) TERU



24) YEBE



25) ZARA